

Live & Webcast

AUCTION SALE

ProAuction
Limited
Valuers & Auctioneers

Wednesday 15th July 2009 at 11.00am prompt

Viewing:

Monday 13th and Tuesday 14th July 2009

Live & Webcast at:
GORTON COLD STORE,
Hammerstone Road,
Gorton, Manchester,
Lancashire, UK. M18 8AU


A former meat company who provided quality meat, dairy, and speciality food products in the United Kingdom.

The sale will include the latest model well maintained processing machinery, all aspects of meat processing machines are offered the key items to include:

- AEW Delford Systems APC integrated portion slicing line
- Injectstar double head diagonal 424 needle pickle injector line
- Multivac R530 thermoformer, 2006 model
- Kolbe MWE52 mixer grinders
- Handtmann VF50 vacuum fillers
- Mutlivac C500 & VC999 - K12's vacuum packers
- Numerous bandsaw's, dicers, patty formers and meat strappers
- Latest model check weighers & metal detectors
- 100's ancillary items tables, racks & scales, etc.

Live webcast bidding at:
www.bidspotter.com

www.proauction.ltd.uk
Email: info@proauction.ltd.uk
Telephone: 01761 414000
Facsimile: 0845 280 2492



GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

1 Application of these General Conditions

1.1 In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated under clause 5.11 below.

1.2 These General Conditions apply to every Auction of Plant and Machinery, Chattels, Trade Stocks and Vehicles conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

1.3 If these General Conditions have not previously been accepted by a person attending or bidding at an Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

1.4 To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the special conditions shall prevail.

1.5 These General Conditions shall be governed construed and enforced in accordance with the law of England, but:-

- (a) if the Auction is held in Scotland, in accordance with the law of Scotland;
- (b) if the Auction is held in Northern Ireland, in accordance with the law in Northern Ireland.

2. The Seller's Instructions and Warranties

2.1 The Seller warrants that:-

- (a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully sold;
- (c) the premises where the Auction is to be held (if not the Auctioneer's premises) will be safe for that purpose and that it will be lawful to hold the Auction there.

2.2 If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:-

- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in clause 2.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

3. The Auctioneer's Remuneration

3.1 The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

3.2 The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

4. Bidding on behalf of Another

4.1 Unless the Auctioneer has previously acknowledged in writing that the bidder bids as agent on behalf of a named principal, every bidder shall be taken to bid on his own behalf as principal.

4.2 If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

5. Conduct of the Auction

5.1 The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Auction Catalogue.

5.2 Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.

5.3 The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue.

5.4 The Auctioneer may at any time before the fall of the hammer withdraw or divide any Lot or combine any Lots.

5.5 With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.

5.6 The Auctioneer may require any Bidder to give his name and address and proof of identity before accepting a bid.

5.7 The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.

5.8 The Buyer shall be the person who made the highest bid before the fall of the hammer or such other person as the Auctioneer may declare to be Buyer without being required to give a reason.

5.9 The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the

dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

5.10 The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

5.11 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions

6 After the Sale

6.1 Upon the Auctioneer declaring any Lot sold, the buyer shall immediately:-

- (a) give the Auctioneer his name and address and if requested his proof of identity;
- (b) identify any person on whose behalf he has bought;
- (c) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

6.2 Within the time specified in clause 6.3 below, the Buyer shall pay the following sums to the Auctioneer in full:-

- (a) the balance of the price of all Lots purchased together with any VAT due;
- (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or agent.

6.3 The time for complying with clause 6.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

6.4 The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with clause 6.2 above, in which case the Buyer shall pay the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 4 per cent above Barclays Bank Plc base rate in force from time to time.

6.5 Until the Buyer has complied with clause 6.2 above:-

- (a) title to any Lot bought shall not pass to the Buyer;
- (b) the Lot shall be at the Buyer's risk;
- (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
- (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Auctioneer and Seller.

6.6 On written request by the Buyer the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

7. Removal of the Lot bought

7.1 The Buyer may not remove any Lot he has bought until after the end of the Auction.

7.2 The Buyer may not remove any Lot until the Buyer has paid the sums specified in clause 6.2 above in full for every Lot he has bought.

7.3 After paying the sums specified in clause 6.2 above, the Buyer must remove the Lot bought by the time specified in the Auction Catalogue or if no time is specified there, 5pm on the next working day, and in every case time shall be of the essence.

7.4 The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in clause 7.3 above.

7.5 If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.

7.6 When removing any Lot the Buyer:-

- (a) is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer;
- (b) must use safe and lawful means of removing the Lot;
- (c) shall indemnify the Auctioneer and Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal.
- (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.

8. Default by the Buyer

8.1 If at any time the Buyer has failed either to pay the

sums specified in clause 6.2 above in full by the expiry of the time specified in clause 6.3 above (or any extension granted under clause 6.4 above), or to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above) the Auctioneer may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.

8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

- (a) the sale price less the resale price;
- (b) the costs of and incidental to resale.

8.4 If because the Buyer has failed to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.

9. Liabilities and Indemnities

9.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

9.2 Every Lot is sold as seen and where lying.

9.3 No Lot is sold as compromising or including any new goods.

9.4 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

9.5 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

- (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
- (b) any defect or danger of the premises where the Auction is held;
- (c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;
- (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
- (e) any act or omission of any person other than the Auctioneer.

9.6 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.7 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.8 Clauses 9.3 to 9.7 shall not be valid insofar as prohibited by statute.

9.9 In no circumstances shall the Auctioneers be liable for any consequential damage.

10. Waiver

10.1 No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

GORTON COLD STORE

ADDRESS OF AUCTION:

Gorton Cold Store,
Hammerstone Road, Gorton,
Manchester, Lancashire, UK. M18 8AU

VIEWING Viewing is by arrangement with the auctioneers, Monday 13th and Tuesday 14th June 2009.

REGISTRATION Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. **A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE).** The Auctioneers reserve the right to refuse admission.

Persons under the age of 16 will not be allowed on site.

PAYMENT All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate **Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.**

V.A.T. V.A.T. will be added to sale bills at 15%. Special rules apply for sales for export – request information from the auctioneer

BUYERS PREMIUM Buyer's Premium of 15% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

DEPOSITS The Auctioneer reserves the right to take a 25% deposit at Point of Sale. **Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.**

ABSENT BUYING INSTRUCTIONS If you cannot attend the sale we will execute bids confidentially on your behalf. For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids. A buyers premium plus applicable charges & taxes, is payable on successful bids. Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction. Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.

REMOVAL All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the charges are mandatory. Goods to be removed from site not later than **Wednesday 29th June by 4.00pm.**

SITE PROCEDURE The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

HAZARDOUS MATERIALS & SUBSTANCES If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and bylaws of local authorities and shall pay all fees and charges arising under the said regulations and bylaws in respect of the Work.

ELECTRIC CABLE/PALLETS Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

ORDER OF REMOVAL Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

INSURANCE The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale. Any buyers of fixed plant or their duly appointed contractors **MUST** consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling

will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of **TEN MILLION POUNDS (£10,000,000)** is in place.

CONTENTS All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

DOCUMENTS The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

SOFTWARE Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

INSPECTION & CONDITION: The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

UNSOLD LOTS If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

CONDITIONAL SALES Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

RESERVES Where applicable, Lots will be offered subject to reserve prices.

LOTS with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

WARNING

It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

CATALOGUE LISTING



Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.

MANNER OF OFFERING In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

LOT No.	DESCRIPTION	NOTES
1	Hygienox Tecknomek single station boot scrubber	
2	Hygienox Tecknomek double boot scrubber	
3	Stainless steel single station knee operated sink pedestal column	
4	Stainless steel single station knee operated sink pedestal column	
5	Stainless steel single station knee operated sink pedestal column	
6	Stainless steel single station knee operated sink pedestal column	
7	Hygienox stainless steel single station knee operated sink floor standing single column	
8	Stainless steel single station knee operated sink pedestal column	
9	Stainless steel single station knee operated sink pedestal column	
10	Stainless steel single station knee operated sink pedestal column	
11	Hygienox Teknomek wall mount stainless steel cleaver, saw & knife steriliser	
12	Hygienox Teknomek wall mount stainless steel cleaver, saw & knife steriliser	
13	Stainless steel large wall mounted knife steriliser	
14	Quantity of butchers knives and hacksaws	
15	Quantity of UPVC personnel strip curtains and various door hanging rails	
16	Stainless steel five tier rack 820mm x 600mm x 2000mm	
17	Stainless steel five tier rack 820mm x 600mm x 2000mm	
18	Stainless steel five tier rack 820mm x 600mm x 2000mm	
19	Stainless steel five tier rack 820mm x 600mm x 2000mm	
20	Stainless steel five tier rack 820mm x 600mm x 2000mm	
21	Stainless steel five tier rack 820mm x 600mm x 2000mm	
22	Stainless steel five tier rack 1800mm x 1280mm x 2040mm	
23	Stainless steel five tier rack 1800mm x 1280mm x 2040mm	
24	Stainless steel five tier rack 1800mm x 1280mm x 2040mm	
25	Stainless steel canopy 3500mm x 2020mm	
26	Stainless steel three tier meat dole bag reel holder x 3	
27	Stainless steel three tier meat dole bag reel holder x 2	
28	Pair of stainless steel preparation tables 500mm x 500mm x 700mm high	
29	Pair of stainless steel preparation tables 500mm x 500mm x 800mm high	
30	Pair of stainless steel preparation tables 500mm x 500mm x 700mm high	
31	Stainless steel preparation table two tier 1500mm x 700mm	
32	Digi DPS-3600 series standard prepack scale printer with touch screen display 15kg capacity scale (s/n 01118710)	
33	Digi DPS-3600 series standard prepack scale printer with touch screen display 15kg capacity scale (s/n 03134199)	
34	Digi DPS-3600 series standard prepack scale printer with touch screen display 15kg capacity scale (s/n 03134204)	
35	Marco System 2X platform scale 50kg capacity (s/n 75957)	
36	Marco Weigh master DP200 60kg platform scale (s/n	
37	Stainless steel preparation table 900mm x 900mm	
38	Vision Pack TP 601 Automatic Strapping Machine capacity 27 straps per minute standard arch size 850mm x 600mm (s/n 2016181)	
39	Gordian Strapping Limited RQ-8 automatic strapping machine capacity 40 straps per minute arch size 650mm x 500mm	

LOT No.	DESCRIPTION	NOTES
40	Stainless steel preparation table 600mm x 600mm	
41	Stainless steel preparation table 600mm x 600mm	
42	Mantle Packaging Machinery hand stretch wrapping machine film width 450mm	
43	Mantle Packaging Machinery hand stretch wrapping machine film width 450mm	
44	Mantle Packing Machinery TWS45CR stainless cold rod hand stretch wrapper film width 450mm	
45	Mantle Packing Machinery TWS45CR stainless cold rod hand stretch wrapper film width 450mm	
46	Trutech Equipment stainless steel preparation table with shelf 1600mm x 700mm	
47	Toshiba TEC B-SX4T-GS10-QP bar code printer 203 dpi, 4.40" print width, 10 ips parallel & serial interfaces, 8MB RAM, 4MB Flash	
48	Toshiba TEC B-472-QP bar code printer floating print head print at high speeds (max 10"/254mm per second at 203dpi) 10" per second print speed	
49	Vandome & Hart IH500 platform scale 3kg capacity (s/n 99300480)	
50	Monarch model 1153 use by date labeling guns	
51	Stainless steel table with shelf 1500mm x 600mm	
52	Stainless steel preparation table 1200mm x 550mm	
53	Stainless steel preparation table 860mm x 560mm x 2	
54	Thermal dynamics heater mat transformers	
55	Insectocutor model T100 – 44W as new	
56	Aluminum offal sorting table 1200mm x 900mm	
57	Butchers preparation table part poly top part stainless 1200mm x 600mm	
58	Butchers preparation table part poly top part stainless 1500mmx 600mm	
59	Butchers preparation table part poly top part stainless 1500mmx 600mm	
60	Butchers preparation table part poly top part stainless 1500mmx 600mm	
61	Butchers preparation table part poly top part stainless 1500mmx 600mm	
62	Butchers poly top cutting table 1200mm x 600mm	
63	Butchers poly top cutting table 1200mm x 600mm	
64	Butchers poly top cutting table 1200mm x 600mm	
65	Butchers poly top cutting table 1200mm x 600mm	
66	Butchers preparation table part poly top part stainless 1300mm x 600mm	
67	Butchers preparation table part poly top part stainless 1300mm x 600mm	
68	Large block Butchers poly top cutting table 600mm x 600mm	
69	Stainless steel bin bag holder x 5	
70	Aluminum storage rack four tier overall size 650mm x 400mm x 1400mm high	
71	Stainless steel preparation table with shelf 900mm x 460mm	
72	Stainless steel lectern / writing desk hinged lid on pedestal	
73	Syspal stainless steel lectern / writing desk hinged lid on pedestal	
74	Stainless steel preparation table 600mm x 600mm x 700mm high	
75	Stainless steel preparation table 900mm x 900mm	
76	Stainless steel preparation table 900mm x 900mm with Perspex sealed box	
77	Stainless steel preparation table 1500mm x 600mm	
78	Butchers poly top cutting table 1800mm x 750mm	
79	Butchers poly top cutting table 1800mm x 600mm	
80	Butchers poly top cutting table 1800mm x 600mm	
81	Butchers poly top cutting table 1800mm x 600mm	
82	Butchers poly top cutting table 1800mm x 600mm	
83	Butchers poly top cutting table 1800mm x 600mm	
84	Butchers poly top cutting table 1800mm x 600mm	
85	Butchers poly top cutting table 1800mm x 600mm	
86	Butchers poly top cutting table 1800mm x 600mm	
87	Butchers poly top cutting table 1200mm x 600mm	

LOT No.	DESCRIPTION	NOTES
88	Stainless steel preparation table 1800mm x 900mm	
89	Stainless steel preparation table 1500mm x 600mm	
90	Stainless steel preparation table with basket storage 2250mm x 600mm	
91	Stainless steel preparation table with basket storage 2250mm x 600mm	
92	Butchers poly top cutting table all stainless steel frame 2400mm x 900mm	
93	Butchers poly top cutting table all stainless steel frame 2400mm x 900mm	
94	Butchers poly top cutting table 1800mm x 760mm	
95	Butchers poly top cutting table 1800mm x 760mm	
96	Stainless steel preparation table with shelf 1700mm x 900mm	
97	Digi DPS-3600 series standard prepack scale printer with touch screen display 15kg capacity scale (s/n 03134198)	
98	Digi DPS-3600 series standard prepack scale printer with touch screen display 15kg capacity scale (s/n 99008684)	
99	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
100	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
101	UWE TDM-6000 6kg check weighing scale plate size 200mm x 170mm 1g increments	
102	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
103	AND HB-15KGV 15kg platform scales (slight damage)	
104	Digi DS470SS 15kg platform scale (s/n 01409989)	
105	Stainless steel preparation table 1800mm x 600mm	
106	Stainless steel preparation table 1200mm x 600mm	
107	Digi DPS-3600 series standard prepack scale printer with touch screen display 15kg capacity scale (s/n 03134200)	
108	Avery L101 30kg platform scale (s/n ST00915)	
109	VC999 tank 85.47E immersion shrink dip tank 1080mm x 470mm x 300mm deep with in feed belt at one end & 550mm out feed rollers. (s/n 85T82042)	
110	Turbovac SB800A vacuum packer 'L' bar configuration 800 mm x 500 mm bars (s/n 90028192)	
111	Henkovac swing lid double chamber vacuum packer seal length 4 x 695mm chamber dimensions 820 x 850 x 205 mm cycle time 20-35 sec. vacuum pump capacity 160 m ³	
112	Henkovac swing lid double chamber vacuum packer seal length 4 x 695mm chamber dimensions 820 x 850 x 205 mm cycle time 20-35 sec. vacuum pump capacity 160 m ³	
113	Bosch type RC0100E SS1 vacuum pump	
114	RC Scutt freestanding freezer box with floor 2800mm x 2200mm x 2010mm	
115	Roller conveyor system 6000mm x 500mm	
116	Loma Superscan Micro ISC aperture 450mm x 260mm	
117	Gordian Strapping Limited RQ-8 automatic strapping machine capacity 40 straps per minute arch size 650mm x 500mm	
118	Vision Pack TP 601 Automatic Strapping Machine capacity 27 straps per minute standard arch size 850mm x 600mm	
119	Loma Superscan S aperture 550mm x 200mm	
120	Stainless steel rotary table 1500mm diameter	
121	Vandome & Hart IH500 platform scale 15kg complete with PF4C1 label printer (s/n HS85322) YOM 2006	
122	Vandome & Hart IH500 platform scale 15kg complete with PF4C1 label printer (s/n H585321) YOM 2006	
123	Vandome & Hart IH500 platform scale 15kg complete with Herbert Genesis PF41 label printer (s/n H5108282) YOM 2008	
124	Vandome & Hart IH500 platform scale 30kg complete with Herbert Genesis PF4C1 label printer (s/n H585480) YOM 2005	
125	Stainless steel preparation table 1200mm x 600mm	
126	Stainless steel preparation table 10200mm x 600mm	

LOT No.	DESCRIPTION	NOTES
127	Stainless steel preparation table 850mm x 550mm	
128	Stainless steel preparation table 1200mm x 600mm	
129	Stainless steel preparation table 1200mm x 600mm	
130	Stainless steel preparation table 1200mm x 600mm	
131	stainless steel roller conveyor with 8 x packing stations 6000mm x 520mm	
132	Roller conveyor system 6000mm x 450mm	
133	Herbert Digi DS470SS 15kg platform scales (s/n 01409892)	
134	Herbert Digi DS470SS 15kg platform scales (s/n 01409888)	
135	Herbert IH500 6kg platform scale (s/n HS018137)	
136	Vandome & Hart IH500 15kg platform scale with Genesis PF4I printer (s/n HS108283) YOM 2008	
137	Vandome & Hart IH500 15kg platform scale with Genesis PF4C! printer (s/n HS85326) YOM 2006	
138	Vandome & Hart IH500 15kg platform scale with Genesis PF4C! printer (s/n HS85323) YOM 2006	
139	Vandome & Hart IH500 30kg platform scale with Genesis PF4C! printer (s/n HS85479) YOM 2005	
140	Stainless steel preparation table 2300mm x 600mm	
141	Stainless steel preparation table 1850mm x 600mm	
142	Stainless steel preparation table 1850mm x 600mm	
143	Stainless steel preparation table 1500mm x 600mm	
144	Stainless steel preparation table 1800mm x 600mm	
145	Stainless steel preparation table 1800mm x 600mm	
146	Stainless steel preparation table 2400mm x 750mm	
147	Stainless steel preparation table 1800mm x 750mm	
148	Stainless steel preparation table 1200mm x 600mm	
149	Part stainless steel poly top cutting table 1500mm x 750mm	
150	stainless steel preparation table 1850mm x 600mm	
151	Stainless steel preparation table 1850mm x 600mm	
152	Various chopping boards	
153	Multivac C500 MC - swing lid double chamber vacuum packer gas flushing, 2 x 650mm sealing lengths per chamber depth 750 mm chamber height 250 mm	
154	AEW Delford 400M high speed band saw type MK9 sliding table (s/n S69383)	
155	Butchers poly top cutting table 1850mm x 600mm	
156	Butchers poly top cutting table 1850mm x 600mm	
157	Syspal stainless steel boot scrubber	
158	Yellow cleaning utensils	
159	Hygienox Teknomek stainless steel bin holders x 2	
160	Hygienox Teknomek stainless steel bin holders x 2	
161	Butchers poly top cutting table 1800mm x 600mm	
162	ABM F 2000 drum-type patty food former, designed to form up to 4000 patties per hour or up to 8,000 meatballs per hour (s/n 877)	
163	Butcher Boy 200/52 mixer grinder	
164	Mainca RM90 kneader mixer all stainless steel 110lb capacity 1.25hp single phase	
165	Avery Berkel H120 150kg platform scales (s/n ES5062)	
166	Stainless steel preparation table 1900mm x 750mm	
167	Stainless steel preparation table 1000mm x 750mm	
168	Kolbe MWE 52 mixer grinder 240 lb hopper capacity 52 size grinding head 1700 Kgs / hour output with automatic reverse action (s/n 1260797) YOM 2008	
169	Handtmann VF50 vacuum filler 40-55 filling funnel 50 ltr.2 part, MC microprocessor control, plug for clipper control, portion interval: 5 - 10.000 grams (s/n 13875) YOM 2001	
170	Rhule SR1 cube dicer all stainless steel output capacity 900kg/hr floor standing model, chamber size 100 x 100 x 350 mm	

LOT No.	DESCRIPTION	NOTES
171	Hobart 4346 compact self-feeding grinder mix and grind or mix only 7.5 HP motor – 215 lb hopper capacity (s/n 271104902)	
172	Gruppo Fabri Automac 33 concept automatic stretch wrapper	
173	Hollymatic 8-65 Roto-Flow patty burger machine capacity 3900 patties p/hr with paper interleave system (s/n 749)	
174	Stainless steel preparation table 1800mm x 650mm	
175	Stainless steel preparation table 1800mm x 650mm	
176	Stainless steel preparation table 1800mm x 600mm	
177	Stainless steel preparation table 1800mm x 600mm	
178	Pneumatic automatic net loader all stainless steel	
179	Butchers preparation table part poly top part stainless steel 1500mm x 700mm	
180	Butchers preparation table part poly top part stainless steel 1500mm x 700mm	
181	Stainless steel 200ltr tote euro bins x 2	
182	Stainless steel 200ltr tote euro bins x 2	
183	Stainless steel 200ltr tote euro bins x 2	
184	Stainless steel 200ltr tote euro bins x 2	
185	Stainless steel 200ltr tote euro bins x 2	
186	Stainless steel 200ltr tote euro bins x 2	
187	Stainless steel 200ltr tote euro bins x 2	
188	Stainless steel 200ltr tote euro bins x 2	
189	Stainless steel 200ltr tote euro bins x 2	
190	Stainless steel 200ltr tote euro bins x 2	
191	Stainless steel 200ltr tote euro bins x 2	
192	Stainless steel 200ltr tote euro bins x 2	
193	Stainless steel 200ltr tote euro bins x 2	
194	Stainless steel 200ltr tote euro bins x 2	
195	Stainless steel 200ltr tote euro bins x 2	
196	Stainless steel 200ltr tote euro bins x 2	
197	Stainless steel 200ltr tote euro bins x 2	
198	Stainless steel 200ltr tote euro bins x 2	
199	Stainless steel 200ltr tote euro bins x 2	
200	Stainless steel 300ltr tote euro bins x 2	
201	Stainless steel 300ltr tote euro bins x 2	
202	Stainless steel 300ltr tote euro bins x 2	
203	Stainless steel 300ltr tote euro bins x 2	
204	Stainless steel 300ltr tote euro bins x 2	
205	Stainless steel 400ltr tote euro bin	
206	Truetech stainless steel portable storage unit	
207	Truetech stainless steel portable storage unit	
208	Hygiplas portable stainless steel trolley with 9 x ingredient bins	
209	VC999 K12A twin independent chamber vacuum packer 3 sealing bars per chamber bars length 940 + 2 x 500 inside dimensions per chamber 1045mm x 210mm x 605mm (s/n 1901005)	
210	VC999 K12A twin independent chamber vacuum packer 3 sealing bars per chamber bars length 940 + 2 x 500 inside dimensions per chamber 1045mm x 210mm x 605mm (s/n 1902032)	
211	Automac Elixia Plus B-206 stretch wrapper (s/n 57156) YOM 2003	
212	Safeline metal detector aperture 550mm x 320mm (s/n 47623)	
213	Multivac R530 thermoformer dye set two across x 250mm x 170mm x 40mm (s/n 107202) YOM 2006	
214	Butchers poly top cutting table 1800mm x 600mm	
215	Stainless steel preparation table 1800mm x 600mm	
216	Stainless steel preparation table 1800mm x 600mm	

LOT No.	DESCRIPTION	NOTES
217	Butchers poly top cutting table 1800mm x 600mm	
218	Bizerba S111 tenderizer strip cutter with numerous change parts (s/n N3358)	
219	Bizerba S111 tenderiser	
220	Stainless steel preparation table 1800mm x 600mm	
221	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
222	UWE ADWC 6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) plate size 250mm x 215mm 1g increments	
223	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate	
224	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate	
225	Vandome & Hart IH500 platform scale 30kg capacity with Genesis PF4I printer (s/n HS85677) YOM 2006	
226	Ian Fellowes System 2X platform scale 60kg capacity (s/n 54882)	
227	Butchers poly top cutting table 1820mm x 600mm	
228	Butchers poly top cutting table 1820mm x 600mm	
229	Butchers poly top cutting table 1820mm x 600mm	
230	Butchers poly top cutting table 1820mm x 600mm	
231	Butchers poly top cutting table 1820mm x 600mm	
232	Butchers poly top cutting table 1820mm x 600mm	
233	Butchers poly top cutting table 1820mm x 600mm	
234	Butchers poly top cutting table 1820mm x 600mm	
235	Butchers poly top cutting table 1820mm x 600mm	
236	Stainless steel preparation table 1800mm x 600mm	
237	Stainless steel preparation table 1800mm x 600mm	
238	Stainless steel preparation table 1800mm x 600mm	
239	Siebeck Jet FRT-A-400 MKII fully automatic tunnel meat lacing machine complete with outfeed conveyor (s/n 0605707113) YOM 2006	
240	Henkelman Polar 2-95 swing lid double chamber vacuum packer (s/n P600604012) YOM 2006	
241	Packseal FR-TM tunnel meat lacing machine (s/n 9504085481)	
242	Herman Wiegand Rollmatic tunnel meat lacing machine (s/n R30E024701) YOM 2002	
243	Hobart 4346 compact self-feeding grinder mix and grind or mix only 7.5 HP motor – 215 lb hopper capacity complete with gantry (s/n 271098384)	
244	Maja belt de- rinder / skinning machine working width 380 mm belt	
245	Kolbe MWE 52 mixer grinder 240 lb hopper capacity 52 size grinding head 1700 Kgs / hour output with automatic reverse action (s/n 1260205)	
246	Treif 0854 dicer (s/n 085705)	
247	Food Logistik MS84.21 dicer (s/n 200222)	
248	Kolbe K430 band saw all stainless steel YOM 2004 (s/n 961288)	
249	AEW Delford 400M high speed band saw stainless steel type MK11 sliding table (s/n LHS158187)	
250	AEW Delford 400M high speed band saw stainless steel type MK11 sliding table (s/n LHS200489)	
251	Large quantity of new band saw blades	
252	Sirman Baliled 350 INGR table top gravity slicer (s/n 06A02737) YOM 2006	
253	Bizerba A404 slicer with stack and shingle (s/n 1582453)	
254	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate's/n 0208000143)	
255	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0607000022)	
256	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000115)	

LOT No.	DESCRIPTION	NOTES
257	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000086)	
258	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000087)	
259	Herbert IH500 platform scales capacity 30kg (s/n HS018989)	
260	Stainless steel preparation table 1800mm x 650mm	
261	Stainless steel preparation table 1800mm x 600mm	
262	Stainless steel preparation table 1500mm x 600mm	
263	Stainless steel preparation table 1500mm x 600mm	
264	Butchers poly top cutting table 1200mm x 600mm	
265	Stainless steel preparation table 1200mm x 600mm	
266	Red cleaning utensils	
267	AEW Delford APC slicer for irregular or uniform-shaped chilled, bone-in or boneless, product weight portions at high speeds producing up to 180 portions p/min enabling operator to produce up to 680 kgs (1500lbs) of weight-controlled portions p/h (s/n 60990089)	
268	AEW Delford Guardian G2000 check weigher range 10g to 990g (s/n 32323)	
269	Neoprene belt variable speed product conveyor on stainless steel frame 5200mm x 350mm	
270	Stainless steel rotary table 1200mm diameter	
271	Pound - O - Matic model 2500S high capacity industrial pounder, single stroke flattening both fresh and tempered portions down to 3 mm capacity: 5000 + steaks/hour pounding force: 2000 kg pressing stroke: 50 mm, thickness adjustment: 1-20 mm (s/n 34) YOM 2008	
272	Marco Weigh System X 30kg platform scale with Zebra 2746E printer on roller table (s/n 93486)	
273	Safeline metal detector aperture 570mm x 310mm (s/n 32357)	
274	Endoline 706SS stainless steel box taper with stainless steel roller conveyor 1200mm x 300mm (s/n 00109447)	
275	Vandome & Hart IH500 platform scale 30kg capacity with Genesis PF4C1 printer (s/n HS85570)	
276	Multivac R530 thermoformer dye set single pack meat joint 365mm x 260mm x 80mm complete with Bosch external vacuum booster pump (s/n 2013) YOM 2000	
277	Safeline metal detector aperture 550mm x 320mm (s/n 35863)	
278	Pneumatic pressure ham meat stuffer integral net stuffing system for extra strong net all stainless steel	
279	Inject Star B1-424 C +PE diagonal 106 pickle needle injector 2 x 53 tools, ISC B20 control complete with CLB brine preparation and cooling system (s/n NR102) YOM 1999	
280	Maja ESB440 450mm derinder	
281	Treif 0857 dicer all stainless steel (s/n 085705)	
282	Butchers poly top cutting table 1800mm x 600mm	
283	Butchers poly top cutting table 1800mm x 600mm	
284	Butchers poly top cutting table 1800mm x 600mm	
285	Butchers poly top cutting table 1800mm x 600mm	
286	Hygienox Teknomek stainless steel bin holders x 2	
287	Bettcher Dyna Form hydraulic power pack system comprising Bosch Rex Roth & Vickers pack	
288	Butchers poly top cutting table 1200mm x 600mm	
289	Stainless steel preparation table 600mm x 600mm	
290	Stainless steel preparation table 1800mm x 600mm	
291	Stainless steel preparation table 1800mm x 600mm	
292	Stainless steel preparation table 1200mm x 600mm	
293	Butchers poly top cutting table 2400mm x 900mm	
294	Butchers poly top cutting table 1800mm x 600mm	

LOT No.	DESCRIPTION	NOTES
295	Butchers poly top cutting table 1800mm x 600mm	
296	Butchers poly top cutting table 1800mm x 600mm	
297	Butchers preparation table part poly top part stainless steel 1200mm x 750mm	
298	Vandome & Hart IH500 platform scale 30kg capacity (s/n FMSKD2)	
299	Vandome & Hart IH500 platform scale 30kg capacity with Genesis PF4CI printer (s/n HS85569) YOM 2005	
300	Avery Berkel H120 150kg platform scales (s/n ES4591)	
301	Good Scale Ltd bench check scale 6kg (s/n NL5158)	
302	Herbert Digi DS470SS 15kg bench scale (s/n 01408473)	
303	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000178)	
304	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000116)	
305	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000117)	
306	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0208000192)	
307	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0207000050)	
308	Salter Brecknell 405 battery (160hrs) or mains powered electronic bench scale 6kg capacity 245mm x 215mm stainless steel top plate (s/n 0207000052)	
309	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
310	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
311	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
312	UWE ADM-6000 6 kg capacity portable wash down scale mains or rechargeable battery (120 hours) pan size 250mm x 215mm 1g increments	
313	Hygienox Teknomek stainless steel bin holders x 2	
314	Nieros HLADSR automatic walk through boot washer (s/n 2550010) YOM 2006	
315	Automatic personnel access key card barrier	
316	Jeros 200 Universal tunnel crate and tray washer 460mm x 470mm complete with crate turner discharge (s/n 353) YOM 2004	
317	Oliver Douglas PAN 700 front loading industrial tray washer 45 gallon tank capacity (s/n 963192)	
318	Jeros 200 Universal tunnel crate and tray washer 460mm x 470mm complete with crate turner discharge (s/n 0980) YOM 2004	
319	Karcher HDS801CB-E power wash system	
320	Butchers table part stainless steel part poly top 1200mm x 600mm	
321	Stainless steel preparation table 900mm x 600mm	
322	Stainless steel draining table 1200mm x 750mm	
323	Sulo HDPE 240L two wheel mobile green bin containers x 4	
324	Wheelie Bin sales Ltd 240Ltr HDPE red bin containers x 1	
325	Otto HDPE 240L two wheel mobile blue bin containers x 5	
326	Lucy Housewares 94ltr plastic bins x 10	
327	Lucy Housewares 94ltr plastic bins x 10	
328	Plastic Omnium Urban System 4 wheel 1100ltr MDPE bin blue with flap (5 x available)	
329	Plastic Omnium Urban System 4 wheel 1100ltr MDPE bin burgundy with flap (2 x available)	
330	Trutech bacon freezer rack four tier four wheel 1500mm x 600mm x 1600mm (3 x available)	
331	Bacon freezer rack four tier four wheel 1500mm x 600mm x 1750mm (8 x available)	
332	Bacon freezer rack four tier four wheel 1700mm x 610mm x 1750mm (2 x available)	
333	Bacon freezer rack four tier four wheel 1700mm x 700mm x 1650mm (12 x available)	

LOT No.	DESCRIPTION	NOTES
334	Bacon freezer rack five tier four wheel 1700mm x 610mm x 1770mm (3 x available)	
335	Bacon freezer rack five tier four wheel 1670mm x 610mm x 1800mm (7 x available)	
336	Bacon freezer rack five tier four wheel 1670mm x 610mm x 1850mm (5 x available)	
337	Bacon freezer rack five tier four wheel 1670mm x 610mm x 1830mm (14 x available)	
338	Bacon freezer rack five tier four wheel 1200mm x 950mm x 1720mm (8 x available)	
339	Bacon freezer rack four tier four wheel 1840mm x 610mm x 1630mm (4 x available)	
340	Bacon freezer rack five tier four wheel x 4 various sizes	
341	Stainless steel rack five tier four wheel 1800mm x 610mm x 1680mm	
342	Stainless steel ten tier six wheel rack 920mm x 900mm x 1750mm	
343	Stainless steel portable rack twelve tier 740mm x 470mm x 1800mm x 3	
344	Linpac Allibert Dolly linkable for attached lid and Galia containers dimensions 600mm x 400mm x 188mm 250kg capacity x 10	
345	Linpac Allibert Dolly linkable for attached lid and Galia containers dimensions 600mm x 400mm x 188mm 250kg capacity x 10	
346	Linpac Allibert Dolly linkable for attached lid and Galia containers dimensions 600mm x 400mm x 188mm 250kg capacity x 10	
347	Linpac Allibert Dolly linkable for attached lid and Galia containers dimensions 600mm x 400mm x 188mm 250kg capacity x 10	
348	Linpac Allibert Dolly linkable for attached lid and Galia containers dimensions 600mm x 400mm x 188mm 250kg capacity x 10	
349	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
350	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
351	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
352	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
353	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
354	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
355	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
356	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
357	Linpac Allibert Dolly linkable for Stack & Nest containers dimensions 604mm x 454mm x 195mm 250kg capacity x 10	
358	Linpac Allibert Dolly with detachable handle dimensions 800mm x 600mm x 255mm 500kg capacity x 10	
359	Aluminum rocker base dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
360	Aluminum rocker base dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
361	Aluminum rocker base dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
362	Aluminum rocker base dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
363	Aluminum rocker base dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
364	Aluminum rocker base dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
365	Aluminum rocker base central support bar dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
366	Aluminum rocker base central support bar dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
367	Aluminum rocker base central support bar dollies to suit trays 600mm x 400mm & 18" x 30" x 10	
368	Aluminum rocker base central support bar dollies to suit standard 800mm butchers trays x 10	
369	Stainless steel portable dolly four swivel wheels 600mm x 500mm x 4	
370	Stainless steel portable dolly four swivel wheels 800mm x 580mm x 5	

LOT No.	DESCRIPTION	NOTES
371	Pallet off various galvanised dollies	
372	Galvanised trolley 600mm x 600mm platform size with handle x 4	
373	Stainless steel personnel barrier L - shaped 3500mm long overall	
374	Thermobox Nyoro Convert 604020 insulated food container boxes x 6 pallets	
375	Various trays as lotted x 4 pallets	
376	Various Paxton trays 600mm x 400mm x 180mm as lotted x 9 pallets	
377	Various trays as lotted x 10 pallets	
378	Various trays as lotted x 10 pallets	
379	Pallet of new plain labels size 152.4 x 98.6	
380	Pallet of new Gordian strapping materials	
381	Pallet of new cutting Edge Services elasticated food twine	
382	2 x pallet of new 420mmx 80mic thermoform film	
383	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
384	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
385	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
386	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
387	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
388	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
389	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
390	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
391	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
392	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
393	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
394	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
395	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
396	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
397	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
398	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
399	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
400	Dolav bulk container solid sided 1000mm x 1200mm base x 740mm x 5	
401	Various Holchem cleaning chemicals as new and lotted x 3 pallets	
402	Two bays of warehouse style racking	
403	CMP 2100 24 volt 45 amp battery charger	
404	Lochinvar glass lined water heater cistern	
405	Formaco FCM 810T high volume tenderizer	
406	Cryovac G106E conveyorised electric immersion dip tank	
407	Lock CH20 checkweigher	
408	Treif Phoenix CE. large dicer for fresh or tempered meats. 2 cutting frame sets chamber size is: 125mm x 125mm x 500mm	
409	AEW 900 band saw for precision, primal cutting of heavy beef and pork carcasses fixed table 1502mm x 1440mm	
409a	Provatec Rotoform 745 Former. with paper interleaving system 400mm belt width – allows former to fit into any 400mm production line for coating complete with loader	
409b	Grote SA 522 slicer automatic; variable slicer speed up to 120 strokes/min for 5" diameter product; up to 176 strokes/min. for a 2" diameter product, continuous gravity loading system	
409c	Formax 12 patty former 400mm wide belt all stainless steel complete with various knock out drums	
410	Various office furniture comprising desks, filing cabinets and upright cupboards	
411	Various office furniture comprising desks, filing cabinets and upright cupboards	
412	Contents of transport office furniture comprising four desks, metal cabinet and two book cases	

LOT No.	DESCRIPTION	NOTES
413	Contents of technical office furniture comprising office desk, metal cabinet and pedestal	
414	3 x artificial pot plants	
415	Reception single pedestal 1500mm desk and 7 visitor chairs	
416	14 x meeting / visitor chairs	
417	3M 1750 overhead projector unit, Matsui VCR TV combi unit and various tripod flip charts	
418	5 x 1500mm office desks 3 double and one single pedestal with meeting table	
419	4 x 1500mm double pedestal office desks complete with 3 operator chairs	
420	4 x 1500mm double pedestal office desks complete with 3 manager swivel chairs	
421	2 x ergonomic design 1800mm office desks	
422	Office ancillary items	
423	Office ancillary items	
424	Connect office desk fans x 8	
425	Various office desk and floor standing fans x 7	
426	Stainless steel deep utensil sink	
427	George Foreman grill	
428	Zanussi Freeze1 freezer	
429	Lincat A004 electric hot plate	
430	Lincat A004 twin chip frying scuttle	
431	Lincat A004 four ring electric hob	
432	Lincat electric grill / salamander	
433	Salter Brecknell 4oz electronic scale	
434	Stainless steel single deep bowl utensil sink with extended double drainer	
435	Stainless steel preparation table with shelf 1200mm x 450mm	
436	Various cooking utensils, crockery and cutlery	
437	Stainless steel shelving	
438	10 x various galvanised pot store racks	
439	10 x various galvanised pot store racks	
440	Worthington Creyssensac Air Compressor model RLR 40 40hp 32,216 hours (s/n 385363)	
441	Worthington Creyssensac Air Compressor model Rollair 2500 25hp	
442	Friulair AMD61 dryer (s/n 080007332) & SIAP 900I PS11 bar air holding tank YOM 2006	
443	Stainless steel Wellington boot rack holds 50 boots with change bench	
444	Stainless steel Wellington boot rack holds 50 boots with change bench	
END OF SALE		



GORTON COLD STORE

HAMMERSTONE ROAD GORTON MANCHESTER



TO LET / MAY SELL

CHILLED WAREHOUSE 65,324 SQ FT (6,066 SQ M)
ON A SITE OF 3.14 ACRES (1.27 HECTARES)

- FULLY FITTED COLD STORE FACILITY/DISTRIBUTION CENTRE
- CENTRAL LOCATION TO MANCHESTER CITY CENTRE
- POTENTIAL/ABILITY TO SUBDIVIDE

All Enquiries
steve.brittle@bnpparibas.com

 **BNP PARIBAS
REAL ESTATE**

0161 242 2666
realestate.bnpparibas.co.uk

Viewing at:

Gorton Cold Store,
Hammerstone Road, Gorton, Manchester,
Lancashire, UK. M18 8AU



Pro Auction Limited
Valuers & Auctioneers

Nearest Airport:
Manchester International,
8.4 miles

**Nearest
Railway Station:**
Belle Vue Rail Station, .4 mile

**Nearest
Tube Station:**
Manchester Piccadilly, 2.3 miles

Local Hotels:
Many Manchester hotels within
3 miles of Auction.
Please visit
www.activehotels.co.uk
for full listings.



PLEASE NOTE:
Commission and telephone bids
by arrangement only.

**An effective way
to maximise
realisation on
redundant assets,
call the experts
today
Guaranteed
Results!!**

Contact the auctioneers
for further information
and to request a
catalogue:

**Pro Auction
Limited**

Unit 5,
Midsomer Enterprise Park,
Radstock Road,
Bath BA3 2BB
United Kingdom
Tel: +44(0)1761 414000
Fax: +44(0)845 280 2492

Email:
info@proauction.ltd.uk
Website:
www.proauction.ltd.uk

Company Registration no: 5059610

Surplus asset?
Call us for a free
valuation and to
organise your next sale

SALIENT INFORMATION:

- Identification is required to enable allocation of a bidding card.
- All capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection & enquiries for verification.
- All bids are subject to applicable VAT 15% and a buyers premium of 15% + VAT.
- Payment is required on day of the sale unless prior arrangements have been agreed. Funds must be cleared before collection of goods.