

WWW.BIDSPOTTER.CO.UK

Sales ends 28 June 2011

Viewing: 27 June 2011

We are pleased to offer for sale a range of meat processing and bakery equipment on instruction of our clients for immediate disposal from our sales room in bath comprising of dicers, mincers, mixers, bowl cutters & weighers.

- 1 Herbert type VA4000 model VA2000 fully automatic food slicer operation with variable speed, approximately 25 to 55 strokes per minute, for shingling and stacking maximum stacking height 80 mm slice thickness infinitely variable from 0 – 10 mm blade 300 mm, hollow-ground, hard chromed, stay sharp quality 620mm x 853mm x 490mm 900w slicer (s/n 2616283)
- 2 Crypto Peerless EL20 planetary mixer 20Qt capacity with bowl and tooling (s/n 15017973002)
- 3 Ramon SC20 20 litre 40lb sausage filler 1HP motor 435mm x 360mm x 1114mm
- 4 Bizerba SE8 gravity fed stainless steel 12" slicer
- 5 Bizerba VS8F horizontal stainless steel 12" slicer
- 6 Beelonia Landmann Peigg propane gas griddle type 0044141 16kW
- 7 Stainless steel 80 litre gas brat pan with manual tilting
- 8 Stainless steel carcass hook with Micro 4000 M4S weigh indicator (s/n 4242)
- 9 Webomatic PNE Auto A270CD swing lid double chamber vacuum packer chamber size 850 x 720 x 300 mm with portable 160m3 Busch vacuum pump (s/n 36911908)
- 10 Ruhle SR1 CE2004 stainless steel dicer
- 11 Hobart CSDUC-1012 -LAE-KK 10 grid combination oven electric 18.25 kW / 0.5 kW 112596BTU (33kW) (s/n 81845463)
- 12 Hobart CSDUC-1012 -LAE-KK 10 grid combination oven electric 18.25 kW / 0.5 kW 112596BTU (33kW) (s/n 81846115)
- 13 Biro 3334 band saw (s/n 17084)
- 14 CEG Omega Master vegetable preparation machine yield 150 - 450 kg / hour (s/n 4794)
- 15 RW1 25 Flavaurmix Marinader MKIII 25 litre tumbler stainless steel (s/n 125)

- 16 Butcher Boy TCA32 mincer TCA32 3HP 3 Phase powerful table top mincer 3ft X 20" meat tray (s/n S1004)
- 17 MDS stainless steel 200ltr jacketed kettle 3 phase portable
- 18 Butcher Boy A52H 7.5Hp grinder floor standing stainless steel contact parts (s/n S293)
- 19 Scotsman AF80 ASE ice flaker ice flake production 70 kg / 24 hrs storage bin holds 25 kg (s/n DD2031-21)
- 20 Spare
- 21 Unimetric System 80 1500kf platform scale and weigh indicator (s/n 4401W5480)
- 22 Bush & Hall 180kg x 500g floor standing weigh scale (s/n 73755)
- 23 Hobart VCM25 heavy duty vertical slicer / prep machine (s/n 13336)
- 24 VC999 rotary drying table 1m2 for shrink bags
- 25 Laska KE45-160M-412G bowl cutter (s/n K3891)
- 26 Biro 4436 breaking band saw (s/n 4024D9)
- 27 Sumann AG model K4 floor standing stainless steel steam oven four grid with water elements
- 28 Gordian Strapping model RQ8 strapping speed - 1.5 seconds per strapping cycle (s/n 8/771)
- 29 Dynopack 482VA gas flush tray sealer (s/n 687) c/w same model suitable as spares
- 30 Spare
- 31 Maja VBA 505 automatic belt skinning machine stainless steel
- 32 Armando Lenti 14" slicer used on Parma ham
- 33 7 x Syspal aluminium roller bogies fitted with 6 nylon wheels stackable 250kg capacity load
- 34 Apuro Rice Cooker SJ420EA cooks 23 portions of rice in 12 minutes 4.2 litre capacity 1300W
- 35 Apuro Rice Cooker SJ420EA cooks 23 portions of rice in 12 minutes 4.2 litre capacity 1300W
- 36 Apuro Rice Cooker SJ420EA cooks 23 portions of rice in 12 minutes 4.2 litre capacity 1300W
- 37 Avery Berkel 1791 pan scale (s/n 222F09664)
- 38 Techfood Pastaland Avant two basket pasta cooker unit for cooking different kinds of pasta at the same time menu control continuous production per hour with pre-cooked pasta up to 240 portions per hour (s/n J00102)
- 39 Food Cest Technology LLDP1 liquid sauce / soup depositor with 200ltr holding tank (s/n W01045)

- 40 Stainless steel eight tier portable smoking trolley complete with stainless steel perforated trays
- 41 Castello Srl Penta commercial power washer 200/15 bar
- 42 Quantity of stainless steel netting tubes
- 43 Scotsman AF20 flake ice machine 120kg/24hr 70kg storage bin capacity (s/n DE9582 – ASB2700)
- 44 Fagor SBG9-15IM gas tilting Bratt pan 900mm deep 120ltr capacity 26.7Kw power stainless steel tubular burner controlled by solenoid valve and thermostat temperature control (50 °C to 315 °C) 1275mm x 900mm x 850 mm
- 45 Ziegra ZBE350 flake ice machine with storage bin 350kg ice/24hr (s/n 939157)
- 46 Fagor MG gas direct heating boiling pan , 700mm deep 80 litre capacity stainless steel burner, with safety valve and thermocouple Piezoelectric ignition cold and hot water filling cock 700mm x 750mm x 850mm
- 47 Ziegra ZBE150 flake ice machine with storage bin 150kg ice/24hr (s/n 961867)
- 48 Stainless steel GN Baine Marie containers and floor stand
- 49 Nanos compressed air powered hand derinder (brand new)
- 50 Avery Berkel FX210 6kg platform scale
- 51 Webomatic single chamber vacuum packer chamber size 650mm x 450mm x 100mm
- 52 Airmate T3/150 SRB 3.0hp air compressor on mobile trolley
- 53 140Qt stainless steel Hobart bowl, whisk & paddle
- 54 Graef VA300 fully automatic slicer with stack and shingle full program facility 860mm x 640mm x 500mm 500 W 230 V single phase
- 55 Chef Quip Spiral Mixer TF53 single speed fixed head and bowl 500mm diameter bowl and interlocked bowl guard power supply:13 amp dimensions 570mm x 720mm x 850mm
- 56 Bizerba GV fully automatic weigh-price labelling machine for weight variable weigh-price labelling of up to 50 packs per minute. alphanumeric tactile keypad backlit led screen display direct thermal or thermal transfer printing (s/n 1659231)
- 57 Grote 522 pendulum slicer has a 22" cutting width. thickness is 3/8" to 0"
- 58 Comarme "Gemini" carton tape sealer
- 59 Pack seal MRT stainless steel meat stringing machine 400mm x 400mm chamber
- 60 Butcher Boy TM 32 mincer

- 61 Berkel model A165CL vacuum packer sealing bars 800mm x 700mm, Busch 160 cm³/3 pump
- 62 Floor standing modern vacuum packer all stainless steel 2 x 600mm seal bars 3 phase
- 63 Hobart 4346 mixer grinder 7.5hp 3 phase power 215 lbs. first grind capacity (varies with product)240 lb second grind capacity (varies with product); #46 grinding head stainless steel hopper
- 64 Loma 6000 check weigher weight range up to 13.2 lbs or 6000 grams with accuracies of .02 oz or .6 grams
- 65 Biro heavy duty meat grinder all stainless steel model 5 type 42/48/52 floor standing 3 phase motor
- 66 Berkel stainless steel floor standing chop cutter suitable for fresh or chilled, bone in or boneless meat including lamb loins, pork chops and bacon maximum product length 700 mm
- 67 Bizerba GD semi-automatic labelling machine thermal direct printing speed = max. 100 mm/s resolution = 7.5 dots/mm, 6 dots/mm (optional) printing width = 85.12 mm (s/n 141777)
- 68 Heavy duty butchers PolyTop table/cutting board 900mm x 600mm
- 69 Seydlemann 100ltr bowl cutter stainless steel body black bowl
- 70 San Cassiano type F3X 130kg 3 speed spiral mixer fixed bowl year 2006
- 71 Stainless steel electric four deck 12 tray oven with steam model T4016 40kW power YOM 2009 (s/n 2009052503)
- 72 Miller Vanguard Model Type FG150 10 grids (shelves) fits 18" x 30" baking trays features steam humidifying facility LCD display, programmable baking options (customer to input) power supply, three phase, 415v, 32amp, 19 kw stainless steel stand on lockable castors with 4 tray storage capacity 1450mm x 850mm x 2070mm (s/n 070673022FA025571)
- 73 Baker Perkins Master baker four deck 12 tray high crown oven electric oven
- 74 Rondo cutting table model SFT362.V width of table 715mm conveyor belt width 640mm table length overall 3550mm speed 0.8 – 7 m/min complete with realer model Z5A601A all stainless steel mobile.
- 75 Rondo Rondostar 4000 model SFS611 pastry sheeter automatic flour duster table width 640mm table length overall 3200mm Roller length 660 mm Roller gap 0,2 - 45 mm Speed of discharge conveyor 85 cm/s 100 program menu (s/n C6A313101) YOM 2006
- 76 Seewer Rondo sheeter model SFA 66 SH pastry sheeter automatic flour duster table width 660mm table length overall 3300mm roller length 660 mm programmable menu option
- 77 Pastry cutting table with various cutters 600mm wide belt 3500mm overall mobile
- 78 Mini Pack ELLE mobile manual L-sealer 500mm x 400mm sealing bars

- 79 Sausage roll & savoury line comprising main conveyor 365mm wide belt, relaxing conveyor 330mm wide, water drip, rollers and guillotine 4270mm overall
- 80 Thunderbird ASP 200 spiral Mixer, with removable bowl w/plastic cover, 440 lb. dough capacity, 13.5 HP, two speed spiral arm motor with timer and separate bowl drive motor, bowl jog control, safety switch, stainless steel bowl
- 81 Wishaw Scotch pie press four station 95mm x 40mm pies
- 82 Butcher poly top cutting block on stand 600mm x 600mm
- 83 Williams modular combined split walk in chiller / freezer unit stainless steel doors - floor to freezer combination unit complete with all internal portable racking evaporators refrigerator (+1/+4°C) and freezer (-18/-21°C) temperature range dimensions 1300mm x 2750mm x 2180mm appx.
- 84 OPM Srl. Model MPM15RC gas coffee roaster (s/n 017.05) YOM 2005
- 85 Trief 1273 slicing bacon, lamb loins & pork chops slices fresh or chilled, bone in or boneless maximum product length 750 mm maximum product cross section 210 x 230 mm slice thickness 1 - 32 mm 3 phase (s/n 02610880145)
- 86 Holac 26/66 slicing bacon, lamb loins & pork chops slices fresh or chilled, bone in or boneless maximum product length 750 mm maximum cuts / minute 200*/400 cutting thickness 1-33/66mm (s/n 2902501)
- 87 Hobart 60Qt planetary mixer with bowl and tools
- 88 Handtmann FA30-TOP piston filler linker (s/n 2130)
- 89 Avery Berkel VA300 variable speed automatic slicer with stack and shingle facility (s/n 4742769)
- 90 Sammic CA-400 veg prep machine made wholly of suitable materials for contact with food output: 200/400kg per hour inlet opening dimensions: \varnothing 190 / \varnothing 50 disc diameter 205mm (s/n 10500520300029)
- 91 Webomatic S110 table top vacuum packer external dimensions: 400mm x 500mm x 300mm chamber dimensions: 370mm x 400mm x 130mm useable seal bar length: 1 x 350 mm cycle capacity 2-3 cycles / min. depending on product size and desired vacuum
- 92 Webomatic Supermax 050R vacuum packer chamber dimensions: 720mm x 520mm x 190mm useable seal bar length: 2 x 510mm (s/n 187HF438)
- 93 Talsa MERA 500 electric 500ltr cooker thermal oil heated 125ltr chamber Adltec line temperature chamber dimensions 1320mm x 700mm x 550mm (s/n 273096) YOM 2007
- 94 CVP A300 Fresh Vac gas flushing machine stainless steel 1041mm x 864mm x 1778mm 32" effective seal length 32" (813 mm) (s/n 901369)

- 95 Grote 613-90 Multi Slicer from 37 up to 90 strokes per minute, per lane bulk slice, stack, and shingle modes. 6" x 13" (152 x 330mm) slicing zone 26" (660mm) tall product holder up to 2" (51mm) stack height variable slice thickness of .02" to .50" (.5mm to 12.7mm) shuttle conveyor for product stacking or shingling (s/n 116646)
- 96 Trief 74/2 dicer knife & 1 set of grids (set for 22 mm) maximum effective output 605 kg (1331 lbs) per hour cutting chamber 4 1/4" x 4 1/4" x 19 1/2" 380 V / 50 Hz / 3 Ø; O/A dims 64" x 40" x 46"
- 97 Kramer Grebe SM45 bowl cutter stainless steel body-cast iron bowl dimensions: 1150mm x 900mm (s/n 25818)
- 98 Saxon 5 bag stainless continuous hot air sealer complete with slatted plastic belt conveyor under 1950mm x 400mm (s/n 70720-3) YOM 2005
- 99 Saxon 5 bag stainless continuous hot air sealer complete with roller belt conveyor under 2300mm x 500mm (s/n 920531)
- 100 Roller conveyor on stainless steel frame 2300mm x 500mm
- 101 Roller conveyor on stainless steel frame 2300mm x 500mm
- 102 Kronen transfer conveyor 1600mm x 500mm neoprene belt variable speed type TB YOM 2008 (s/n 245)
- 103 Syspal neoprene belt transfer conveyor 4000mm x 370mm
- 104 AFOS T500 dryer controlled drying process through temperature controlled air flow dehumidification system controls moisture removal fully automatic heating process microprocessor control capacity 500kg 1710mm x 1975mm x 2150mm
- 105 Easiweigh 30TT bulk hopper feed head automatic linear batch weigher complete with gantry system inline metal detector model Prism MD211 and automatic tote bin lifter system(s/n 0481001)
- 106 Feuma HU10-10M universal commercial food processor for strips, cut & dice processing fruits, vegetables and meat Speed: 160/320 rpm Power: 1300/1900W Voltage: 400V modular systems with a wide range of attachments available (not supplied with lot) for the processing of vegetables, meat & fruit. 1.3kW motor 160/320rpm fully guarded security safety device (s/n 067092) Unused
- 107 Simplafill system model 1000 Midget Micro series 03MM3P stainless steel construction net weigher microprocessor controlled with load cell accuracy weight dial up with auto in flight compensation integral 2 speed vibrator with optional brush cut off auto or manual discharge with auto restart feed hopper sizes and various outlet for bags or tubs stand mounted for easy operation weight range 20gm-3kg

End of Sale