

ONLINE SALE ONLY

at:

www.bidspotter.co.uk

AUCTION SALE

ProAuction
Limited
Valuers & Auctioneers

All bids to be placed by:

**Wednesday
10th November 2010, by 14.00hrs**

We are delighted to offer for sale
**Catering Equipment
and Restaurant Furniture**
on instructions of our retained clients,
some of the items are new and unused.
This is a good mixed sale of quality
equipment.

Viewing:

By appointment only

Lots are situated at two locations:

Lots 170-329 & 374-387 – at West Drayton on Monday 8th

Lots 1-170 & 351-373 – at Bath on Tuesday 9th November

For sale by timed auction only



Online bidding only at:

www.bidspotter.co.uk

www.proauction.ltd.uk

Email:

info@proauction.ltd.uk
Telephone: 01761 414000
Facsimile: 0845 280 2492

GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

1 Application of these General Conditions

1.1 In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated under clause 5.11 below.

1.2 These General Conditions apply to every Auction of Plant and Machinery, Chattels, Trade Stocks and Vehicles conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

1.3 If these General Conditions have not previously been accepted by a person attending or bidding at an Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

1.4 To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the special conditions shall prevail.

1.5 These General Conditions shall be governed construed and enforced in accordance with the law of England, but:-

- (a) if the Auction is held in Scotland, in accordance with the law of Scotland;
- (b) if the Auction is held in Northern Ireland, in accordance with the law in Northern Ireland.

2. The Seller's Instructions and Warranties

2.1 The Seller warrants that:-

- a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully sold;
- (c) the premises where the Auction is to be held (if not the Auctioneer's premises) will be safe for that purpose and that it will be lawful to hold the Auction there.

2.2 If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:-

- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in clause 2.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

3. The Auctioneer's Remuneration

3.1 The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

3.2 The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

4. Bidding on behalf of Another

4.1 Unless the Auctioneer has previously acknowledged in writing that the bidder bids as agent on behalf of a named principal, every bidder shall be taken to bid on his own behalf as principal.

4.2 If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

5. Conduct of the Auction

5.1 The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Auction Catalogue.

5.2 Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.

5.3 The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue.

5.4 The Auctioneer may at any time before the fall of the hammer withdraw or divide any Lot or combine any Lots.

5.5 With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.

5.6 The Auctioneer may require any Bidder to give his name and address and proof of identity before accepting a bid.

5.7 The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.

5.8 The Buyer shall be the person who made the highest bid before the fall of the hammer or such other person as the Auctioneer may declare to be Buyer without being required to give a reason.

5.9 The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the

dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

5.10 The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

5.11 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions

6 After the Sale

6.1 Upon the Auctioneer declaring any Lot sold, the buyer shall immediately:-

- (a) give the Auctioneer his name and address and if requested his proof of identity;
- (b) identify any person on whose behalf he has bought;
- (c) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

6.2 Within the time specified in clause 6.3 below, the Buyer shall pay the following sums to the Auctioneer in full:-

- (a) the balance of the price of all Lots purchased together with any VAT due;
- (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or agent.

6.3 The time for complying with clause 6.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

6.4 The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with clause 6.2 above, in which case the Buyer shall pay the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 4 per cent above Barclays Bank Plc base rate in force from time to time.

6.5 Until the Buyer has complied with clause 6.2 above:-

- (a) title to any Lot bought shall not pass to the Buyer;
- (b) the Lot shall be at the Buyer's risk;
- (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
- (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Auctioneer and Seller.

6.6 On written request by the Buyer the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

7. Removal of the Lot bought

7.1 The Buyer may not remove any Lot he has bought until after the end of the Auction.

7.2 The Buyer may not remove any Lot until the Buyer has paid the sums specified in clause 6.2 above in full for every Lot he has bought.

7.3 After paying the sums specified in clause 6.2 above, the Buyer must remove the Lot bought by the time specified in the Auction Catalogue or if no time is specified there, 5pm on the next working day, and in every case time shall be of the essence.

7.4 The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in clause 7.3 above.

7.5 If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.

7.6 When removing any Lot the Buyer:-

- (a) is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer;
- (b) must use safe and lawful means of removing the Lot;
- (c) shall indemnify the Auctioneer and Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal.
- (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.

8. Default by the Buyer

8.1 If at any time the Buyer has failed either to pay the

sums specified in clause 6.2 above in full by the expiry of the time specified in clause 6.3 above (or any extension granted under clause 6.4 above), or to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above) the Auctioneer may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.

8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

- (a) the sale price less the resale price;
- (b) the costs of and incidental to resale.

8.4 If because the Buyer has failed to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.

9. Liabilities and Indemnities

9.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

9.2 Every Lot is sold as seen and where lying.

9.3 No Lot is sold as compromising or including any new goods.

9.4 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

9.5 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

- (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
- (b) any defect or danger of the premises where the Auction is held;
- (c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;
- (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
- (e) any act or omission of any person other than the Auctioneer.

9.6 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.7 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.8 Clauses 9.3 to 9.7 shall not be valid insofar as prohibited by statute.

9.9 In no circumstances shall the Auctioneers be liable for any consequential damage.

10. Waiver

10.1 No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

CATERING EQUIPMENT & RESTAURANT FURNITURE

VIEWING Viewing is strictly by appointment with the auctioneers.

Viewing: Mon 8th November - West Drayton:
Unit 10 Chancery Gate Industrial Estate
Horton Close, West Drayton,
Middlesex UB7 8EB

Viewing: Tues 9th November - Bath:
Unit 5 Midsomer Enterprise Park
Radstock Road, Bath, BA3 2B

REGISTRATION Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. **A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE).** The Auctioneers reserve the right to refuse admission.

Persons under the age of 16 will not be allowed on site.

PAYMENT All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.

V.A.T. V.A.T. will be added to sale bills at 17.5%. Special rules apply for sales for export – request information from the auctioneer

BUYERS PREMIUM Buyer's Premium of 15.5% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

DEPOSITS The Auctioneer reserves the right to take a 25% deposit at Point of Sale. Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.

ABSENT BUYING INSTRUCTIONS If you cannot attend the sale we will execute bids confidentially on your behalf.

For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids.

A buyers premium plus applicable charges & taxes, is payable on successful bids.

Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction.

Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.

REMOVAL All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the charges are mandatory. Goods to be removed from site not later than Monday 15th November by 4.00pm.

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding.

SITE PROCEDURE The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

HAZARDOUS MATERIALS & SUBSTANCES If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and byelaws of local authorities and shall pay all fees and charges arising under the said regulations and byelaws in respect of the Work.

ELECTRIC CABLE/PALLETS Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

ORDER OF REMOVAL Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

INSURANCE The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale.

Any buyers of fixed plant or their duly appointed contractors **MUST** consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of **TEN MILLION POUNDS (£10,000,000)** is in place.

CONTENTS All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

DOCUMENTS The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

SOFTWARE Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

INSPECTION & CONDITION: The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

UNSOLD LOTS If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

CONDITIONAL SALES Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

RESERVES Where applicable, Lots will be offered subject to reserve prices.

LOTS with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

WARNING

It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom

Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

CATALOGUE LISTING



Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.

MANNER OF OFFERING In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

| LOT No. | DESCRIPTION | NOTES |
|-----------------------------------|--|-------|
| LOTS 1-170 LOCATED AT BATH | | |
| 1 | Parry double basket pedestal electric fryer power rating: 2 x 41,000BTU hr. 940mm x 690mm x 600mm | |
| 2 | Hobart Premier Plus HG4SFE7 4 burner gas hob 64.828Btu (19.0kw) 700mm x 700mm x 270mm brand new | |
| 3 | Moffatt mobile store cabinet stainless steel topped with three internal shelves open back 1200mm x 600mm | |
| 4 | 2 x Dualit 4 Bread 4 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 5 | 2 x Dualit 4 Bread 4 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 6 | 2 x Dualit 4 Bread 4 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 7 | 2 x mobile stainless steel cutlery stands with trays | |
| 8 | Mobile cutlery stands with cutlery tray | |
| 9 | Lincat A001 Baine Marie 600mm deep with GN1 container 600mm x 600mm x 290mm electric 2Kw | |
| 10 | Pasta King MCT 240v Baine Marie 1/4 150 mm deep GN 150mm x 260mm | |
| 11 | Moorland Vulcan M Line Plus twin door double gas fired oven 7 racks per oven (total holds 14) 900mm x 700mm x 1800mm | |
| 12 | 2 x Dualit 6Bread 6 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 13 | 2 x Dualit 6Bread 6 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 14 | 2 x Dualit 6Bread 6 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 15 | 2 x Dualit 6Bread 6 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 16 | 2 x Dualit 4 Bread 4 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 17 | Bradshaw Induction S3000RS induction hob 300mm x 300mm induction plate table top | |
| 18 | Lincat LBR single boiling top 400mm x 119mm x 285mm 2kW 180 mm / 7" sealed hotplate for easy cleaning variable heat control automatic power reduction, if pan boils dry or is removed - prolonging hotplate life | |
| 19 | Lincat LBR single boiling top 400mm x 119mm x 285mm 2kW 180 mm / 7" sealed hotplate for easy cleaning variable heat control automatic power reduction, if pan boils dry or is removed - prolonging hotplate life | |
| 20 | Ferrari GL1 electric hot plate 240mm x 240mm 240v | |
| 21 | Victor complete servery unit model CARIV3 comprising 2 x ceramic hot plates, 3 x hot cupboards and till station complete with tray counter each unit 650mm wide currently configured L shaped YOM 2002 (s/n 40225) | |
| 22 | Inox stainless steel vegetable slicer table top | |
| 23 | Hamilton Beach commercial blender powerful 1/2 HP motor high/low and on/off/pulse toggle switches are easy to reach and polycarbonate container 240v | |
| 24 | Various stainless steel oval platters | |
| 25 | Various stainless steel 9" rounds | |

| LOT No. | DESCRIPTION | NOTES |
|---------|---|-------|
| 26 | Various stainless steel vegetable dishes | |
| 27 | Dualit's 10 Litre Hotpot soup kettle model DSK1 wet heat only, 460W dimensions 34cm high x 34cm diameter | |
| 28 | Dualit's 10 Litre Hotpot soup kettle model DSK1 wet heat only, 460W dimensions 34cm high x 34cm diameter | |
| 29 | Maestrowave MSK 5 litre dry heat soup kettle 250mm x 350mm | |
| 30 | Various cast iron casserole pots x 6 | |
| 31 | 2 x Dualit 6Bread 6 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 32 | 2 x Dualit 6Bread 6 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width | |
| 33 | Large quantity of glass oil and vinegar dispenser set with stainless table stand | |
| 34 | SMEG ALFA200X / B23 stainless steel humidified fan oven 6 trays 600mm x 400 mm GN1/1 thermostat setting range 50 - 250° C timer setting range 0 - 60 minutes outside dimensions 871mm x 832mm x 835mm electricity supply 400V 3N - 50 Hz maximum power consumption 8,5 kW | |
| 35 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 36 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 37 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 38 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 39 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 40 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 41 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 42 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 43 | Hobart HEFT 17LC electric griddle smooth hot plate 240v | |
| 44 | Kestrel F169/119 four ring electric boiling top 600mm x 600mm x 285mm | |
| 45 | 2 x stainless steel three tier stands 560mm x 370mm x 500mm | |
| 46 | Parry double basket pedestal electric fryer power rating: 2 x 41,000BTU hr. 940mm x 690mm x 600mm | |
| 47 | Convothorm OD12.20 24 tray combi gas oven capacity 12 G/N 2/1 pans fully programmable 250 recipes dimensions 1232mm x 1055mm x 1416mm power 415/50/3P+N+E 34.3kW | |
| 48 | Stainless steel preparation table 2800mm x 860mm with under shelf and up-stand | |

| LOT No. | DESCRIPTION | NOTES |
|---------|--|-------|
| 49 | Chrome rack four tier 1000mm x 450mm x 1850mm | |
| 50 | Omega 350E commercial slicer 325mm carriage stroke cuts 230mm diameter of 180 x 250mm 0/23 cut thickness 240v | |
| 51 | Stainless steel 275 vertical commercial meat slicer 325mm carriage stroke cuts 230mm diameter of 220mm x 210mm 0/16mm cut thickness 240v | |
| 52 | Lincat Impinger 1300 series countertop conveyor oven dimensions belt width 16" (406mm) baking zone: 20" (508mm) overall: 1270mm x 797mm x 457mm output capacity: 20 x 12" pizzas / hour | |
| 53 | Turbofan Blueseal four grid electric oven (outer glass panel missing - otherwise fully operational) 700mm x 560mm x 600mm | |
| 54 | I.G.F. Italstampi 2300-L40 pizza dough base machine - makes pizza bases with kneading portion of 100-400g with 10-40cm diameter pizza output (YOM 2008) | |
| 55 | F.M.C. CJ citrus fruit juice extractor (s/n 7A00394) incomplete | |
| 56 | MBM Bresello model GFT47 LC electric griddle 350mm x 600mm | |
| 57 | Lincat PB33 single pasta boiler front drain taps for fast, easy drainage of water thermostatic control maintains accurate water temperature 335mm x 300mm x 600mm 3kW electric | |
| 58 | Salva KB1 model 87 single rack electric convection oven 780mm x 850mm x 400mm (s/n 88670) | |
| 59 | Victor CTB4Q carvery hot Baine Marie Topper designed to maintain the temperature of hot food by providing heat from below supplementing heat from above via quartz halogen heat lamps, dry heat GN1/1 x 4 full height toughened curved glass screen 1504mm x 660mm x 620mm 2.7kW 220V/240V, 1 phase, 50 Hz (s/n 59240) | |
| 60 | Victor DHP4Y carvery solid top induction heated topper designed to maintain the temperature of hot toughened glass sneeze screen to customer side 1200mm x 65mm x 635mm 2.4 Kw 220V/240V, 1 phase, 50 Hz (s/n 21725) | |
| 61 | Counter line carvery hot Baine Marie Topper designed to maintain the temperature of hot food by providing heat from below supplementing heat from above via quartz halogen heat lamps, dry heat, 3 x GN1/1 x 65mm deep 1200mm x 650mm x 635mm 220V/240V, 1 phase, 50Hz, 2.4kW loading, 10Amps (s/n 93073) | |
| 62 | BOVO Srl Jolly vertical ice cream cooling cabinet capacity for ice-containers 3x4,75 lt. - 6x2,5 lt. refrigerant R 404 compressor HP 0,5 power supply V 220 / 50 Hz 660mm x 550mm x 1140mm | |
| 63 | Williams HP5SC stainless steel commercial refrigerator temperature range +1/+4°C 600mm x 580mm 840mm | |
| 64 | Williams HP10CT under counter refrigerator 10.0cu ft capacity, +1°C To +4°C temperature range, with single door and 2 x pull out drawers 865mm x 725mm x 900mm | |
| 65 | Scaiola display refrigerated cabinet with four internal shelves +1°C To +10°C temperature rang dimensions 710mm x 710mm x 1840mm | |
| 66 | Stainless steel bakery rack holds 6 x 30" x 18" trays 700mm x 650mm x 900mm | |
| 67 | Weylux 850 bench standing digital scale mains powered led display. dual kg/lb. reading zero key to balance containers and facilitate recipe weighing visual overload warning platform 430mm x 380mm height 770mm | |
| 68 | Hamilton Beach spindle drink mixer IG936 three-speed - motor: 1/6 hp electric power rating: 230v / 5ph dimensions: 165mm x 153mm x 499mm | |
| 69 | Hamilton Beach triple spindle commercial drink mixer mixes up to twice as fast with more powerful 1/3 Hp motors 3 speeds plus unique pulse switch for maximum mixing control | |
| 70 | Waring commercial triple spindle commercial drink mixer mixes up to twice as fast with more powerful 1/3 Hp motors 3 speeds plus unique pulse switch for maximum mixing control | |
| 71 | Waring commercial triple spindle commercial drink mixer mixes up to twice as fast with more powerful 1/3 Hp motors 3 speeds plus unique pulse switch for maximum mixing control | |

| LOT No. | DESCRIPTION | NOTES |
|---------|---|-------|
| 72 | Soken Engineering HS32A heat sealer with digital temperature for sealing plastic and some cardboard packs sandwiches & pastas twin cavity tooling 220-240 Volts AC (Single Phase) | |
| 73 | Hans Kratt Mussana Pony 2 litre cream whopper 230 mm x 440 mm x 390 mm (s/n 332779OP) | |
| 74 | Commercial griddle contact grill & Panini press cooking area 340mm x 220mm ribbed plate & base counterbalanced top 240V single phase | |
| 75 | Commercial griddle contact grill & Panini press cooking area 340mm x 220mm ribbed plate & base counterbalanced top 240V single phase | |
| 76 | Aristarco commercial griddle contact grill & Panini press cooking area 220mm x 230mm ribbed plate & base counterbalanced top 240V single phase | |
| 77 | Silesia T1 commercial griddle contact grill & Panini press cooking area 300mm x 175mm smooth plate & base 240V single phase (s/n 20895) | |
| 78 | Lincat A001 single basket electric table top pasta cooker 250mm x 230mm | |
| 79 | Olis model 288 table top fryer 210mm x 330mm (s/n 47868) | |
| 80 | Table top single basket electric pasta cooker | |
| 81 | CIMSA LX commercial griddle contact grill & Panini press cooking area 240mm x 230mm ribbed top plate & plain base counterbalanced top 240V single phase | |
| 82 | Stainless steel preparation table 1800mm x 850mm | |
| 83 | Stainless steel preparation table 2500mm x 650mm | |
| 84 | Gram F425 upright stainless steel freezer temperature range: -25/-5 C volume gross 425 ltr./15.0 cu.ft dimensions 600mm x 731mm x 2000 mm | |
| 85 | Fosters Gastro PROG1350H gastronorm upright stainless steel 1350 litre refrigerator temperature range +1/+4°C dimensions 1440mm x 800mm x 2100mm | |
| 86 | Fosters Gastro PROG1350L gastronorm upright stainless steel 1350 litre refrigerator temperature range -18/-21°C dimensions 1440mm x 800mm x 2100mm | |
| 87 | Mixed pallet of crockery plates, servers etc. as lotted | |
| 88 | Mixed pallet of crockery plates, servers etc. as lotted | |
| 89 | Mixed pallet of crockery plates, servers etc. as lotted | |
| 90 | Quantity of chef knives and 2 x bine saws | |
| 91 | Various hand blenders | |
| 92 | 6 x 22 quart measure polypropylene containers | |
| 93 | Autonumis double door back bar cooler hinged door capacity - 174x330ml bottles - 288x330ml cans temperature Range: +3° to +11°C 900mm x 500mm x 910mm (s/n 0608JG) YOM 2008 | |
| 94 | Caravell CBD902-SLD double door back bar cooler hinged door capacity - 180 x 275ml bottles - 288x330ml cans temperature range: +1 to +8°C 840mm x 500mm x 910mm | |
| 95 | Naiko NR050 (1.77 cu. ft.) compact refrigerator total volume 50 ltr 47.19 cm. depth, 45.01 cm. height, 49.2 cm | |
| 96 | Caravell glass fronted display refrigerator type 137352 600mm x 500mm x 860mm (s.n 05318809) | |
| 97 | Williams LP5SC stainless steel commercial refrigerator temperature range +1/+4°C 600mm x 580mm 840mm | |
| 98 | King Edward PB2 traditional large potato baker oven external dimensions 520mm x 560mm x 810mm capacity (potatoes only) 8/10oz in oven: 55/45 cooking time (approx.) 60 minutes | |
| 99 | King Edward PB2 traditional large potato baker oven external dimensions 520mm x 560mm x 810mm capacity (potatoes only) 8/10oz in oven: 55/45 cooking time (approx.) 60 minutes (s.n 018282) | |
| 100 | Hobart HEFT47T fryer 12ltr electric fryer 400mm x 700mm (s/n 0699496) | |
| 101 | Parry 1927 / 1940 2 pot Bain Marie's power 400W dimensions 300mm x 525mm x 255mm pot capacity: 2 x 4.5L (pots not included) | |

| LOT No. | DESCRIPTION | NOTES |
|---------|--|-------|
| 102 | Framec ICE2V scoop ice cream display accepts 2 x 5 Litre Napoli pans (not supplied) refrigerant R404A capacity: 28.5 litres (1cuft) 2 x 5 Litre Napoli Pans 385mmx 470mm x 700mm (s/n 2006011695) | |
| 103 | Salva convection bake off oven model 95 ESP 4 grid oven, to fit 600mm x 400mm baking trays power 16 amp, 6.0 Kw 1000mm x 780mm x 540mm | |
| 104 | Angelo PO model 1G0FT4E smooth chromium plated electric griddle steel cooking plate, with hard chromium surface treatment heated by two independent armoured heating element groups with end stainless infill panel , thermostat and temperature control from 100 to 260°C on stainless stand 1050mm x 700mm x 930mm (s/n 07125273001) | |
| 105 | Angelo PO model IG0FR4E electric fryer double well,9+9 ltr electronic controls temperature control and display (0-190°C), melting and 100°C hold function programming 1050mm x 700mm x 240mm (s/n 07131876002) | |
| 106 | Salva convection bake off oven model K5 5 grid oven, to fit 60 cm x 40 cm baking trays power 16 amp, 6.0 Kw complete with stainless stand to hold trays 1000mm x 780mm x 540mm | |
| 107 | 2 x Hamilton Beach spindle drink mixer IG936 three-speed - motor: 1/6 hp electric power rating: 230v / 5ph dimensions: 165mm x 153mm x 499mm | |
| 108 | Lincat table top single basket fryer 300mm x 600mm | |
| 109 | Falcon Kestrel smooth hot plate griddle 450mm x 600mm | |
| 110 | Electric 3 x GN1 ban 100mm deep Baine Marie 600mm x 1140mm | |
| 111 | Low level electric portable hot cabinet model 6.0 740mm x 1240mm | |
| 112 | Falcon E7204 convection oven cook and hold electric convection oven, 1/1 gastronorm 0.12m3 oven, 8 shelf position supports, supplied with 4x shelves, door safety switch, complete with stand power: 10.8kw three phase and neutral dimensions: 860mm x 920mm x 1470mm | |
| 113 | Salva convection bake off oven model K5 5 grid oven, to fit 60 cm x 40 cm baking trays power 16 amp, 6.0 Kw 1000mm x 780mm x 540mm (s/n 96500) | |
| 114 | Angelo PO 090FT2E smooth plate electric griddle freestanding 18-10 stainless steel with 20/10 top. satin finished steel cooking plate heating with elements below the plate thermostat temperature control 100° to 270*c safety thermostat 400mm x 900mm x 900mm (1110 with flue) | |
| 115 | Eurofours convection oven stainless steel type 45WI four grid dimensions 780mm x 960mm x 540mm (s/n 904442) | |
| 116 | Salva convection bake off oven model K5 5 grid oven, to fit 60 cm x 40 cm baking trays power 16 amp, 6.0 Kw 1000mm x 780mm x 540mm(outer glass panel missing) | |
| 117 | Angelo PO PG42C ice cube maker 42 kgs/24 h front, top and sides in stainless steel, satin finish cube production by spray nozzle system. cube dimensions: mm 35 x 29 x 36h, 20 gram. air cooled 17kg container capacity (s.n MD37105707N) | |
| 118 | Electric griddle plate 450mm x 600mm | |
| 119 | MBM G267 two ring gas burner hob 400mm x 700mm | |
| 120 | Falcon 350-48 series chip warmer warmed by variable heat elements halogen heat lamp above tray 350mm x 650mm x 745mm with floor stand cupboard below | |
| 121 | Angelo PO UG1CP1E single well electric twin basket fryer electronic temperature control and display (0-190°C), melting and 100°C hold function programming 400mm x 900mm x 720mm (s/n 07149126001) | |
| 122 | Gram CF610 commercial chest freezer stainless steel lid temperature range: -22/-110C volume gross: 609 ltr./21.6 cu.ft. 1770mm x 729mm x 839 mm (s/n 0704191661) | |
| 123 | Wen Wei ZH-YDX twin door 34 tray humid air cabinet prover 1000mm x 700mm x 1800mm | |
| 124 | Refrigerated display case three shelf with base rear service door access side glass and base panels 900mm x 750mm x 1430mm | |
| 125 | Refrigerated display case three shelf with base rear service door access side glass and base panels 900mm x 750mm x 1430mm | |
| 126 | Arneg refrigerated stainless steel self-serve display case four shelf with base 890mm x 800mm x 2080mm | |

| LOT No. | DESCRIPTION | NOTES |
|---------|--|-------|
| 127 | Caravell CM40 commercial chest freezer solid stainless steel lid Capacity CU FT 14.3 405 litres temperature range -18/-24°C 1270mm x 720mm x 840mm | |
| 128 | Angelo PO 03IEBM hot well Baine Marie wet well holds 6 GN 1/4 pans (s/n 01622424003) | |
| 129 | Hans Kratt Mussana Pony 2 litre cream whipper 230 mm x 440 mm x 390 mm | |
| 130 | Hoshizaki Ice Maker TM130WL 130kg/24hr output cube blocks bin capacity 50kg 650W 704mm x 507mm x 1200mm (s/n F0016) | |
| 131 | Lincat LBR2 hob boiling top two hot plates power: 2 x 1.5 kw 119mm x 565mm x 400mm | |
| 132 | Stainless steel conveyor toaster capacity 400 pieces per hour 2.6kW 250mm wide belt | |
| 133 | MBM PR59 smooth electric griddle 400mm x 650mm | |
| 134 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 135 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 136 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 137 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 138 | Sharp R24AT1900W commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design 11 variable cooking controls counter check - works out best-selling dishes at the end of each day | |
| 139 | Sanyo stainless steel commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design | |
| 140 | FAC F350E commercial slicer 325mm carriage stroke cuts 230mm diameter of 270mm x 240mm 0/25 cut thickness 240v (s/n 22453) | |
| 141 | Metalcarrelli 9053 stainless steel sheet food warmer mains voltage 230 V single-phase 50/60 Hz thermostat adjustable from 30 to 90°C 500mm x 350mm (s/n 90532005003) | |
| 142 | Graef Euro360 commercial slicer 360mm carriage stroke cuts 230mm diameter of 180 x 250mm 0/23 cut thickness 240v | |
| 143 | Falcon Kestrel RT16 electric twin fryer 450mm x 600mm | |
| 144 | Dualit Panini griddle counter balance ribbed top smooth base 370mm x 250mm | |
| 145 | CEG BF300E commercial slicer 325mm carriage stroke cuts 230mm diameter 0/23 cut thickness 240v | |
| 146 | Stainless steel three tier table 1000mm x 650mm x 960mm with up stand | |
| 147 | Falcon E350-35 griddle plate cooking surface 610mm x 455mm electric 240v (s/n F440511) | |
| 148 | I.G.F. Italstampi 2300-L40 pizza dough base machine - makes pizza bases with kneading portion of 100-400g with 10-40cm diameter pizza output | |
| 149 | Commercial griddle contact grill & Panini press cooking area 370mm x 250mm ribbed plate & base counterbalanced top 240V single phase | |
| 150 | CIMSA LX commercial griddle contact grill & Panini press cooking area 240mm x 230mm ribbed top plate & plain base counterbalanced top 240V single phase | |
| 151 | Stainless steel two tier mobile trolley 950mm x 600mm x 900mm | |
| 152 | Large quantity of baking pans, trays cake rings etc. as lotted | |

| LOT No. | DESCRIPTION | NOTES |
|---|--|-------|
| 153 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 070029) | |
| 154 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 080466) | |
| 155 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 080465) | |
| 156 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 080228) | |
| 157 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 070028) | |
| 158 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 080464) | |
| 159 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 071206) | |
| 160 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 071205) | |
| 161 | Fiesta Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm (s/n 020227) | |
| 162 | 2 x 450mm diameter marble top bistro tables 750mm tall | |
| 163 | 2 x 450mm diameter marble top bistro tables 750mm tall | |
| 164 | 2 x 600mm x 600mm granite top grey table 750mm tall | |
| 165 | 2 x 600mm x 600mm granite top grey table 750mm tall | |
| 166 | 2 x 600mm x 600mm granite top grey table 750mm tall | |
| 167 | 2 x black granite top tables 1 x 600mm x 600mm x 750mm and 1 x 700mm x 700mm x 750mm | |
| 168 | Granite top 800mm diameter bistro table 750mm tall | |
| LOTS 170-329 LOCATED AT WEST DRAYTON | | |
| 170 | Stainless steel portable preparation table 3000mm x 600mm | |
| 171 | Stainless steel portable preparation table 1800mm x 600mm | |
| 172 | Stainless steel portable preparation table 1800mm x 600mm | |
| 173 | Stainless steel portable preparation table 1200mm x 800mm | |
| 174 | Stainless steel portable preparation table with up stand 1800mm x 600mm | |
| 175 | Stainless steel portable preparation table with up stand 1800mm x 600mm | |
| 176 | Stainless steel portable preparation table 750mm x 300mm | |
| 177 | Hobart gas fired brat pan 110ltr capacity 81,888 BTU (24.0kW) 230/50/1 - 0.32kW (fuse at 6A) | |
| 178 | Commercial gas fired stock pot open flame burner | |

| LOT No. | DESCRIPTION | NOTES |
|---------|--|-------|
| 179 | Commercial gas fired stock pot open flame burner | |
| 180 | Commercial gas fired stock pot open flame burner | |
| 181 | Commercial gas fired stock pot open flame burner | |
| 182 | Moffatt stainless steel display servery with curved glass screen 1800mm x 800mm | |
| 183 | Victor static hot cupboard 1800mm x 900mm | |
| 184 | Imperial 1HR-4-XB four burner gas range 10kw open burners (s/n 10134208) | |
| 185 | Visicooler upright glass fronted drinks refrigerator temperature range: 1C to 13C 1510mm x 595mm x 640mm | |
| 186 | Polar Refrigeration C8925 double drinks refrigerator 1990mm x 1340mm x 815mm | |
| 187 | Arneg ventilated serve over refrigerated counter with built in condensing unit curved glass frontage 2500mm | |
| 188 | Arneg ventilated serve over refrigerated counter with built in condensing unit curved glass frontage 1800mm | |
| 189 | Stainless steel counter unit 4800mm x 950mm wide with under storage space | |
| 190 | Commercial gas fired stock pot open flame burner | |
| 191 | TMC R1-15E gas fired stainless steel patio heater 220cm tall | |
| 192 | Stainless steel five tier trolley 800mm x 500mm | |
| 193 | Stainless steel preparation table with under shelf 720mm x 300mm | |
| 194 | Garland gas designer series GD24 GFF natural gas, input ratings of 20,000BTU 610mm x 610mm x 381mm brand new | |
| 195 | Steora Trevoux B160D tray sealer for CPET trays, PP trays and sandwich wedges YOM 2006 | |
| 196 | Steora Trevoux B160D tray sealer for CPET trays, PP trays and sandwich wedges | |
| 197 | San Jamar Gourmet suction cup dispenser | |
| 198 | Polar T315 counter top ice maker options for of small, medium or large cubes capacity bin 1kg, water tank 2 litres power 0.13kW, 220-240V 0.6 Amp single phase 380mm x 305mm x 380mm (s/n 10N4545) | |
| 199 | Comerica CEX standard 250 gravity fed slicer precision slicing control: 0-12mm thick blade diameter: 250mm power 0.15kW output / 150W / 0.68 amps (s/n 9518760) | |
| 200 | AZIM 586 manual table top onion or potato slicer | |
| 201 | Bartlett XR-WOE18 modular Baine Marie server counter hold 6 x GN1 pans 800mm wide unit with sneeze guard 240v power | |
| 202 | Bartlett XBS-HE12 modular Baine Marie server counter hold 6 x GN1 pans 800mm wide unit with sneeze guard 240v power | |
| 203 | Falcon Dominator six burner range with oven output 190,500 Btu/hr. 870mm x 900mm x 855mm | |
| 204 | Electric stainless steel four grid oven 800mm x 750mm | |
| 205 | Hobart HEF777T-11 double well electric fryer, 2 x 12 Litre 18.0kW 400/50/3 (fuse at 3x32A) brand new dimensions 700mm x 700mm x 270mm | |
| 206 | Electrolux Professions MBB1 two ring electric boiling top 350mm x 700mm | |
| 207 | Leventi Bakermat DGT stainless steel bake off oven with 9 internal shelves power (380V. 3Ph+0+A) 18.5 kW/28 Amp 975mm x 965mm x 797mm | |
| 208 | Falcon Convectasteam 10 combination oven with steam generator 8.94Kw load on a stainless steel portable stand oven dimensions 930mm x 890mm x 900mm | |
| 209 | Stainless steel deep basin Belfast style sink 820mm x 550mm | |
| 210 | Hobart 305G pressure steamer cooker (3) 1/1 GN capacity electronic controls automatic defrost device, timer digital display of chamber & generator pressures with built in steam generator class 'A' air gap stainless steel interior & exterior power 27 kW, 400v/50/3-ph dimensions 600mm x 700mm x 935mm (s/n 970185911) | |
| 211 | Stainless steel chef refrigerated two door counter holds 14 standard trays temperature range +1°/+4°C 600mm x 2200mm | |
| 212 | Various plate & saucer draining racks | |

| LOT No. | DESCRIPTION | NOTES |
|---------|--|-------|
| 213 | Hobart FGE40-1L table top fryer brand new 40lb capacity 110,000 BTU (32.24kW) (s/n MA07002470) | |
| 214 | Stainless steel meat mincer table top capacity 250kg/hr. reamer speed(r/min): 170 850mm x 540mm x 370mm (s/n 00180) | |
| 215 | Serncon 531SP stick blender 750rpm | |
| 216 | Moffatt DPC-6 grid combination steamer (s/n E8861986) | |
| 217 | Hobart stainless steel portable three drawer cabinet 700mm x 700mm | |
| 218 | Shaan tandoori gas oven stainless exterior with traditional stone inset 700mm x 800mm | |
| 219 | Falcon Dominator six burner range with oven output 190,500 Btu/hr. 870mm x 900mm x 855mm | |
| 220 | Bonnet by Hobart model BB906-ICF800FG stainless steel sold top range 22.4kw (1.7kg/h) 0.1kw (230/50/1) brand new 800mm x 730mm x 900mm YOM 2007 | |
| 221 | Hobart Ecomax HGFT46R-10 5.1kW ribbed top gas griddle 400mm brand new power 5.1kW, 1/2 inch BSP 270mm x 400mm x 600mm | |
| 222 | Crypto Peerless TRS 11 vegetable preparation machine 3-Phase 500W power 360 RPM 252mm x 500mm x 502mm (s/n 252703) | |
| 223 | Falcon Chieftain single basket gas fryer capacity 15 litre 36kg chips per hour output 60,400 Btu/hr. 900mm x 300mm x 850mm | |
| 224 | Hobart Premier Plus HG4SFE7 4 burner gas hob 64.828Btu (19.0kw) 700mm x 700mm x 270mm brand new | |
| 225 | Hobart HEF777 Premier Plus double well electric fryer 2 x 13 litre freestanding 18.0kw 400/50/3 (fuse at 3x32a) 700mm x 700mm x 850mm brand new | |
| 226 | Hobart Bonnet single solid top hob BB706CF-400 6.5kw/0.1kw 400mm x 730mm x 300mm brand new | |
| 227 | Victor stainless steel hot cabinet 580mm x 580mm | |
| 228 | Caravell glass fronted drinks display refrigerator 4 adjustable shelves with base temperature Range +2 / +12oC 650mm x 600mm x 1850mm | |
| 229 | IARP AB400n upright freezer cabinet temperature range -25°C / -10°C 343l; tr volume capacity 593mm x 622mm x 1874mm | |
| 230 | Fosters NHR 125 under counter stainless steel refrigerator 125 litre capacity temperature range +3/+5°C 605mm x 654mm x 830mm | |
| 231 | Valentine Cantine 1 twin basket electric stainless steel fryer 38/46kg capacity output per hour 15kW power dimensions 400mm x 580mm x 850mm (s/n 3P6585853) | |
| 232 | Stainless steel cabinet with two shelf units and splash back 600mm x 600mm | |
| 233 | Stainless steel four tier rack 1600mm x 650mm x 1400mm | |
| 234 | Packaging Engineers Ltd tray wrapping unit for use films up to 450mm temperature range 90° to 130°C controlled by an adjustable energy regulator power 240v 5Hz 1ph 375w 622mm x 525mm x 114mm | |
| 235 | Various thermal cooking and storage pots as lotted | |
| 236 | Stainless steel deep utensil sink 750mm x 700mm | |
| 237 | Hobart Ecomax 600 EECL46-10 single well electric fryer countertop fryer oil capacity: 8 litres oil drain tap 7.4kw 25,248 Btu 400mm x 600mm x 270mm (s/n DR0874855) | |
| 238 | Hobart FQE41L 10 litre table top fryer unit brand new (s/n MA022027471) | |
| 239 | Cornelius Milk Pak three gallon pergal container chilling dispenser 360mm x 450mm x 700mm | |
| 240 | Thermoplan AG Black & White automatic bean to cup coffee machine model CTM 8 buttons for selection of products, 2 x button and multiple-function 220 espresso, 170 coffee 150 cappuccino, 240 tea (2dl / 7oz) - an hour with automatic cleaning system 515mm x 600mm x 670mm | |
| 241 | Galaxy branded solo button hot chocolate machine capacity 220 cups per hour | |
| 242 | Hobart VPU6-11 vegetable preparation machine 5kg of vegetables per minute power 0.25kW 230/50/1 350 Rpm | |

| LOT No. | DESCRIPTION | NOTES |
|---------|--|-------|
| 243 | Omega SO220 stain steel table top band saw 220mm cutting height x 190mm cutting width 10.8m cutting speed per second 1hp (0.74kW) single-phase 340mm x 820mm x 360mm | |
| 244 | Bremer Viva 230 hot drinks machine capacity of beverages 270 cups/h 3.5kW power dimensions 360mm x 560mm x 690mm | |
| 245 | Williams stainless steel upright meat refrigerator model N71 temperature range -2 / +2°C 340ltr capacity 737mm x 815mm x 1860mm | |
| 246 | Sadia Sovereign upright refrigerator temperature range +1/+4°C 340ltr capacity 700mm x 810mm x 1860mm | |
| 247 | Framec 6JR507 ice cream display freezer / serve over counter hold 6 scoop pans temperature range -15/-20 °c dimensions 1217mm x 690mm x 1175mm | |
| 248 | Iarp AB400PV refrigerated cabinet 256ltr volume capacity 0 / 7°C 645mm x 665mm x 1960mm | |
| 249 | Whirlpool front loading American Style commercial dryer | |
| 250 | Miele refrigerator capacity in litres/cubic ft 110 l/3.8 cu.ft +1 / + 5°C 600mm x 600mm x 850mm | |
| 251 | Indesit TLA1S under larder fridge 127L capacity 3 shelves and a single manual thermostat +1 / + 5 °C 600mm x 600mm x 850mm | |
| 252 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 253 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 254 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 255 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 256 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 257 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 258 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 259 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 260 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 261 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 262 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 263 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 264 | Sisco modular table bench seating system type IIC-8329307 fold out option easy storage portable seats 12 persons 750mm wide x 3500mm when open | |
| 265 | Caravell stainless steel upright meat refrigerator model N71 temperature range -2 / +2°C 340ltr capacity 700mm x 815mm x 1950mm | |
| 266 | 9 x various Grundy aluminium bins as lotted | |
| 267 | Moorwood Vulcan AMTF-CP9 stainless servery counter with hot two lamp gantry 900mm x 800mm | |
| 268 | Induction 2800 drop in induction counter hob | |
| 269 | Induction 2800 drop in induction counter hob | |
| 270 | Merrychef EC401 combination oven microwave 34.3 litre capacity timer with multi-stage programs all stainless steel 527mm x 545mm x 555mm | |
| 271 | Gas stainless steel griddle unit smooth griddle 800mm wide with single plate ribbed griddle 400mm overall 750mm wide with under cupboard store | |

| LOT No. | DESCRIPTION | NOTES |
|---------|---|-------|
| 272 | Stainless steel utensil sink | |
| 273 | Mareno smooth hot griddle 550mm x 600mm | |
| 274 | Scotsman AF10 ice flake maker 85 kg/24 hours storage bin capacity 32kg 590mm x 630mm x 1130 (s/n DA02197) | |
| 275 | Lincat carvery servery hot lamp unit 500mm x 1300mm x 725 mm power rating: 4 x 250w (1.8kW) base element 800W | |
| 276 | Blodgett model mark v full size electric convection oven eleven rack positions with a minimum of 41mm spacing solid state thermostat with temperature control range of 93°C to 260°C two speed fan motor 952mm x 1105mm x 1315mm | |
| 277 | Hobart NCM40 heavy-duty 40-quart / 3 speed electronic mixer 415/50/3 1.2kW (10 amps) 3 phase outlet complete with stainless bowl and tooling | |
| 278 | Fagor FI-120 pass through dishwasher capable of washing 900 dishes per hour and complete with a break tank to ensure water regulations are met 42cm diameter dish maximum balanced hood for a light lift cycle times 55 75, 120 seconds and continuous mode complete with in feed table (s/n 121037220) | |
| 279 | Commercial charcoal gas BBQ 400mm x 650mm | |
| 280 | Moffatt L shape till servery counter | |
| 281 | Moffatt L shape till servery counter | |
| 282 | Falcon Dominator salamander grill 600mm x 340mm | |
| 283 | Miller's Vanguard double chicken rotisserie complete with baskets large glass doors, which helps you see the process of the chicken being cooked. manufactured in stainless steel with an illuminated interior and fitted on 4 castors 1000mm x 800mm x 2000mm (glass panel on bottom door need replacing) | |
| 284 | Hobart Biva counter top stainless steel milk chiller | |
| 285 | Traditional butchers block solid wood 1200mm x 600mm | |
| 286 | Rapmac Ltd tray wrapping unit for use films up to 450mm temperature range 90° to 130°C controlled by an adjustable energy regulator power 240v 5Hz 1ph 375w 622mm x 525mm x 114mm | |
| 287 | Flip top white pedal bag bin holder | |
| 288 | Various Grundy baking pans as lotted | |
| 289 | 6 x very large commercial stock pots | |
| 290 | Stainless steel vegetable and serving platters as lotted | |
| 291 | Sunnex chafing dish stands as lotted | |
| 292 | Portable tray stacker with a quantity of melamine trays | |
| 293 | Brandline stainless steel pavement barrier post x 2 | |
| 294 | Brandline stainless steel pavement barrier post x 2 | |
| 295 | Brandline stainless steel pavement barrier post x 2 | |
| 296 | 5 x wood and chrome high seat bar stools | |
| 297 | 4 x Oak Rook high kitchen stool designed by James Patterson at Habitat height adjustable seat | |
| 298 | Quantity of clear glass bowls as lotted | |
| 299 | Quantity of bud vases as lotted | |
| 300 | Quantity of table numbers as lotted | |
| 301 | Various saucers and side plates as lotted | |
| 302 | Norvik beer glasses 2 x 48 units | |
| 303 | Various stainless tea and coffee jugs | |
| 304 | Wooden restaurant table square 600mm x 600mm x 2 | |
| 305 | Wooden restaurant table square 600mm x 600mm x 2 | |
| 306 | Wooden restaurant table square 600mm x 600mm x 2 | |
| 307 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 308 | Wooden restaurant table square 1200mm x 600mm x 2 | |

| LOT No. | DESCRIPTION | NOTES |
|-------------------------------------|--|-------|
| 309 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 310 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 311 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 312 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 313 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 314 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 315 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 316 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 317 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 318 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 319 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 320 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 321 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 322 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 323 | Wooden restaurant table square 1200mm x 600mm x 2 | |
| 324 | Wooden restaurant table round 600mm diameter x 2 | |
| 325 | Wooden restaurant table round 600mm diameter x 2 | |
| 326 | Wooden restaurant table round 900mm diameter x 3 | |
| 327 | Wooden restaurant table round 1200mm diameter x 2 | |
| 328 | Wooden restaurant table round 1200mm diameter x 2 | |
| 329 | Super Asia 24" industrial pedestal fan x 5 | |
| 334 | Swan SR5170W 10% more energy efficient than A-rated 180 litres net freezer capacity, manual defrost fast freeze Ice bank 2 freezer compartments 4 freezer drawers 540mm x 560mm x 1440mm | |
| 335 | Swan SR5160S 239 litres (8.83 cu.ft) net capacity larder fridge manual defrost glass shelves. 540mm x 560mm x 1440mm | |
| 336 | Swan SR5045 250 litres (8.83 cu.ft) net capacity larder fridge manual defrost glass shelves. 540mm x 560mm x 1440mm | |
| 337 | Swan six drawer upright freezer SR503S | |
| 338 | Sharp R270 20 litre 800W microwave oven | |
| 339 | Swan model SM2090BLK 20 litre 800W 6 power levels microwave oven | |
| 340 | Swan SM21010BLK 22 litre 800W microwave oven | |
| 341 | Swan SM21010BLK 22 litre 800W microwave oven | |
| 342 | Sharp R959-SLMA 40 litre 900W digital combination microwave oven with quartz grill, silver | |
| 343 | Swan SM30205 22 litre 800W microwave oven | |
| 344 | Panasonic NN-CD767M combination microwave oven and grill 10 auto programs 850W and 1.1 kW grill 20 litre capacity | |
| 345 | Swan ST7029 four slot toaster | |
| 346 | Russell Hobbs four slot toaster | |
| 347 | Bush BTL113BR two slot toaster | |
| 348 | Swan SD5020 2 x 3-litre oil capacity table top fryer 2 x 1kg food capacity, adjustable temperature control viewing window, twin removable basket stainless steel | |
| 349 | Hoover Cyclonic dust manager 1900W vacuum cleaner TC3928 | |
| 350 | Vax Compact steam cleaner VO81 | |
| LOTS 351-373 LOCATED AT BATH | | |
| 351 | Large chest freezer | |
| 352 | Medium chest freezer warranty exists YOM 2010 | |
| 353 | Fridge freezer | |

| LOT No. | DESCRIPTION | NOTES |
|---|---|-------|
| 354 | Large fridge | |
| 355 | Small fridge | |
| 356 | Small fridge | |
| 357 | Dishwasher | |
| 358 | Four hob cooker with griddle | |
| 359 | Microwave oven | |
| 360 | Microwave oven | |
| 361 | Infrared grill | |
| 362 | Square table | |
| 363 | Collapsible table | |
| 364 | Soup kettle | |
| 365 | 2 x saucepans and tins | |
| 366 | 3 x A frame boards | |
| 367 | Electronic till | |
| 368 | Various cutlery and trays | |
| 369 | Various crockery as lotted | |
| 370 | Wine glasses and tumblers | |
| 371 | Various jugs as lotted | |
| 372 | Salt & vinegar cruet sets | |
| 373 | Sets of table covers serviettes etc. | |
| LOTS 374-387 LOCATED AT WEST DRAYTON | | |
| 374 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 375 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 376 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 377 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 378 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 379 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 380 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 381 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 382 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 383 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 384 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 385 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 386 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| 387 | Effeze restaurant chair high bar x 10 (chairs available from November 15th) | |
| End of Sale | | |



Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

