

MEAT PROCESSING AUCTION

- 4 Door Automatic Saloon Car. Colour Silver, 1st Reg Nov 2004, Silver, Vehicle Reg BF54EEG, Taxed until End May 2011, MOT until Nov 2011, Recorded Mileage to date 248650. No Documents
- 1 Available.
Large Frying Pan with Gas Burner - Large Cast Iron Frying Pan Size 800 mm Dia (32") 100 mm (4")
 - 2 Deep 2 Section, Twin Burner Stainless Steel Gas Burner Stand
4 Spout Hand Sink Wash Station - Stainless Steel Construction, Knee Operated Tap, Size 2040 mm x
 - 3 400 mm
Stainless Steel Bin Tipping Lift, 415V, Lift Height 1500 mm, Inc's 6 x Stainless Steel 200 Litre Mobile
 - 4 Bins Size 630 mm Sq x 500 mm Deep
Stainless Steel Floor Sunk Scale - Capacity Max 300 Kgs Min 5 Kgs d=0.1 Kg. 220/240V 50/60 Hz.
 - 5 Platform Size 800 mm x 800 mm (Stainless Steel). Bizerba P8000 Printer
Meat Grinding Machine, Integral Bin Lift, 6 x 200 Litre Stainless Steel Bins, Quantity of Change
 - 6 Parts, 415V 50Hz 100 Amp
 - 7 Stainless Steel Tilting Mixing Vessel, Drum Size 730 mm Diameter x 700 mm Deep
Double Ended Knife Sharpener / Polisher - 230/400V 50Hz .5Kw, Wheel Size 200 mm Dia x 15 x 25,
 - 8 Belt Size 800 mm Dia x 50
 - 9 Stainless Steel Pressure Vessel- Tank Size 450 mm Diameter x 800 Deep
Stainless Steel Digital Scale (Bench Top) Type M4SC Capacity 6 Kg, Tare Function, Platform Size 260
 - 10 mm x 215 mm
Brine Mixing Tank, TC 20/40 Control Panel, Size 1000 mm Deep x 1300 mm Diameter, Appx 1000
 - 11 Litre Capacity
Stainless Steel Bin Lift - 400V, 300 Kg Max Load, Mobile, Inc's 6 x 200 Litre Stainless Steel Bins, Lift
 - 12 Height Appx 2200 mm Adjustable
 - 13 Pickle Injector - 3 x 415V 50Hz 8Kw CE Marked
 - 14 Multi Protein Mobiliser Tenderiser, 3 x 415V 50Hz 4Kw, Air Press Min 3 Bar Max 10 Bar
Stainless Steel 6 Tonne Tumble Mixer - CA Machine Control 256, 3 x 400/230V 24.5Kw, Heating and
 - 15 Cooling Facility, Chiller Unit on Roof (Glycol)
Stainless Steel 2.5 Tonne Tumble Mixer - 2 x TC 20/40 Control Panel, Integral Bin Lift, Inc's 6 x 200
 - 16 Litre Stainless Steel Bins
 - 17 Stainless Steel Mobile Bin Lift - 3 x 400V 50Hz 2.2Kw, Inc's 6 x 200 Litre Stainless Steel Bins
Stainless Steel Twin Spindle Ribbon - Paddle Mixer - Twin Out Feed, Access Stair, 415V 50Hz 36
 - 18 Amp
Stainless Steel Bin Lifter (Floor Fixed) Max Lift Capacity 300 Kegs, 6 x 200 Litre Stainless Steel Bins,
 - 19 3 x 415V 50Hz 1.5Kw
Meat Grinding Machine, Integral Bin Lift, 6 x 200 Litre Stainless Steel Bins, Quantity of Change
 - 20 Parts, 415V 50Hz 105 Amp
 - 21 Mobile High Speed Emulsifier
Vacuum Sausage Filling Machine (Stainless Steel) Integral Bin Lift, PC II Control, Various Change
 - 22 Parts, Inc's Stainless Steel Work Table Size 2500 mm x 1200 mm
 - 23 Automatic Double Clip Sausage Clipping Machine
 - 24 Metal Detector (Sausage) Through Feed - In Line 52 mm Diameter Bore, Stainless Steel, Mobile
Pneumatic Ham Netting Machine - Bore Diameter 140 mm, Min Air Pressure 80 PSI Max 100 PSI,
 - 25 Inc's Stainless Steel Table Size 2300 mm x 1060 mm
 - 26 Ham Net Loading Device
 - 27 Natural Case Spooling Device (Sausage) Inc's Spare Prongs, 415V
 - 28 Bench Top Manual Sausage Clip Clipping Machine
 - 29 Bench Top Manual Sausage Clip Clipping Machine
 - 30 Vacuum Packing Machine - Bausch WP 700 Booster Pump, 415V
 - 31 Stainless Steel Binder String Meat Rollmatic Knotter
 - 32 Stainless Steel Tumbler, Front Bin Loader, 2 x TC 20/40 Control Panel, Capacity 2600 Kgs

MEAT PROCESSING AUCTION

- 33 Stainless Steel Pickle Injector (Robot) Intake Filter, Through Rails and Drip Trays
Stainless Steel Brine Mixing Tank - Size 1000 mm Deep x 1300 mm Diameter, Capacity Appx 1000
- 34 Ltrs, TC 20/40 Control Panel
Gas Fired Steam Boiler - 600 Kw, Boiler # B8356, Output 960 Kg per Hr F&A 100C, Design Pressure
- 35 1.12 Nmm²
Gas Fired Steam Boiler - 600 Kw, Boiler # B4021, Output 2100 Lbs per Hr, Design Pressure 160 PSI,
- 36 Refurbished November 2010.
- 37 Multipressure Power Wash System - 20 to 114 Bar
- 38 Water Softener Plant - 2 x Resin Filters, 1 x Salt Water Bin
Six Rack Steam and Smoke Oven - Double Through Door, Separate Free Standing Smoker and Gas
After Burner, Inc's 6 x Racks, Rack Size 2000 High mm x 1030 mm Wide x 1000 mm Deep, Mobile,
Vemag Micromat Control and Chart Recorder, Vemag Chip Smoker, Newtech SF 54/100 Five
- 39 Suppression System
Three Rack Steam and Smoke Oven - 3 x Racks Size 2000 High mm x 1030 mm Wide x 1000 mm
- 40 Deep, Built In Chip Smoker
Three Rack Steam Oven - Microprocessor MC 3.1 Control, 3 x Racks Size 2000 High mm x 1030 mm
- 41 Wide x 1000 mm Deep
Single Rack Steam Oven, 1 x Rack Size 2000 High mm x 1030 mm Wide x 1000 mm Deep
Single Rotary Rack Roasting Oven, Dataprocessor DP II Control, 3 x Racks Size 2000 High mm x 1030
- 42 mm Wide x 1000 mm Deep
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 44 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 45 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 46 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 47 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 48 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 49 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Smoke Racks - Size 2000 High mm x 1030 mm Wide x 1000 mm Deep,
- 50 To Inc Quantiy of Aluminium Hanger Bars and Stainless Steel 3 Prong Hooks
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 51 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 52 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 53 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 54 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 55 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 56 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 57 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 58 1000 mm Deep
Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 59 1000 mm Deep

MEAT PROCESSING AUCTION

- 1000 mm Deep
- Three Stainless Steel Mobile Oven Racks with Shelving - Size 2000 High mm x 1030 mm Wide x
- 60 1000 mm Deep
- Digital Scale, Capacity 60 Kg Max 0.4 Kg Min e= 0.02 Kg, Platform Size 500 mm x 400 mm, Mounted
- 61 on Stainless Steel Mobile Trolley, 240V
- 62 Stainless Steel Table, Size 2000 mm x 1000 mm, Rear Upstand
- 63 Cutting Board - Size 1200 mm x 610 mm, Mounted on Stainless Steel Frame
- 64 Nine Assorted Colour Plastic Bins - Mobile, Loose Lid, Size upto 410 mm Sq x 600 mm Deep
- 65 Stainless Steel Cabinet - Size 1120 mm x 1620 mm x 440 mm
- 66 Three Rack Blast Chiller - DV -10C 42kW, Compressor Water Mist and Chiller (Roof Moun
- 67 Three Rack Blast Chiller - DV -10C 42kW, Compressor Water Mist and Chiller (Roof Mount)
- Stainless Steel Dicer, 120 mm x 120 mm x 550 mm Long Chamber and Single Cutting Frame, Spare
- 68 Blades
- Continuous Blade Slicer - Stainless Steel Bottom Mesh Conveyor, Allan Bradley Control, Double
- 69 Sided Stainless Steel Access Platform
- 70 Appx 20 Grote 722 Smooth and Serrated Meat Slicer Blades (12 Serrated / 11 Smooth)
- Two Lane Continuous Tray Thermo Vac Form and Seal Machine - Manual Fill, Coding Head (Twin)
- Tray Waste Trim Off, CO₂ / N₂ Gas Purge, Tray Size 200 mm x 220 mm x 50 mm Deep, Inc's 1400
- 71 mm x 440 mm Belt Conveyor (Stainless Steel Framed)
- 72 Bench Top Digital Scale - Capacity 60 Kg, Platform Size 320 mm x 240 mm
- Stainless Steel Can Opener and Can Push Machine - All Mounted on Stainless Steel Bench Size 2960
- 73 mm x 500 mm
- 74 Continuous Blade Meat Slicer - 208/240V 1 Phase 50/60Hz
- 75 Appx 9 Grote 713 Smooth Meat Slicer Blades (9 Smooth)
- 76 Slicer with Shingle and Ribbon Belt Conveyor - Type GCV 26.614.100, Machine # 985.60
- 77 Schindler & Wagner Meat Slicer Blade Sharpener
- Jumbo Vacuum Chamber Bag Sealing Machine - 600 mm Wide Capacity, Type Systematic, Inc's
- 78 Cryovac ST 90 Shrink Tunnel, Mesh Belt Conveyor
- Three Lane Continuous Tray Form Fill and Seal Machine - Manual Fill, Tray Size 230 mm x 105 mm x
- 79 20 mm Deep, CO₂ / N₂ Gas Purge System, Tray Trim
- Three Lane Continuous Tray Form Fill and Seal Machine - Manual Fill, Tray Size 220 mm x 140 mm x
- 80 45 mm Deep, Witt CO₂ / N₂ Gas Purge System, Tray Trim
- 81 Bench Top Digital Scale - Capacity 60 Kg, Platform Size 320 mm x 240 mm
- 82 Digital Scale, Dual Read Out, Metric / Imperial
- Various Stainless Steel Tables - 1 x Size 1200 mm x 820 mm with 3 Sided Upstands, 1 x 1150 mm x
- 83 750 mm with 3 Sided Upstands, 1 x 1200 mm x 600 mm
- 84 Meat Slicer Machine - 370 mm x 3000 mm Stainless Steel Framed Belt Conveyor (Outfeed)
- 85 Stainless Steel Weber Meat Slicer Blade Grinder
- 86 Single Tray Vacuum Sealing Machine with Witt CO₂ - N₂ - O₂ Type KM 100 Gas Purge
- 87 Stainless Steel Two Level Table - Bottom Shelf, Size 2000 mm x 1000 mm
- 88 Stainless Steel Mobile Trolley
- 89 Stainless Steel Wellington Boot Scrub / Washer
- 90 Stainless Steel Two Spout Magic Eye Operated Hand Wash Unit - Size 1040 mm x 400 mm
- 91 Stainless Steel Two Spout Knee Operated Hand Wash Unit - Size 700 mm x 350 mm
- 92 Stainless Steel Framed Belt Conveyor - Size 3000 mm x 600 mm, Tilting End Gate for Walk Through
- Metal Detector on Stainless Steel Framed Belt Conveyor - Metal Detector Roll Back Conveyor
- Bottom Drop Reject System, Aperture Size 350 mm x 100 mm, 240V 1ph, Belt Conveyor Size 1800
- mm x 300 mm, Mobile with Separate End Belt Conveyor Size 1400 mm x 300 mm, 415V 3ph (S/N
- 93 896574-yr 1998)

MEAT PROCESSING AUCTION

- 94 Metal Detector on Stainless Steel Framed Belt Conveyor - Metal Detector Roll Back Conveyor Bottom Drop Reject System, Aperture Size 400 mm x 100 mm, Belt Conveyor Size 1850 mm x 400 mm, Separate Inclined End Belt Conveyor Size 1000 mm x 400 mm, 415V 3ph
- 95 Stainless Steel Belt Conveyor - Belt Size 1900 mm x 600 mm, 415V Through Feed Dryer with Metal Detector and End Reject System - Stainless Steel Framed, Steel Mesh Belt Dryer, Aperture Size 520 mm x 250 mm, Metal Detector Goring Kerr 4000 Yr 1999 s/n 58115 Aperture Size 659 mm x 240 mm Coupled to Auto Reject System, Stainless Steel Framed
- 96 with Plastic Belt Conveyor
- 97 Through Feed Check Weigher and Labeller Machine, Centralising Guide Rails
- 98 Through Feed Check Weigher and Labeller Machine, Centralising Guide Rails
- 99 Label Weigh Scale, Top Mount Roller Conveyor Size 800 mm x 600 mm
- 100 Top & Bottom Box Tape Machine - 800 ASB.E, Side Belt Feed
- 101 Top & Bottom Box Tape Machine - 700a-E, Top and Bottom Belt Feed
- 102 Top & Bottom Box Tape Machine - 700a-E, Top and Bottom Belt Feed
- 103 Vacuum Pack Seal Machine - Bench Top, Internal Size 440 mm x 400 mm, 240V Wall Mounted Weigh Scale - Capacity 150 Kgs Min 2.5 Kgs, Programmable Digital Scale, Metric & Imperial, Scale Platform Size 600 mm x 450 mm, Overhead Bag Weigh Hook
- 104 Stainless Steel Sink / Tray Wash - Size 600 mm x 700 mm x 370 mm Deep, Foot Pedal Tap Operated
- 106 Stainless Steel Single Spout Hand Wash Unit with Magic Eye, Size 500 mm x 300 mm
- 107 Stainless Steel Check Weigher / Labeller Machine, Inc's Label Head
- 108 Weigh Labeller, Platform Size 500 mm x 400 mm
- 109 Weigh Labeller, Platform Size 600 mm x 600 mm Roller Conveyor Top
- 110 Top & Bottom Box Tape Machine - 700a-E, Top and Bottom Belt Feed
- 111 Three Various Stainless Steel Tables - Sizes 1 x 1550 mm x 800 mm, 1 x 1800 mm x 750 mm, 1 x 1500 mm x 600 mm Rear Upright
- 112 Stainless Steel Double Door Upright Freezer - -18C/-21C Size 1330 mm x 700 mm x 2000 mm High, Refrigerant R404A/HP62
- 113 Stainless Steel Double Door Upright Refrigerator - -2C/+2C Size 1330 mm x 700 mm x 2000 mm High, Refrigerant R134A
- 114 Double Glass Sliding Door Chiller Unit - Size 1000 mm x 650 mm x 2050 mm High, R134A
- 115 Stainless Steel Lectern Writing Desk - Lift Up Lid for Storage, Size 700 mm x 650 mm
- 116 Bench Top Meat Slicer
- 117 Top and Bottom Labeller and Check Weigher
- 118 Stainless Steel Mechanical Lift Truck
- 119 Stainless Steel Tray Wash Sink with Overhead Washdown Rinse Gun
- 120 Water Chiller Unit - R 407C Refrigerant, 6.84kW 400V
- 121 Two Vacuum Pumps
- 122 Vacuum Pump - 235 cfm 0.5 torr 11kW Motor
- 123 Vacuum Pump - 0.5 mbar Vacuum, 11kW Motor
- 124 Vacuum Pump - 0.5 mbar
- 125 10 x Refrigerant Compressors. Note R22 Will Require Method Statement and Risk Assessment Prior to Removal Detailing Removal, Purging (i.e. Nitrogen) of R22 and Removal Documentation
- 126 12 x Refrigerant Compressors. Note R22 Will Require Method Statement and Risk Assessment Prior to Removal Detailing Removal, Purging (i.e. Nitrogen) of R22 and Removal Documentation
- 127 Refrigerant Compressor - R404A Refrigerant
- 128 Refrigerant Compressor - R404A Refrigerant
- 129 Five Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 130 Five Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep

MEAT PROCESSING AUCTION

- 131 Five Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 132 Five Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 133 Ten Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 134 Ten Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 135 Ten Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 136 Ten Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 137 Ten Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 138 Twenty Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 139 Twenty Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 140 Twenty Stainless Steel Mobile 200Ltr Food Bins - Size 630 mm Sq x 500 mm Deep
- 141 Plastic Liners for 200 Ltr S/S Bins (6 Rolls) Size 1345 mm x 1650 mm x 685 mm GS69 20mu Yellow Tint
- 142 Plastic Liners for 200 Ltr S/S Bins (6 Rolls) Size 1345 mm x 1650 mm x 685 mm GS69 20mu Yellow Tint
- 143 Plastic Liners for 200 Ltr S/S Bins (6 Rolls) Size 1345 mm x 1650 mm x 685 mm GS69 20mu Yellow Tint
- 144 Plastic Liners for 200 Ltr S/S Bins (6 Rolls) Size 1345 mm x 1650 mm x 685 mm GS69 20mu Yellow Tint
- 145 Pallet Truck - Capacity 2200 Kg, Fork Size 1040 mm x 370 mm Ctrs
- 146 Pallet Truck - Capacity 2200 Kg, Fork Size 940 mm x 370 mm Ctrs
- 147 Pallet Truck - Capacity 2200 Kg, Fork Size 940 mm x 370 mm Ctrs
- 148 Pallet Truck - Capacity 2000 Kg, Fork Size 1040 mm x 360 mm Ctrs
- 149 Pallet Truck - Capacity 2000 Kg, Fork Size 1040 mm x 360 mm Ctrs
- 150 Pallet Truck - Capacity 2000 Kg, Fork Size 1000 mm x 350 mm Ctrs
- 151 Pallet Truck - Capacity 2000 Kg, Fork Size 910 mm x 350 mm Ctrs
- 152 Pallet Truck - Capacity 2000 Kgs, Fork Size 1150 mm x 360 mm Ctrs
- 153 Pallet Truck - Capacity 2000 Kgs, Fork Size 1150 mm x 360 mm Ctrs
- 154 Pallet Truck - Capacity 2000 Kgs, Fork Size 1150 mm x 360 mm Ctrs
- 155 Pallet Truck - Capacity 2000 Kgs, Fork Size 1150 mm x 360 mm Ctrs
- 156 206 Ltr Drum Tip & Carry Truck
- 157 Twelve Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 158 Twelve Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 159 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 160 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 161 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 162 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 163 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 164 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 165 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 166 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 167 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm, Creates in Various Colours
- 168 Twenty Dolav Type Plastic Creates - Size Appx 1200 mm x 100 mm
- 169 Aluminium Mobile Cages (Qty 4) Size 800 mm Square x 1400 mm High. Open Front
- 170 Aluminium Mobile Cages (Qty 4) Size 800 mm Square x 1400 mm High.
- 171 Aluminium Mobile Cages (Qty 4) Size 800 mm Square x 1400 mm High. Open Front
- 172 Aluminium Mobile Cages (Qty 4) Size 800 mm Square x 1400 mm High. Open Front
- 173 Aluminium Mobile Cages (Qty 4) Size 800 mm Square x 1400 mm High. Open Front

MEAT PROCESSING AUCTION

- 174 Tri Axle Refrigerated Box Trailer, Thermo King Chiller Unit, 26 Pallet Capacity, Used for Static Yard Extra Cold Storage
- 175 Tri Axle Refrigerated Box Trailer, Carrier Chiller Unit, 26 Pallet Capacity, Used for Static Yard Extra Cold Storage
- 176 Four 4 Drawer Steel Filing Cabinets
- 177 Three 4 Drawer Steel Filing Cabinets
- 178 Filing Cabinets and Cupboard Units - 1 x 2 Door Steel Cupboard, 1 x 3 Drawer Steel Filing Cabinet, 1 x 2 Drawer Steel Filing Cabinet
- 179 Four Various Office Desks, Inc's 1 x 2 Drawer Cabinet, 4 x Swivel Base Chairs
- 180 Multifunction Office Printer - Fax, Scan, Copy, Print
- 181 9 Pin Printer on Stand
- 182 9 Pin Printer on Stand
- 183 Panafax Fax Machine
- 184 Temperature Probe
- 185 Digital Thermometer with Probe
- 186 Foodcheck Reference Thermometer
- 187 Thermistor Thermometer, Range -40C/120C - -40F/-248F, No Probe
- 188 Temperature Setting Calibration Sticks - 1 x -18C, 1 x +3C, 1 x +70C, Inc's Glass Thermometer
- 189 Digital Scale - Dual Readout, Capacity Max 6000g Min 40g d=2g
- 190 Lab Incubator - Temp Range 10 - 60C
- 191 Quantity of Various Food Manufacture Hygiene Products - To Inc Red and Blue Hair Nets, Plastic Oversleeves, Squeegee Mops, Microsafe Overalls, Embossed Disposable Gloves, Cream Cleaner, Glass cleaner, Graphiti Remover, Anti Bacterial Foam Hand Wash
- 192 Two Multi Channel Temperature Monitors (Temp Logger) Inc's Epson LX-300 Logger Printers
- 193 L Shaped Office Desk and Chairs - 3 Piece Desk Size 2500 mm x 2500 mm, 1 x Tambour Door Cupboard, 2 and 3 Draw Cabinet, 1 x Swivel High Back Chair, 2 Chairs, Hat Stand and Fan
- 194 Free Standing Air Conditioning Unit
- 195 CCTV System to Inc 3 Outside Cameras
- 196 Various Office Desks and Chairs - 3 x Desks, 2 x Swivel Base Chairs, 3 x Chairs, 2 1/2 x Partion Screens, 1 x 4 Draw Steel Filing Cabinet, 1 x 14" Colour TV and VCR on Stand
- 197 Various Office Desks and Chairs - 5 Piece Office Desk, 6 x Various Chairs
- 198 Two 2 Door Steel Cupboards
- 199 Three 4 Draw Steel Filing Cabinets
- 200 Canteen Furniture - 3 x 4 Seater Tables, 4 x 6 Seater Tables (1 with 2 Seats Missing) 2 x 2 Seater Tables
- 201 Office Furniture - 1 x J Shaped Computer Desk (Light Wood Finish), 1 x 3 Draw Cupboard (Light Wood Finish) 1 x 2 Door Steel Cupboard, 1 x 4 Draw Steel Filing Cabinet, 4 x Various Chairs, 1 x HP Deskjet 950C Printer
- 202 Hydrovane Air Compressor
- 203 Hydrovane Air Compressor
- 204 Compressor Air Dryer Unit
- 205 Compressor Air Dryer Unit
- 206 Electric Piston Compressor on Air Receiver Tank, Mobile, 240V
- 207 Vertical Air Receiver Tank - Appx Size 18" Dia x 4Ft Tall
- 208 Compressed Air Oil / Water Separator
- 209 Fork Truck Tipping Bin - Capacity 750 Kg - 1.5M Cube, Bottom Empty via Hand Release Lever
- 210 Electric Powered Hydraulic Lift Pedestrian Manual Fork Lift Truck - Capacity 1000 Kgs, Lift Height 2750 mm

MEAT PROCESSING AUCTION

- 211 Fork Lift Truck Mountable Access Cage - Capacity 250 Kgs
- 212 Battery Powered Pedestrian Floor Scrubber, Inc's Charger
- 213 Platform Scale with Digital Reader - Platform Size 1500 mm Square
- 214 Quantity of 25Kg Bags of Salt - Appx 25 Bags, Large Pebble Size Salt, Ideal for Water Softener Tanks
- 215 Glass Fibre A Frame Step Ladder - Top Step Height Appx 2.6 Meter
- 216 Aluminium A Frame Step Ladder - Top Step Height Appx 2.3 Meter
- 217 Glass Fibre A Frame Step Ladder - Top Step Height Appx 2.6 Meter
- 218 Aluminium Mobile A Frame Step Ladder - Top Step Height Appx 2 Meter
- 219 30 Ton Hydraulic Garage Press
- 220 Pillar Drill, 16 mm - 5/8" Capacity Chuck, 16 Spindle Speeds 160-3025 Rpm
- 221 Digital Thermometer with Probe
- 222 Digital Thermometer with Probe
- Ingredients Stock, comprising of Flaked Barley 14 x 25kg bags, Morning Foods pinehead oatmeal 14 x 25kg bags, Sea Salt 8 x 25kg bags, Tikka flavouring 2 x 20kg bags, Frankfurter flavouring 2 x boxes, Bratwurst sausage mix 24 boxes x 16kg per box, Dextrose monohydrate roquette 8 x 25kg bags, Almi nitrate 28 x 25kg bags, Red Thai glaze 12 x 10kg bags, Bread rusk G4 2 x 20kg bags, Ham brine mix 7 x 10kg bags, Potato starch 10 x 25kg bags, Pure dried vacuum salt 22 x 25kg bags, Tandori mix 11 x 10kg drums, Rapeseed oil 2 x 20kg drums (Racking Included)
- Casing & Skins Stock, comprising of Nylon HP100 CLR 375 meters per box 16 boxes, Heavy Prestuck/Shirred Netted 85mm x 45 meter / 800 meter per box 6 boxes, Heavy Prestuck/Shirred Netted 85mm x 37 meter / 800 meter per box 19 boxes, Boxes of string 15 x 120mm, Gasior Multilayer red plastic casings 21 boxes, Fib P Clear No9 plastic casings DIA 120mm / Length 40 meters 21 x boxes, N/Flex ASN blue plastic casings DIA 105mm / Length 40 meters 4 x boxes, Fibrous PD clear plastic casings 14 x boxes, Gasior multilayer plastic casings 11 x boxes, GB5 plastic product bags 25 boxes, Fib Top Red plastic casings 24 boxes
- 224

This sale has now ended please contact us for future events

Pro Auction Limited

Unit 5, Midsomer Enterprise Park
Radstock Road
Bath
BA3 2BB

Telephone: (+44) 01761 414000

Facsimile: (+44) 0845 280 2492

Email: info@proauction.ltd.uk

Direct Mobile: 07903 018 331

Mobile #2: 07946 496 697