

Online Auction Sale

www.bidspotter.co.uk

28 December 2011 @ 4.00pm

Computer IT Suite from the Howard Hotel London, following closure of the premises.

- 1 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 2 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 3 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 4 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 5 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 6 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 7 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 8 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 9 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity

- 10 Cisco Systems Catalyst Express 500 series 24 port switch WS/CE500-24PC 24 10/100 PoE ports for desktop, wireless, IP telephony, or closed-circuit TV camera connectivity / 2 10/100/1000BASE-T or SFP ports for flexible uplink or server connectivity
- 11 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 12 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 13 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 14 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 15 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 16 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 17 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 18 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces
- 19 HP Pro Curve J9085A - E2610-24 switch 24 ports managed rack-mountable switch is a managed 28-port switch with 24 auto-sensing 10/100 ports and 2 10/100/1000BASE-T and 2 mini-GBIC ports fanless switch with quiet operation, making it ideal for deployment in open spaces

- 20 Cisco Systems Catalyst 2960 series 24 port switch 24 Ethernet 10/100/1000 ports new FlexStack switch stacking capability with 1 and 10 Gigabit connectivity, and Power over Ethernet Plus (PoE+) with offering Fast Ethernet access connectivity and PoE capabilities
- 21 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 22 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 23 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 24 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 25 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 26 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 27 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network
- 28 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This

wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network

29 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network

30 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network

31 Cisco Catalyst 2950-24 Series 24 10/100 ports switches standalone fixed-configuration managed 10/100 switch providing user connectivity for small to mid-sized networks. This wire-speed desktop switch comes with Standard Image (SI) software features and offers Cisco IOS functionality for basic data, video and voice services at the edge of the network

32 3 x Pace Sky DigiBox TV Satellite Freesat Receiver DS4-30N

33 3 x BSKYB 250053 digi box TV Satellite Freesat Receiver

34 3 x Panasonic TU-DSB31 digi box TV Satellite Freesat Receiver

35 ODF Panel fibre optic distribution switch

36 ODF Panel fibre optic distribution switch

37 ODF Panel fibre optic distribution switch

38 ODF Panel fibre optic distribution switch

39 ODF Panel fibre optic distribution switch

40 ODF Panel fibre optic distribution switch

41 ODF Panel fibre optic distribution switch

42 ODF Panel fibre optic distribution switch

43 ODF Panel fibre optic distribution switch

44 ODF Panel fibre optic distribution switch

45 ODF Panel fibre optic distribution switch

46 Avocent 4SV1000-202 SwitchView 1000 - KVM switch desktop 4 ports PS/2 stackable

- 47 Avocent SwitchView 1000 16-port KVM switch provides PS/2 and/or USB connectivity for users and target devices. This single-user switch has an on-screen display (OSD) and supports 2048 x 1536 video resolutions. The SwitchView 1000 16-port switch can be cascaded to support up to 256 target devices.
- 48 Cisco SR2024C 24-Port 10/100/1000 Gigabit switch, you can connect your existing 10/100 Ethernet network to a Gigabit server backbone without any additional equipment all ports have automatic MDI/MDI-X crossover
- 49 Synoptics 2800A 16-port 10/100 switch
- 50 HP E4204 v1 Switch Series consists of modular chassis that provide a flexible, cost-effective LAN solution as an alternative to stackables. These switches offer a proven chassis form factor with high quality and reliability in 10/100, 10/100/1000, and 10-Gigabit scalable solutions that integrate easily into any network
- 51 Teac PD-D2750 5 Disc Carousel CD player plays CD and CD-R/RW discs precision front-loading drawer for 5 CDs music skip/search 32-selection multi-disc random programming 435mm x 115mm x 378mm
- 52 HP Hewlett Packard 9700 Server HSTNS 2111 3GHz Xeon
- 53 Locatel Eclipse SAT2 module DV3 Master Control box with SMATV controllers head unit
- 54 Compaq Proliant ML330E Intel Pentium III processor 1.0 GHz server
- 55 HP Compaq DC7700C - PD-94s -160 hmq convertible mini tower computer
- 56 Dell PowerEdge 1600SC Server Dual Intel Xeon at up to 3.2GHz cache from 512KB L2 up to 2MB L3 cache
- 57 HP DC7700P HSTNC -008P - SF Desktop PC
- 58 HP Compact 8000 HSTNC-058P SF Desktop PC
- 59 Compaq Evo D510 SFF, Agency Series PD1067P, SFF Desktop PC 33 x 11 x 37 cm, W x H x D, Pentium 4/1.6 GHz, 256 MB Ram, 20 GB HDD
- 60 Compaq Deskpro PD1060 (ENS/P800) desktop PC
- 61 HP Officejet J4680 All-in-One Colour Ink-jet - Fax / copier / printer / scanner Hi-Speed USB, IEEE 802.11b, IEEE 802.11g, 33.6 Kbps fax, 100 sheets, Up to 28 ppm (mono) / up to 22 ppm (colour)
- 62 Canon PIXMA MP220 Colour Ink-jet - Printer / copier / scanner Hi-Speed USB, 100 sheets, Up to 22 ppm (mono) / up to 17 ppm (colour) print, 4800 x 1200 dpi (colour), 45.1 cm x 35.3 cm x 16.9 cm
- 63 DeskJet 6122 600 dpi x 600 dpi, Legal, A4, Parallel, USB 20 pages per minute of laser-sharp black text and up to 13 pages per minute in brilliant colour

- 64 Micros 400614-001 Workstation 4 touch screen EPOS system 12.1 TFT Active LCD 800 x 600 SVGA resolution dimensions: 13.7 W x 5.4 H x 11.7 D (348mm W x 137mm H x 297mm D) approximately 7.75lb 5-wire resistive touch screen universal input power supply 3 track RS232 interface integrated magnetic stripe reader 2-MICROS cash drawer ports 1-external and 1-internal customer display ports 32 MB compact flash-standard type 1 (expandable to 1 GB) removable flash memory up to 256 MB PC 133 SDRAM (single DIMM socket) 128 MB standard volatile memory 32 MB socketed disk on chip (expandable to 128 MB) solid state flash storage Microsoft embedded Windows CE.NET 2-USB V1.1 ports rugged, spill resistant enclosure. (grey) passive cooling
- 65 Masterplug 8-gang surge protected extension lead with Broadband, LAN Ethernet & telecom ports
- 66 KeySonic ACK-540 U+ wired keyboard
- 67 Acer V173b - 17" TFT active matrix LCD display
- 68 Spare
- 69 Spare
- 70 Atek Titan UPS 2000VA/1400W
- 71 Atec Titan UPS battery pack 080525-715900
- 72 APC SMART 3000 UPS 2200-14 Amp
- 73 APC SMART-UPS 3000VA RM 3U 230V
- 74 APC SMART UPS 1000
- 75 APC SMART UPS 1000
- 76 APC SMART UPS 1000
- 77 APC SMART-UPS RM 1400VA XL UPS
- 78 SMC TigerSwitch 10/100 SMC6128L2 Switch - 24 ports
- 79 SMC TigerSwitch 10/100 SMC6128L2 Switch - 24 ports
- 80 ProLiant DL320-G6 server 2M Locatel server (HSTNS-3179)
- 81 ProLiant DL320-G6 server 2M Locatel server (HSTNS-3179)
- 82 HP ProLiant DL320 Generation 5 (G5) Server
- 83 HP ProLiant DL320 Generation 5 (G5) Server
- 84 JVC UX-A 70 MDR audio system
- 85 Omnilis TV channel receiver with Polytron SPM100 analogue output headend

- 86 Rack server cabinet 790mm X 600mm X 1900mm
- 87 Rack server cabinet 790mm X 600mm X 1900mm
- 88 Rack server cabinet 900mm x 600mm x 1540mm
- 89 Rack server cabinet 900mm x 600mm x 2000mm
- 90 HP ProLiant ML370 Generation 4 (G4) server
- 91 HP ProLiant ML370 Generation 2 (G2) server
- 92 IBM System X3500 (Type 7977) - 39Y9750 IBM Server
- 93 HP ProLiant DL380 G5 server, delivers on its proven history of design excellence with enterprise-class uptime and manage ability, proven 2 socket Intel Xeon performance, and 2U density for a variety of rack deployments and applications. HP ProLiant DL380 G5 takes #1 2P performance spot on Siebel CRM Release 8.0 Benchmark Industry Applications running Windows! The HP ProLiant DL380 G5 holds the #1 result for 2 socket performance on Siebel CRM Release 8.0 Benchmark Industry Applications running Microsoft Windows with 5,200 users. This result shows the highest number of users on a Windows benchmark on a single 2 socket, 8 core HP ProLiant rack server
- 94 HP ProLiant DL380 G5 server, delivers on its proven history of design excellence with enterprise-class uptime and manage ability, proven 2 socket Intel Xeon performance, and 2U density for a variety of rack deployments and applications. HP ProLiant DL380 G5 takes #1 2P performance spot on Siebel CRM Release 8.0 Benchmark Industry Applications running Windows! The HP ProLiant DL380 G5 holds the #1 result for 2 socket performance on Siebel CRM Release 8.0 Benchmark Industry Applications running Microsoft Windows with 5,200 users. This result shows the highest number of users on a Windows benchmark on a single 2 socket, 8 core HP ProLiant rack server
- 95 HP ProLiant DL360 G5 server Combining concentrated 1U compute power, integrated Lights-Out management, and essential fault tolerance, the DL360 is optimized for space constrained installations. Dual-core Xeon processors, DDR2 Fully Buffered DIMMs, Serial Attached SCSI (SAS) and PCI Express technology provide a high performance system ideal for the full range of scale out applications. What's more, the DL360 G5 steps up the fault tolerant in an ultra dense platform with redundant power, redundant fans, mirrored memory or online spare memory, embedded RAID capability, and full-featured remote Lights-Out management.
- 96 HP ProLiant DL360 G5 server Combining concentrated 1U compute power, integrated Lights-Out management, and essential fault tolerance, the DL360 is optimized for space constrained installations. Dual-core Xeon processors, DDR2 Fully Buffered DIMMs, Serial Attached SCSI (SAS) and PCI Express technology provide a high performance system ideal for the full range of scale out applications. What's more, the DL360 G5 steps up the fault tolerant in an ultra dense platform with redundant power, redundant fans, mirrored

memory or online spare memory, embedded RAID capability, and full-featured remote Lights-Out management.

- 97 Spare
- 98 HP Compaq Business Desktop dc5000 - SFF - 1 x P4 3 GHz - RAM 512 MB - HD 1 x 40 GB - DVD - LAN EN, Fast EN, Gigabit EN - Win XP Pro
- 99 Compaq EVO D510SFF PD1067P P4 2.4GHz 512MB 40GB
- 100 NetGear JFS524F ProSafe 24 Port 10/10 Rackmount Switch with 100FX Slot
- 101 Metro Data DC1000: Unframed E1 to X21 Converter
- 102 HP Compaq Business Desktop dc5000 - SFF - 1 x P4 3 GHz - RAM 512 MB - HD 1 x 40 GB - DVD - LAN EN, Fast EN, Gigabit EN - Win XP Pro
- 103 Networks Oneaccess ONE80 XM is a secure SHDSLbis enterprise access router
- 104 Mitel SX-2000 digital integrated communications Private Automatic Branch exchange (PABX) system can switch telephone calls and data connections between terminals and / or computers
- 105 Mitel SX-2000 digital integrated communications Private Automatic Branch exchange (PABX) system can switch telephone calls and data connections between terminals and / or computers
- 106 Mitel SX-2000 digital integrated communications Private Automatic Branch exchange (PABX) system can switch telephone calls and data connections between terminals and / or computers
- 107 Mitel SX-2000 digital integrated communications Private Automatic Branch exchange (PABX) system can switch telephone calls and data connections between terminals and / or computers
- 108 Motorola / Symbol MC9090-G offers advanced data capture options and integrated wireless LAN/PAN plus a comfortable ergonomic pistol grip to enable real-time data collection in scan-intensive environments - in the warehouse, on the loading dock, out in the yard, and in the back room or out on the sales floor of a retail operation.
- 109 Zebra LP 2844 direct thermal desktop label printer expands Zebra's 28-Series product family, offering 4-inch (10 cm) print-width capability 2844 at a print speed of 4 inches (10 cm) per second 203dpi resolution with enhanced print quality
- 110 Zebra LP 2844 direct thermal desktop label printer expands Zebra's 28-Series product family, offering 4-inch (10 cm) print-width capability 2844 at a print speed of 4 inches (10 cm) per second **203dpi resolution with enhanced print quality**

- 111 Zebra LP 2844 direct thermal desktop label printer expands Zebra's 28-Series product family, offering 4-inch (10 cm) print-width capability 2844 at a print speed of 4 inches (10 cm) per second 203dpi resolution with enhanced print quality
- 112 Olivetti Electronic Time Clock Printing Day and Date 12 Or 24 displays day of work, date and time. Prints month, day, hour and minutes. 12 or 24 hour format. Internal calendar automatically adjusts for number of days in the month and leap years. Internal 9V battery back up if power fails
- 113 Micros 400614-001 Workstation 4 touch screen EPOS system 12.1 TFT Active LCD 800 x 600 SVGA resolution dimensions: 13.7 W x 5.4 H x 11.7 D (348mm W x 137mm H x 297mm D) approximately 7.75lb 5-wire resistive touch screen universal input power supply 3 track RS232 interface integrated magnetic stripe reader 2-MICROS cash drawer ports 1-external and 1-internal customer display ports 32 MB compact flash-standard type 1 (expandable to 1 GB) removable flash memory up to 256 MB PC 133 SDRAM (single DIMM socket) 128 MB standard volatile memory 32 MB socketed disk on chip (expandable to 128 MB) solid state flash storage Microsoft embedded Windows CE.NET 2-USB V1.1 ports rugged, spill resistant enclosure. (grey) passive cooling
- 114 Zebra TLP 2642 direct thermal label printer
- 115 2 x Belkin F6C525 UPS surge power protector
- 116 APC SMART UPS 1000
- 117 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 118 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 119 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 120 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail

establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)

- 121 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 122 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 123 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 124 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 125 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 126 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)

- 127 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 128 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 129 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 130 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 131 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)
- 132 Cisco Aironet 1242G Series Access Points provide single-band 802.11g wireless connectivity for challenging RF environments such as factories, warehouses, and large retail establishments. Connectorized antennas, a rugged metal enclosure, and a broad operating temperature range offer extended range and coverage versatility. The Cisco Aironet 1240G Series provides local as well as inline power, including support for IEEE 802.3af Power over Ethernet (PoE)

End of Sale