

# ONLINE SALE ONLY

at:

[www.bidspotter.co.uk](http://www.bidspotter.co.uk)

# AUCTION SALE

**ProAuction**  
Limited  
Valuers & Auctioneers

All bids to be in by:

**Thursday 23rd June 2011,  
at 4.30pm**

On instructions of our clients

## News International

we are delighted offer  
the contents of a fully equipped  
canteen/catering facility  
in first class order,  
following relocation of facilities.

### Viewing:

Strictly by arrangement with auctioneers

**on Tuesday 21st June 2011,  
10.00am - 3.30pm**

at News International,  
Virginia Street, London, E98 1XY

Online bidding only at:

[www.bidspotter.co.uk](http://www.bidspotter.co.uk)



[www.proauction.ltd.uk](http://www.proauction.ltd.uk)  
Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk)  
Telephone: 01761 414000  
Facsimile: 0845 280 2492

PLEASE VISIT THE WEBSITE  
TO VIEW ANY DRAWINGS OR PLANS OF EQUIPMENT BEFORE PLACING BIDS.



**Pro Auction Limited**

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)  
Company Registration no: 5059610

# GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

## 1 Application of these General Conditions

1.1 In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated under clause 5.11 below.

1.2 These General Conditions apply to every Auction of Plant and Machinery, Chattels, Trade Stocks and Vehicles conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

1.3 If these General Conditions have not previously been accepted by a person attending or bidding at an Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

1.4 To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the special conditions shall prevail.

1.5 These General Conditions shall be governed construed and enforced in accordance with the law of England, but:-

(a) if the Auction is held in Scotland, in accordance with the law of Scotland;

(b) if the Auction is held in Northern Ireland, in accordance with the law in Northern Ireland.

## 2. The Seller's Instructions and Warranties

2.1 The Seller warrants that:-

(a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;

(b) any Lot offered for sale may lawfully sold;

(c) the premises where the Auction is to be held (if not the Auctioneer's premises) will be safe for that purpose and that it will be lawful to hold the Auction there.

2.2 If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:-

(a) to instruct the Auctioneer;

(b) to give the warranties set out in clause 2.1 above;

(c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

## 3. The Auctioneer's Remuneration

3.1 The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

3.2 The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

## 4. Bidding on behalf of Another

4.1 Unless the Auctioneer has previously acknowledged in writing that the bidder bids as agent on behalf of a named principal, every bidder shall be taken to bid on his own behalf as principal.

4.2 If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

## 5. Conduct of the Auction

5.1 The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Auction Catalogue.

5.2 Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.

5.3 The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue.

5.4 The Auctioneer may at any time before the fall of the hammer withdraw or divide any Lot or combine any Lots.

5.5 With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.

5.6 The Auctioneer may require any Bidder to give his name and address and proof of identity before accepting a bid.

5.7 The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.

5.8 The Buyer shall be the person who made the highest bid before the fall of the hammer or such other person as the Auctioneer may declare to be Buyer without being required to give a reason.

5.9 The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the

dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

5.10 The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

5.11 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions

## 6 After the Sale

6.1 Upon the Auctioneer declaring any Lot sold, the buyer shall immediately:-

(a) give the Auctioneer his name and address and if requested his proof of identity;

(b) identify any person on whose behalf he has bought;

(c) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

6.2 Within the time specified in clause 6.3 below, the Buyer shall pay the following sums to the Auctioneer in full:-

(a) the balance of the price of all Lots purchased together with any VAT due;

(b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or agent.

6.3 The time for complying with clause 6.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

6.4 The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with clause 6.2 above, in which case the Buyer shall pay the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 4 per cent above Barclays Bank Plc base rate in force from time to time.

6.5 Until the Buyer has complied with clause 6.2 above:-

(a) title to any Lot bought shall not pass to the Buyer;

(b) the Lot shall be at the Buyer's risk;

(c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;

(d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Auctioneer and Seller.

6.6 On written request by the Buyer the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

## 7. Removal of the Lot bought

7.1 The Buyer may not remove any Lot he has bought until after the end of the Auction.

7.2 The Buyer may not remove any Lot until the Buyer has paid the sums specified in clause 6.2 above in full for every Lot he has bought.

7.3 After paying the sums specified in clause 6.2 above, the Buyer must remove the Lot bought by the time specified in the Auction Catalogue or if no time is specified there, 5pm on the next working day, and in every case time shall be of the essence.

7.4 The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in clause 7.3 above.

7.5 If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.

7.6 When removing any Lot the Buyer:-

(a) is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer;

(b) must use safe and lawful means of removing the Lot;

(c) shall indemnify the Auctioneer and Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal.

(d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.

## 8. Default by the Buyer

8.1 If at any time the Buyer has failed either to pay the

sums specified in clause 6.2 above in full by the expiry of the time specified in clause 6.3 above (or any extension granted under clause 6.4 above), or to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above) the Auctioneer may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.

8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

(a) the sale price less the resale price;

(b) the costs of and incidental to resale.

8.4 If because the Buyer has failed to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.

## 9. Liabilities and Indemnities

9.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

9.2 Every Lot is sold as seen and where lying.

9.3 No Lot is sold as compromising or including any new goods.

9.4 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

9.5 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

(a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;

(b) any defect or danger of the premises where the Auction is held;

(c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;

(d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;

(e) any act or omission of any person other than the Auctioneer.

9.6 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.7 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.8 Clauses 9.3 to 9.7 shall not be valid insofar as prohibited by statute.

9.9 In no circumstances shall the Auctioneers be liable for any consequential damage.

## 10. Waiver

10.1 No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



# SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

**ADDRESS for viewing:**  
News International  
Virginia Street, London E98 1XY

**VIEWING** Viewing is strictly by arrangement with the auctioneers on Tuesday 21st June 2011, 10.00am-3.30pm. Please visit the website to view any drawings or plans of equipment before placing bids.

**REGISTRATION** Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. **A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE).** The Auctioneers reserve the right to refuse admission.

**Persons under the age of 16 will not be allowed on site.**

**PAYMENT** All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate **Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.**

**V.A.T.** V.A.T. will be added to sale bills at 20%. Special rules apply for sales for export – request information from the auctioneer

**BUYERS PREMIUM** Buyer's Premium of 15.5% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

**DEPOSITS** The Auctioneer reserves the right to take a 25% deposit at Point of Sale. **Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.**

**ABSENT BUYING INSTRUCTIONS** If you cannot attend the sale we will execute bids confidentially on your behalf.

**For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids.**

**A buyers premium plus applicable charges & taxes, is payable on successful bids.**

**Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction.**

**Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.**

**REMOVAL** All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the **charges are mandatory.** Goods to be removed from site not later than **Friday 1st July by 3.00pm.**

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding.

# NEWS INTERNATIONAL

**SITE PROCEDURE** The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

**HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.**

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

**HAZARDOUS MATERIALS & SUBSTANCES**

If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

**COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING**

Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and byelaws of local authorities and shall pay all fees and charges arising under the said regulations and byelaws in respect of the Work.

**ELECTRIC CABLE/PALLETS** Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

**ORDER OF REMOVAL** Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

**INSURANCE** The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale. Any buyers of fixed plant or their duly appointed contractors **MUST** consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of **TEN MILLION POUNDS (£10,000,000)** is in place.

**CONTENTS** All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

**DOCUMENTS** The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

**SOFTWARE** Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

**INSPECTION & CONDITION:** The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

**UNSOLD LOTS** If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

**CONDITIONAL SALES** Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

**RESERVES** Where applicable, Lots will be offered subject to reserve prices.

**LOTS** with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

**WARNING**  
It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

## Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

# CATALOGUE LISTING



Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.

Please visit the website to view any drawings or plans of equipment before placing bids.

**MANNER OF OFFERING** In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

LOT No.	DESCRIPTION	NOTES
1	Wanzl Eco Port stainless steel electronic entry barrier spans 2400mm wide (s/n 9185)	
2	Wall mounted menu information board 2000mm x 650mm	
3	True GDM 35 display cooler twin door adjustable shelves durable and permanent white finish integrated door light temp range: +0.5°C / +3.3°C 1998mm x 786mm x 1004mm (s/n 12178454)	
4	True GDM 35 display cooler twin door adjustable shelves durable and permanent white finish integrated door light temp range: +0.5°C / +3.3°C 1998mm x 786mm x 1004mm (s/n 13228536)	
5	True GDM-23 23 cubic feet glass door refrigerated merchandiser adjustable shelves durable and permanent white finish integrated door light temp range: +0.5°C / +3.3°C 686mm x 759mm x 1998mm (s/n 12548009)	
6	Rubbermaid polypropylene industrial pedal bin	
7	Uniwell TX850 EPOS system with Metro VMC card reader and printer (s/n 11203822)	
8	Uniwell TX850 EPOS system with Metro VMC card reader and printer (s/n 20905555)	
9	Uniwell TX850 EPOS system with Metro VMC card reader and printer (s/n 20109304)	
10	L Shaped wooden counter unit 1700mm x 1300mm	
11	L Shaped wooden counter unit 1700mm x 1300mm	
12	L Shaped wooden counter unit 1700mm x 1300mm	
13	L Shaped wooden counter unit 1700mm x 1300mm	
14	2 x gas variable height operator chairs	
15	Spare	
16	LED strip monitor display 1900mm wide	
17-20	Spare	
21	3 x chrome and wood bench stools 350mm seat pitch	
22	Werzalit circular dining table 900mm diameter	
23-29	Spare	
30	2 x 1200mm wooden dining tables with modular frame	
31	2 x Kinnarp 1300mm wooden dining tables	
32	2 x 1100mm wooden dining tables	
33	Spare	
34	Coffee table 600mm diameter	
35	Spare	
36	Spare	
37	7 x feature lighting console, comprises of frame and down lighter unit	
38	Dumb waiter / display counter with shelving units 1900mm x 800mm	
39	Portable display case / dumb waiter 1250mm x 1100mm	
40	Various chrome stands baskets and display units	
41	Crane Merchandising Systems model 341E carousel refrigerated vending unit (s/n 431090180) YOM 2005	
42	Vendo 406-152007 refrigerated drinks vending machine (s/n 382771) YOM 2007	
43	Rubbermaid polypropylene D90 3317A1 18 tier portable trolley x 4	

LOT No.	DESCRIPTION	NOTES
44	Rubbermaid polypropylene D90 3317A1 18 tier portable trolley x 4	
45	Spare	
46	Lockhart Revola 24 tray return unit portable x 2	
47	4 x Rubbermaid polypropylene recycle bins	
48	2 x Rubbermaid polypropylene pedal waste bins	
49	Refrigerated display system comprising 2 x stainless refrigerators with glass shelving, counter unit and under cupboards overall 4200mm x 2200mm	
50	Integra refrigerated display drop in unit glass panel and sneeze guard 1200mm x 750mm	
51	Integra refrigerated display drop in unit glass panel and sneeze guard 1200mm x 750mm	
52	Thermoplan Black & White CTS2 commercial coffee machine produces approximately 240 shots per hour and steam a litre of milk in about 45 seconds. There are also eight digital product keys, allowing you to produce various types of coffee drinks quickly and accurately (s/n 043404209)	
53	LEC R5026W refrigerator 'A' energy rated. internal light. reversible door. easy grip handle. 2* icebox. glass shelf. exterior handle. 838 x 480 x 560mm	
54	Integra refrigerated display drop in unit glass panel and sneeze guard 1200mm x 750mm	
55	Integra refrigerated display drop in unit glass panel and sneeze guard 1200mm x 750mm	
56	Integra refrigerated display drop in unit glass panel and sneeze guard 1200mm x 750mm	
57	Wooden counter unit horseshoe design with centre console 14m overall foot print tile inlay counters with cut outs for drop in units	
58	Integra Euro Kera induction plate drop in unit with halogen lamp over 830mm x 650mm	
59	2 x plate lowerators	
60	Integra Euro Kera induction plate drop in unit with halogen lamp over 1520mm x 700mm	
61	Roller Grill 400ED double crepe machine cast iron 400mm plates 860mm x 500mm x 240mm (s/n 080211471)	
62	Foster PMC3HRT 3-door stainless steel counter refrigerator with salad server top capacity: 13.5 cuft storage temp: +1/+4°C ingredients pan temp: +3/+5°C takes 9 GN 1/3 pans shelves: 6 w 1720mm x 850mm x 1105mm (s/n E456988)	
63	Stainless steel bench work station with three cupboards 1700mm x 900mm	
64	Stainless steel bench work station with three cupboards 1700mm x 900mm	
65	Bakers Pride P44S two deck counter top electric pizza & pretzel oven temperature range 149-343°C electric 15-minute timer with continuous ring alarm and manual shut-off two independently controlled cook/baking chambers four cordierite hearth decks per oven with 3 1/4" (83mm) deck heights all stainless steel exterior unitized, welded, aluminized steel interior 838mm x 902mm x 889mm (s/n 2537)	
66	Illuminated panel sign 2000mm x 500mm	
67	2 x Rubbermaid polypropylene pedal waste bins	
68	Victor heated display unit glass top 2 x GN 1/1 size hot plate with cupboard under 1850mm x 660mm	
69	Mareno GL7-8G chargrill gas table top all stainless steel with lava rock, 52,000 BTU 230mm x 800mm x 730mm	
70	Integra refrigerated display drop in unit glass panel and sneeze guard 800mm x 620mm	
71	Riviera portable stainless steel hot cabinet with 3 x GN drop in Baine Marie counter 1200mm x 680mm	
72	Hoshizaki RTE170SFA three door counter fridge temperature range -6/+12°C 432 litre net capacity 6 stainless steel shelves stainless steel exterior and interior standard gastronorm design removable air filter and refrigeration system for easy maintenance lockable self closing door ambient operation up to 40°C electrical loading 230v 50hz electrical consumption 1700mm x 700mm x 850mm (s/n H000226)	
73	Autonumis C1008 bag in box cooler (s/n UG54468) YOM 2007	
74	Coffetek Options hot drinks vending machine (s/n 31442)	
75	Baravilor Bonomat HWA20-001 hot water boiler	



LOT No.	DESCRIPTION	NOTES
76	Nemesis Ultima 45 Insectocutor	
77	Autonumis C1008 bag in box cooler (s/n UG52533) YOM 2006	
78	Integra Euro Kera drop in heated display unit glass top 1200mm x 670mm	
79	Integra Euro Kera drop in heated display unit glass top 1170mm x 660mm	
80	Integra Euro Kera drop in heated display unit glass top 1170mm x 660mm	
81	Integra Euro Kera drop in heated display unit glass top 830mm x 660mm	
82	Stainless steel portable plate lowerator	
83	Stainless steel portable plate lowerator	
84	Stainless steel preparation table with under shelf 900mm x 650mm	
85	2 x Rubbermaid polypropylene pedal waste bins	
86	2 x Rubbermaid polypropylene pedal waste bins	
87	Various mounted food photographs and prints as lotted	
88	Stainless steel counter unit 1400mm x 650mm	
89	Falcon EN203-4A85 69522 gas salamander on stand 900mm wide (s/n 87A0144)	
90	Falcon Dominator 900mm gas salamander	
91	Falcon Dominator twin basket gas fryer	
92	Rational SCC101G Self Cooking Centre 101 Gas 10 Grid Combi Capacity 10 x 1/1 GN Lengthwise loading for: 1/1, 1/2, 2/3, 1/3, 2/8 GN Number of meals per day 80-150 847mm x 771mm x 1017mm (s/n G11SE08062147197) YOM 2008	
93	Stainless steel twin door bench cabinet 1700mm x 740mm	
94	Foster HE3225 three door refrigerated bench refrigerator stainless steel temperature range +2/+12 °C 432 litre net capacity 1870mm x 700mm (s/n E454363)	
95	Stainless steel preparation table with under shelf 1100mm x 750mm	
96	Victor Banquet line BL100 - H2Z stainless steel mobile hot holding banqueting cart two door capacity 28 gn1/1 x 65mm deep gastronorm containers, 108 1" plated meals 1070mm x 760mm x 1810mm (s/n 138470741)	
97	Stainless steel preparation table with under shelf, up stand and can opener 1500mm x 640mm	
98	Williams WBCF40 blast chillier operates effectively in 43°C ambient environments; designed to blast chill the full capacity from +70°C to +3°C in 90 mins or +70°C to -18°C in 240 mins; hard and soft chill options; stainless steel exterior and interior; simple 3 step programming 1735mm x 707mm x 804mm (s/n 06010466863)	
99	Chrome mobile rack four tier 600mm x 1150mm x 1800mm	
100	Chrome static rack four tier 500mm x 1200mm x 1350mm	
101	Chrome mobile rack four tier 450mm x 1000mm x 1850mm	
102	Sammic M-15 potato peeler with highly resistant and long lasting removable abrasive lining and capable up to 360kg per hour stainless steel body shockproof transparent hinged lid water inlet system with non-return air break integral control panel complete with on/off push buttons 0-6 minute timer (s/n 100561070046)	
103	Mareno 60 litre gas bratt pan stainless steel. 47,800btu/hr. manual tilting mechanism adjustable thermostat 50-300c Piezo ignition steel pan base 800mm x 730mm x 850mm	
104	Rational CD61 combi steamer 400v nac. 6 x 1/1 GN oven rotary switch control. steam mode, hot air mode, combi mode and cool down feature temperature 0-300°C, timer 0-120min 840mm x 900mm x 780mm	
105	Rational CPC21201 20 grid combination oven with roll in rack electric various cooking modes: roast, grills poultry, fish, baking, side dishes/vegetables, potatoes, egg dishes/desserts and finishing 3 combi-steam modes - moist heat, dry heat and combined moist/dry5 air speed programmes 20x1/1 gastronorm shelf capacity (accommodates 1/3, 1/2 and 1/1 GN containers - 6 grids at 65 mm depth) programmable memory temperature range 30°C to 300°C 879mm x 791mm x 1785mm (s/n E21C0071050590)	
106	Blue Seal Vee Ray stainless steel single basket gas fryer 450mm x 812mm x 915mm	
106a	Blue Seal Vee Ray stainless steel double basket fryer 812mm x 600mm x 915mm	
107	Stainless steel preparation table with up stand and shelf 1800mm x 680mm	

LOT No.	DESCRIPTION	NOTES
108	Lockhart mobile hot cabinet with 3 x GN drop in Baine Marie top 1200mm x 700mm	
109	Mareno GL7-8G chargrill gas table top all stainless steel with lava rock, 52,000 BTU 230mm x 800mm x 730mm	
110	Falcon Chieftain single bull's-eye range 8.2kw (28,000 btu/hr) high power burner. 150mm hob plating area four shelf operation useable oven size: 620mm x 530mm x 325mm. gas rating: 19.6kw (68,000 btu/hr) 900mm x 940mm x 900mm	
111	Falcon Chieftain 6 ring open top gas range stainless steel Heavy duty performance Precise temperature control; oven controlled by direct acting thermostat Oven is supplied with anti-tilt shelves and controlled by Peizo ignition; all burners have failure device Easy cleaning Useable oven dimensions: 620mm (W) x 530mm (D) x 325mm (H) Oven capacity: 0.11 cubic metres 900mm x 940mm x 900mm	
112	Falcon Chieftain single bull's-eye range 8.2kw (28,000 btu/hr) high power burner. 150mm hob plating area gas rating: 19.6kw (68,000 btu/hr) 900mm x 940mm x 900mm	
113	Stainless steel twin basin utensil sink	
114	Mareno gas fired boiling pan 600mm diameter x 450mm deep bowl 50 litre capacity with standard lid and drain filter direct-heated pan 10.5kw 35,900btu/hr 600mm x 730mm x 850mm	
115	Rational 20 Grid Gas Combi Oven SCC201G stainless steel 9 cooking modes: roast, grills poultry, fish, baking, side dishes/vegetables, potatoes, egg dishes/desserts and finishing combi-steam modes - moist heat, dry heat and combined moist/dry 5 air speed programmes 20x1/1 gastronorm shelf capacity (accommodates 1/3, 1/2 and 1/1 GN containers - 6 grids at 65 mm depth) Programmable memory Temperature range 30°C to 300°C Core temperature probe with 6 point measurement Integral hand shower with retracting hose and roll in trolley 879mm x 791mm x 1782mm (s/n GS1SE08062147169) YOM 2008	
116	Dulait DCT2T conveyor toaster 2 slice energy saving conveyor toaster produces up to 360 slices an hour and uses unique thermostatically controlled elements to maintain the toasting temperature radiant quartz red heat quick start-up elements (5-10 minutes warm up time)variable browning control (s/n 200920) YOM 2009	
117	Stainless steel preparation table with up stand and shelf 1500mm x 640mm	
118	Stainless steel preparation table with up stand and shelf 1800mm x 680mm	
119	Stainless steel preparation table with up stand and shelf 1360mm x 640mm	
120	Four tier rack 600mm x 1200mm x 1800mm	
121	Three tier rack 600mm x 900mm x 1840mm	
122	Tournus four tier modular rack 500mm x 1700mm x 1750mm	
123	Tournus four tier modular rack 450mm x 1200mm x 1750mm	
124	Stainless steel commercial twin sink 2400mm	
125	Rational CD61 combi steamer 400v nac. 6 x 1/1 GN oven rotary switch control. steam mode, hot air mode, combi mode and cool down feature temperature 0-300°C, timer 0-120min 840mm x 900mm x 780mm	
126	Stainless steel preparation table with up stand and shelf 1800mm x 640mm	
127	Stainless steel preparation table with up stand and shelf 1100mm x 680mm	
128	Stainless steel mobile two door cupboard 1500mm x 690mm	
129	Hobart NCM planetary mixer with tooling	
130	Hobart planetary mixer with tooling	
131	Victor Banquet line BL100 - H2Z stainless steel mobile hot holding banqueting cart two door capacity 28 gn1/1 x 65mm deep gastronorm containers, 108 1" plated meals 1070mm x 760mm x 1810mm (s/n 1384707042)	
132	Foster GH601 - R1T roll in stainless steel refrigerator 600 litre capacity temperature ranges from +2°C/+10°C (s/n EH6C640)	
133	Foster GH601 - R1T roll in stainless steel refrigerator 600litre capacity temperature ranges from +2°C/+10°C (s/n E46C639)	
134	Lockhart stainless steel wall shelving units 300mm wide x 3 units	

LOT No.	DESCRIPTION	NOTES
135	Roller Grill Panini L electric large single contact grill fitted with cast iron plates for perfectly even cooking the upper plate is self-balanced and the pressure spring is adjustable thermostat 0-300°C flat base and ribbed top plates cooking area: 360 x 240 mm dimensions 430mm x 385mm x 220mm (s/n 070307539)	
136	Adventys BRIC3000 induction hob single phase dimensions 390 mm x 525mm x 90mm power 3 kw 12.2 amp 4 preset boost mode 12 heat levels 99 minute timer	
137	Adventys BRIC3000 induction hob single phase dimensions 390 mm x 525mm x 90mm power 3 kw 12.2 amp 4 preset boost mode 12 heat levels 99 minute timer	
138	Cooktek MBC300G induction hob single phase 380mm x 380mm power 3 kw 12.2 amp 4 preset boost mode variable heat levels & minute timer	
139	2 x Rubbermaid polypropylene pedal waste bins	
140	Large quantity of saucepans as lotted	
141	4 x stainless steel stock pots as lotted	
142	6 x stainless steel stock pots as lotted	
143	Large quantity of cooking utensils as lotted includes spoons, tongs and slices	
144	Large quantity of cooking utensils as lotted includes ladles, spoons and whisks	
145	Large quantity of cooking utensils as lotted includes scoops, graters and thermometers	
146	4 x Wrapmaster 4500 dispensers ideal for all caterers free standing or wall mountable uses 45cm wide film x 300m uses 45cm wide foil x 90m dimensions closed: 540mm x 160mm x 160mm	
147	Various baking trays 530mm x 330mm	
148	Large quantity of commercial chopping boards and stands	
149	Single basin stainless hand wash basin	
150	Insectocutor	
151	Spare	
152	Hoshizaki RTE170SFA three door counter fridge temperature range -6/+12°C 432 litre net capacity 6 stainless steel shelves stainless steel exterior and interior standard gastronorm design removable air filter and refrigeration system for easy maintenance lockable self closing door ambient operation up to 40°C electrical loading 230v 50hz electrical consumption 1700mm x 700mm x 850mm (s/n H00209)	
153	Spare	
154	Stainless steel twin commercial utensil sink with single drainer 1800mm	
155	Stainless steel hand wash basin	
156	Tournus Equipment modular racking four tier 480mm x 1150mm x 1750mm	
157	Tournus Equipment modular racking four tier 480mm x 1150mm x 1750mm	
158	Chrome static rack 450mm x 1050mm x 1550mm	
159	REA Plasrack hygienic plastic shelving system mobile unit four tier 2000mm x 450mm x 1550mm	
160	Tournus Equipment modular racking four tier 480mm x 7000mm x 1750mm	
161	Four tier aluminium racking systems 3000mm x 550mm x 1850mm	
162	GS TVV Hupfer stainless steel rack 1200mm x 540mm x 1800mm	
163	GS TVV Hupfer stainless steel rack 1200mm x 440mm x 1800mm	
164	6 x Rubbermaid polypropylene portable ingredient bins with Perspex lids	
165	Storer walk in freezer unit complete with racking, evaporator and compressor unit 6000mm x 2000mm x 2100mm	
166	Walk in cold room unit complete with racking, evaporator and compressor unit 3500mm x 3000mm x 2100mm	
167	Various Nobo and notice boards through preparation area	
167a	Tournus Equipment modular racking four tier 1400mm x 500mm x 1750mm	

LOT No.	DESCRIPTION	NOTES
168	Model K160VPi compact rack transport machine with prewash zone offering a throughput capacity of 130 baskets (2,340 plates) per hour. provided with digital temperature indication for wash and rinse and with swivelling central electrical switch box located within the body of the machine. integral 8 litre fresh water final rinse tank. emergency-off button at eye level at cleans end four (4) standard 500 x 500mm plate baskets two (2) standard 500 x 500mm cup/bowl baskets four (4) eight compartment cutlery washing baskets integral pressure reducing valve on water inlet rinse-aid mixing chamber for up to 70% saving stainless steel perforated strainer over wash tank incorporated non-return valve on fresh water inlet insulation panels to rear and top surfaces loose supply rack crowding switch fresh water saver unit (auto-timer) main switch working height 850mm/900mm (s/n 10124575) supplied with complete conveyor system, double basin commercial sink, spray wash, IMC D4 garbage system and tray conveyor unit (s/n 10124575) YOM 2008	
169	Static four tier rack 1050mmx 450mm x 1550mm	
170	Static four tier rack 1050mmx 450mm x 1550mm	
171	Rubbermaid polypropylene portable hostess trolley complete with contents of cups and table ware	
172	Tournus Equipment modular racking four tier 1400mm x 500mm x 1750mm	
173	Stainless steel portable hostess trolley complete with vacuum flasks, pots and jugs	
174	Stainless steel hand wash basin	
175	2 x commercial salad spinners	
176	Various table ware plain white plates and bowls	
177	Various wooden chopping boards	
178	Large quantity of plastic storage containers	
179	Large quantity of Cambro blue trays	
180	Quantity of food waste bins and containers	
181	Quantity of large storage containers as lotted	
182	Araven gastro tubs as lotted	
183	Aramark impulse sealer	
184	Various menu and table stands as lotted	
185	Spare	
186	Insectocutor	
187	2 x Curver foot pedal waste bins	
188	2 x chrome racks four tier 1000mm x 450mm x 1550mm	
189	Spare	
190	Foster EPRO G600 H single door stainless steel upright fridge capacity (litres/cu.ft): 600/21 temperature range +1/+4°C 800mm x 2080mm x 700mm (s/n E5235803)	
191	Zoppas Grandi Cucine single door stainless steel upright fridge capacity (litres/cu.ft): 600/21 temperature range +1/+4 °C 810mm x 2050mm x 700mm (s/n 77111880)	
192	Stainless steel preparation table with shelf 1800mm x 700mm	
193	Stainless steel preparation table with up stand and shelf 1200mm x 700mm	
194	Alu Trap AG2 stainless steel biological grease/ starch trap 300ltr capacity tank size 795mm x 495mm x 350mm	
195	3 x stainless steel wall shelves 800mm x 300mm	
196	Stainless steel twin deep basin utensil sink 2400mm	
197	Sammic SL350B stainless steel commercial dishwasher 500mm x 500mm baskets 2.5min cycle time 600mm x 630mm x 835mm	
198	Stainless steel hand wash basin	
199	Spare	
200	Mareno stainless steel smooth plate boiling table 600mm x 650mm	
201	Mareno solid top range with oven electric 700mm x 530mm	
202	Mareno solid top range with oven electric 700mm x 530mm	

LOT No.	DESCRIPTION	NOTES
203	Electric floor standing 240v single basket fryer	
204	2 x wall mounted shelves 1300mm x 250mm	
205	Olis 525 electric salamander (s/n 6472187)	
206	Victor Duke light duty hot cupboard stainless steel construction neon power indicator 3 removable shelves dimensions 580mm x 580mm x 900mm 13amp supply (s/n 101273)	
207	Electrolux EAO300C counter top 30litre capacity refrigerator 552mm x 380mm x 434mm	
208	Hoshizaki FTE125SFA two door counter freezer temperature range -27/-7 degrees 279 litre net capacity 4 stainless steel shelves stainless steel exterior and interior standard gastronorm design removable air filter and refrigeration system for easy maintenance lockable self closing door hygienic and easy to clean interior with removable shelf ambient operation up to 40 degrees dimensions 1250mm x 700mm x 850mm (s/n D10031)	
209	Zoppas stainless steel wall mounted cabinets 2300mm x 400mm	
210	Stainless steel twin commercial sink 1700mm	
211	Stainless steel preparation table 1700mm x 670mm	
212	Various chopping boards on stand	
213	Hobart HTS3-10 still boiler (s/n 03070)	
214	Bravilior Bonomat TH20 commercial coffee percolator	
215	Master Frost C250 ice maker 25kg automatic icemaker ice production 25kg/24hrs, storage 5kg.energy saving ice production method jet spray system produces hard, clear ice hard wearing stainless steel exterior 335mm x 580mm x 580mm	
216	Rubbermaid polypropylene industrial pedal bin	
217	Various pots and pans as lotted	
End of Sale		

**Pro Auction Limited**

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding

**Viewing:**

Viewing is by arrangement with auctioneers only.



**News International  
Virginia Street,  
London E98 1XY**

**Nearest Rail Station:**

Shadwell  
Railway Station: 0.5 mile  
Wapping  
Railway Station: 0.5 mile  
Fenchurch Street  
Railway Station: 0.7 mile

**Nearest Airport:**

London City Airport: 5 miles  
London Heathrow Airport: 17 miles



Contact the auctioneers for further information and to request a catalogue:

**Pro Auction Limited**

Unit 5,  
Midsomer Enterprise Park,  
Radstock Road,  
Bath BA3 2BB  
United Kingdom  
Tel: +44(0)1761 414000  
Fax: +44(0)845 280 2492

Email:  
[info@proauction.ltd.uk](mailto:info@proauction.ltd.uk)  
Website:  
[www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

**Surplus asset?**  
Call us for a free valuation and to organise your next sale

**SALIENT INFORMATION:**

- Identification is required to enable allocation of a bidding card.
- All capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection & enquiries for verification.
- All bids are subject to applicable VAT 20% and a buyers premium of 15.5% + VAT.
- Payment is required on day of the sale unless prior arrangements have been agreed. Funds must be cleared before collection of goods.

**An effective way to maximise realisation on redundant assets, call the experts today**  
**Guaranteed Results!!**



**PLEASE NOTE:**  
Commission and telephone bids by arrangement only.