

# **ONLINE TIMED AUCTION**

**On the instructions of a major food manufacturer & retained client  
Piecemeal (subject to Conditions of Sale and unless previously sold)**

## **MODERN BAKERY & FOOD PROCESSING MACHINERY**

200 lots of plant and machinery for bakery & meat production including, ovens, mixers, provers, retorts, depositing, metal detection and packing equipment, all in good order.

**Bidding closes on:**

**Wednesday 22<sup>ND</sup> April 2009 at 11.00am prompt**

**Viewing: By Arrangement with Auctioneers or open view Monday 13<sup>th</sup> to  
Thursday 16<sup>th</sup> April 2009 09.00am to 4.00pm**

**Warehouse At:  
Unit 2, Meadow Lane, Nottingham,  
Nottinghamshire, East Midlands NG2 3HD**

**Photographs and timed online bids via  
[www.bidspotter.com](http://www.bidspotter.com)**

**Pro Auction Limited**  
[www.proauction.com](http://www.proauction.com)

**Telephone:** (+44) 01761 414000  
**Facsimile:** (+44) 0845 280 2492  
**Email:** [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk)  
**Direct Mobile:** 07903 018 331  
**Mobile #2:** 07946 496 697

- 1 Proven 4 rack prover cabinet through door 3.5m long 1m wide 2.3m high.
- 2 Proven 2 x double door 8 rack prover cabinet 3m wide 3.7m long 2.3m high.
- 3 APV stainless steel travelling oven 12.4m long x belt width 2.5m x crown gap 30mm overall width 3.6m x 3m high gas fired with un-loader year manufactured 1994
- 4 Crypto peerless 80 quart mixer with bowl and attachments
- 5 Crypto peerless 80 quart mixer with bowl and attachments
- 6 Crypto peerless 80 quart mixer with bowl and attachments
- 7 Crypto peerless 80 quart mixer with bowl and attachments
- 8 Crypto peerless 80 quart mixer with bowl and attachments
- 9 Konig Rex-Automat model T45V-MKB-RR-SUPERSTORE divider moulder
- 10 Steriflow retort system (Serial Number S3094 & S3095) being 14,150 litre each, diameter 1800mm each wide x 7000mm long complete with approx 20 trolleys with 9 baskets per retort. The retorts come with a Clayton Steam generator EG 185 which is skid mounted, refrigeration is via and ISC cooler on Freon YOM 2005
- 11 7 x cooling racks 800mm x 500mm double racks
- 12 7 x cooling racks 800mm x 500mm double racks
- 13 7 x cooling racks 800mm x 500mm double racks
- 14 7 x cooling racks 800mm x 500mm double racks
- 15 5 x stainless steel racks 760mm x 460mm 8 tier
- 16 5 x stainless steel racks 760mm x 460mm 8 tier
- 17 5 x stainless steel racks 760mm x 460mm 8 tier
- 18 5 x stainless steel racks 760mm x 460mm 8 tier
- 19 5 x stainless steel racks 760mm x 460mm 8 tier
- 20 Eight tier portable rack 660mm x 430mm x 5
- 21 Eight tier portable rack 660mm x 430mm x 5
- 22 6 x dollies wire baskets 760mm x 460mm
- 23 6 x dollies wire baskets 760mm x 460mm
- 24 6 x dollies wire baskets 760mm x 460mm
- 25 Pallet of French stick moulds
- 26 Pallet of French stick moulds
- 26a Stainless steel fat tank
- 27 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 28 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 29 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 30 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 31 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The

- retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 32 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 33 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 34 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 35 Stock Rotomatronics retort cookers with eight trolleys and baskets each. The retorts are 2.5 m high 1.34m wide and 5m long. They hold 4 lots of cages and there are spacers in the trays that are 6high. The cages are 70 cm by 80 cm by 70cm high
- 36 Frigoscandia Midget Gyro Freezer model 116-405, 16 tier belt width 400 mm height of belt is 7 cm, overall dimension 5.4m long by 3.1m wide by 2.4m high feeds in and out at same end
- 37 Double D Revorack gas oven two rack with BACSII controller soft start canopy fan optional steam
- 38 Dahlen 3-phase 4-deck eight tray oven steel decks 150mm maximum clearance
- 39 Tom Chandley four deck electric low crown oven chamber size 1500mm x 120mm x 160mm high
- 40 Spare
- 41 Thiene Tecnopast single rack gas fired oven with steam facility 1170mm x 2010mm x 2080mm
- 42 Double D Revair 3 rack through door steam cooker gas fired dry heat YOM 1999
- 43 Double D Revair 3 rack through door steam cooker gas fired dry heat YOM 1999
- 44 Double D Revair 3 rack through door steam cooker gas fired dry heat YOM 1999
- 45 Double D Revair 3 rack through door steam cooker gas fired dry heat YOM 1999
- 46 Double D six rack multipurpose cooker with MPC (d/n CR-W-8243)
- 47 WMH Western Mechanical Handling 3200mm wide oven loader (s/n 6328807) YOM 2005
- 48 Rapidarie stainless steel steaming cabinet internal dimensions 1800mm x 1500mm x 2000mm
- 49 Rapidarie stainless steel steaming cabinet internal dimensions 1800mm x 1500mm x 2000mm
- 50 Konig Mini type 4000 Rex 2 pocket roll plant fully automated dividing and rounding at optimal price-performance ratio hurly output rate adjustable between 1500 and 3000 pieces 10 kg shaft hopper capacity weight range: 13 to 160 g –complete with flattener table 4000 (s/n 3100059/0 & 3130024/0)

- 51 Rondo Rondo-lino make up pastry line with various cutters for Danish pastry cutting table model SPF 610.B s/n C4053301, guillotine model ZGM 635 s/n C4044209 filling depositor model ZFGRA s.n C4044208 YOM 2004
- 52 Mateline pie machine complete with sheeter and dies - 3 across line for deep filled pies
- 53 Fred Johnson savoury pie line two across 8" tooling comprising of blocker, sheeter and crimper
- 54 Packaging Automation PA 240 automatic, integral conveyor fed machine for heat sealing reel fed film lids to preformed trays and containers 17 cycles/minute, dimensions 3500-12000 x 1406 x 1771mm (s/n 1674240F14366)
- 55 Sewer Rondo ZM5800M pastry brake sheeter 650mm x 2720mm table (s/n A5233025)
- 56 Peerless Crypto O Matic six station pie press with 4" x 1" mould capacity 1900 pies p/hr
- 57 Mendoza roll plant comprising of PM3 two piston volumetric divider rounder Mendoza PROV-308 / imperial intermediate prover 224 pockets of 800gm pieces and Mendoza Henidora conical rounder, 1500 pcs/h, range 150 - 1200 g. 1,1 kW
- 58 Collette multi-purpose mixer, Cap: 200 L, Model: SM-200 stainless steel bowl, 1 timer, 2 speeds, 380v, 3ph, 50Hz
- 59 Thunderbird spiral mixer 75kg flour capacity, fully automatic, double motion and double speed. microcomputer digital display control panel, designed especially for heavy dough & bagel.
- 59a Stainless steel Johnson extruder
- 59b Burgess 5000mmx 400mm neoprene belt variable speed make up conveyor
- 60 Thunderbird spiral mixer 200kg flour capacity, fully automatic, removable bowl, double motion and double speed. microcomputer digital display control panel, designed especially for heavy dough & bagel.
- 61 Hobart NCM10, 10 litre bench model mixer single phase.
- 62 Gilbert single arm high speed mixer fixed bowl
- 63 Rademaker Mohno pump depositor suitable for discontinuous or continuous fillings on 5 rows, on stainless frame with hopper (s/n 5248-714) YOM 1999
- 64 Fred Johnson four head piston depositor
- 65 Apple Engineering TP1250 depositor (s/n 21702) YOM 2002
- 66 Stainless steel portable single shot depositor
- 67 Stainless steel rise and fall depositor twin shot
- 68 Raque model 1272-29-1 10 head piston depositor YOM 2005 speed: up to 60 cycles per minute fill capacity: 0.5 oz. (14-g) to 21.4 oz. (607-g) (s/n 1050281)
- 69 Tri Tech Systems stainless steel transfer pump
- 70 Twin lane stainless steel linked indexing conveyor 4000mm x 110mm
- 71 Turbo Tools SDT521382 low level depositor and pump
- 72 3 x Apple MR150 depositors (suitable for spare/repair)
- 73 Rutland Handling Packaging Systems variable speed neoprene belt make up conveyor 5000mm x 370mm (s/n 4062) YOM 1993
- 74 DC Norris model 300 portable elevated neoprene belt conveyor on stainless steel frame 2500mm x 300mm discharges at 2000mm (s/n N1626) YOM 2001
- 75 Neoprene belt conveyor 4000mm long x 400mm wide
- 76 Baynflex 6000 inclined neoprene belt adjustable and portable conveyor 3500mm x 340mm

- 77 WMH Western Mechanical Handling twin lane indexing conveyor stainless steel belt
- 78 Stainless steel drying conveyor wire mesh belt twin heaters 3500mm x 240mm
- 79 Extendable roller conveyor 300mm wide
- 80 Stainless steel rotary table 1200mm diameter
- 81 Intelligent Systems Control ST1450 friction stream feeder maximum product size: 11 3/4 in. w x 14 in. l (29.85 cm x 35.56 cm) thickness range: .002 in. to 1 in. (.05 mm to 25.4 mm) belt speed: 9,000 in./min. (228.59 m/min.) with IQipped™ intelligent system controller
- 82 Intelligent Systems Control ST1450 friction stream feeder maximum product size: 11 3/4 in. w x 14 in. l (29.85 cm x 35.56 cm) thickness range: .002 in. to 1 in. (.05 mm to 25.4 mm) belt speed: 9,000 in./min. (228.59 m/min.) with IQipped™ intelligent system controller
- 83 PALS model SE100 model FL05LCLABHR label applicator (s/n LCAR274)YOM 2004
- 84 Herma H400 - V16L label applicator reels with an outer diameter of 300 mm and a score diameter of 3"/76 mm. speed 40 m/min (s/n 9907064)
- 85 PALS model FL05LCLAVHR (s/n 2895850) YOM 1996
- 86 Walsall Labelling Systems conveyor and applicator series 125
- 87 PALS MAC label applicator conveyor
- 88 Bonar Automation Ltd S Automatic sleeving machine PJ6789
- 89 Bonar Automation Ltd S Automatic sleeving machine PJ6789
- 90 BPM model T6 semi automatic end loader two head rotary feeder 12" pitch set up for cartons 180mm (w) x 160mm (l) x 48mm (h) 400v YOM 1995 (s/n 95061)
- 91 Adco LQF4 four lane sachet filling machine pack width 30mm to 260mm pack lengths 30mm to 255mm 400v 50hz 32 amp (s/n 5239)
- 92 Loma Superscan Micro ISC metal detector aperture 1050mm x 60mm on plastic slatted belt conveyor (s/n MD33312A)
- 93 Loma check weigher (s/n 8353122-200077)
- 94 Lock Met30+ metal detector aperture 1090mm x 100mm
- 95 Delford / Loma IQ combination metal detector / check weigher stainless steel system 1850mm long weigh table 500 x 300mm aperture 400 x 150mm twin collection reject onto table
- 96 Lock Metal check 30+ metal detector stainless steel system 2300mm long aperture 350 x 125mm, modular belt conveyor alarm stop on detection
- 97 Lock Metal check 20 metal detector stainless steel system 1400mm long aperture 250 x 175mm air kicker reject system
- 98 Fish in Crewe Ltd EB400 stainless steel extruder
- 98a Tom Chandley four deck high crown electric deck oven with steam 32 tray (s/n 6908)
- 99 BCH stainless steel jacketed vessels appx 1000ltr capacity 3.33bar 146°C fully vacuumed (s/n 20900-1)
- 100 BCH stainless steel jacketed vessels appx 1000ltr capacity 3.33bar 146°C fully vacuumed (s/n 20900-2)
- 101 Alfa Laval stainless steel 1000ltr appx jacketed vessel (s/n K91124A)
- 102 Komen Gernal B 300ltr tilting cooking kettle oil jacketed with twin paddle agitator 3ph power
- 103 Oddy 3 pocket roll plant (suitable for repairs/spare)
- 104 Mono bun divider moulder 30pc moulder

- 105 Gas Operated Rational Self Cooking Centre® SCC 61G 6 x 1/1 GN shelf capacity, 30-80 meals per day, temperature range 30C to 300C, dimensions (mm): 847(w) x 771(d) x 757(h). Power: 11kW YOM 2006
- 106 Bartlett E15 gas fired four rack (500mm x 340mm) convection oven (s/nWA1328)YOM 1995
- 107 Oddy 2 pocket roll plant
- 108 BGL Barrat Gray Krefft KGX 20.21 gastronorm oven electric (E22MA98031014) YOM 2007
- 108a Tom Chandley Convecta TC-5 hold 5 x 30" x 18" trays bake off oven with inbuilt steam facility
- 109 Falcon Covectasteam 6 convection oven
- 110 Levent model LKS combination oven
- 111 NFC – 5D Series 5 tray electric convection oven YOM 2007 9kw power individual deck controls. two time setting with steam facility all stainless steel construction 60cm x 40cm trays (as new)
- 112 NFC – 5D Series 5 tray electric convection oven YOM 2007 9kw power individual deck controls. two time setting with steam facility all stainless steel construction 60cm x 40cm trays (as new)
- 113 NFC – 5D Series 5 tray electric convection oven YOM 2007 9kw power individual deck controls. two time setting with steam facility all stainless steel construction 60cm x 40cm trays (as new)
- 114 Pizza oven lava stone base temperature to 400 degree
- 115 Mono BX FG156 two tray convection oven suitable for 60cm x 40cm trays
- 116 Mono BX FG156 two tray convection oven suitable for 60cm x 40cm trays
- 117 Mono BX FG156 two tray convection oven suitable for 60cm x 40cm trays
- 118 Mono BX FG156 two tray convection oven suitable for 60cm x 40cm trays
- 119 Mono BX FG156 two tray convection oven suitable for 60cm x 40cm trays
- 120 Mono BX FG156 two tray convection oven suitable for 60cm x 40cm trays
- 121 Risco RS200 mixer 150 capacity twin paddle with end discharge
- 122 Velatti IMP250 250 litre paddle mixer (s/n 29292)
- 123 Hobart 4732 table top mincer capacity of 35 to 40 pounds per minute, first cutting, through a 1/8 plate - and 25 to 30 pounds of beef per minute on second cutting through a 1/8 plate.
- 124 VC999 type 07P vacuum filler (s/n 07921595) chamber size 950mm x 450mm x 180 mm seal bars x 3 950/ 2 x 450 mm
- 125 Bizerba 712 bone in chop cutter
- 126 Telleres Cato E60-20 litre sausage hydraulic filler all stainless steel
- 127 Varlet horizontal automatic slicer model V2901R adjustable slice thickness 5 to 50mm
- 128 Jaepack Jaehami GB30 vacuum less pin pick up case erector carton size range 450mm x 405mm x 350mm, capacity 26 cases/min blank magazine length 800mm with tape sealing
- 129 Spare
- 130 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 131 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 132 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 133 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 134 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 135 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 136 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays

- 137 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 138 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 139 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 140 Eurofours electric two tray convection oven suitable for 60cm x 40cm trays
- 141 Eurofours electric four tray convection oven suitable for 60cm x 40cm trays
- 142 Eurofours electric four tray convection oven suitable for 60cm x 40cm trays
- 143 Record Pani French stick moulder
- 144 Collette multi-purpose mixer, Cap: 300 L, Model: SM-300 stainless steel bowl, 1 timer, 2 speeds, 380v, 3ph, 50Hz
- 144a Dox 25 m automatic water doser - mixer capacity lt. 50 / min. 220v 50hz – 220v 60hz 110v 50hz - 110v 60hz digital display indicating water temperature
- 145 Merrychef Mealstream CTM3 series 5 commercial combination microwave convection oven max supply power is 3.3kW microwave output power is 700w convected power output is 3000w
- 146 Merrychef Mealstream CTM3 series 5 commercial combination microwave convection oven max supply power is 3.3kW microwave output power is 700w convected power output is 3000w
- 147 Falcon 900SX gas salamander 725mm W x 585mm D x 505mm H
- 148 Bartlett Sabre steam convection oven electric six rack
- 149 Mono FG126 conveyor fed bread slicer 20mm cut (s/n 070054566)
- 150 Semi automatic bread slicer 10mm cut all stainless steel contact parts (as new)
- 151 Semi automatic bread slicer 10mm cut all stainless steel contact parts (as new)
- 152 Semi automatic bread slicer 10mm cut all stainless steel contact parts (as new)
- 153 Seal SHD1050 Excella heated illuminated display case toughened glass front for safety In-built humidifying function extends food holding times 40mm deep GN dishes supplied h 510mm x w 1050mm x d 750mm Power: 2200w
- 154 Webomatic PNE-20-G swing lid vacuum packer chamber size 850mm x 720mm x 200mm seal bars 4 x 830mm
- 155 MR Labeller type M14372 conveyorised
- 156 Formax 12 precision patty former/ filler PLC controlled all stainless steel
- 157 Stainless steel double chamber vacuum packer as new, chamber size approx. 550 mm x 670 mm, each sealing bar 600mm max product height 200mm
- 158 Stainless steel double chamber vacuum packer as new, chamber size approx. 550 mm x 670 mm, each sealing bar 600mm max product height 200mm
- 159 Tripas whole block meat flaker
- 160 Audion Vac single chamber 500mm x 500mm, vacuum packer
- 161 Wolfking Belam DK20-13 stainless steel meat mixer
- 162 Hollymatic stainless steel meat mixer former
- 163 Bosch SIG Doboy B500 hot air sealer production Speed 100? to 500? per minute (2.7 to 13.8 m/min.) product Range. 2 mil to 6 mil poly tube style bags
- 164 Risco Brevetti RS4000/220 vacuum filler complete with loading hoist (s/n 488008)
- 165 Wolfking SFG400-160 stainless steel self feeding grinder (s/n 54957)
- 166 CSF Koppens M350B stainless steel tumbler (s/n M350-B69)
- 167 Biro model 3336 band saw, stainless steel body.240 volts,1ph,blade 124inches,comes c/w blades.
- 168 Bosch Rexroth power packs variable displacement, designed for industrial applications pressure: up to 3000 psi flow: 4.2 to 31 gpm tank capacities: 20 to 100 gallon (s/n 27210)

- 169 Herbert VA4000 fully automatic food slicer with conveyor belt slice thickness 0 - 10 mm (infinitely variable) cutting length 255 mm (s/n2016227)
- 170 Williams double door stainless steel refrigerator 44.9 cu ft size 1400mm (w) x 815mm (d) x 1960mm (h)
- 171 Lincat V6 stainless steel counter top oven fan assisted counter top model v6 power: dimensions: h650 x w600 x d600mm, power: 3kw single phase.
- 172 Musso L3 ice cream machine 1.5 Litre S/S Bowl. S/S Case. Power Compressor:300 Watts. Power Supply:13 amp
- 173 Robot coupe R401 vegetable preparation machine (brand new in box)
- 174 Lincat A002 conveyorised toaster electric 2.4kw, up to 340 rounds of toast per hour 398 mm high x 410 mm wide x 668 mm deep
- 175 Prince Castle Excalibur conveyor speed control toaster 2+2 glass-encased heating elements, 14" product-entry opening., 14" long top belt 18"w x 18"d x 16"h.
- 176 Industrial Washing Machines Ltd Crusader rack washer (s/n 152)
- 177 Prince castle onion table top slicer
- 178 Stott & Benham bulls eye hob electric
- 179 Cygnet U36A1D 27 litre electric water boiler with thermostat 3.0 kw rating auto re-set boil dry safety cut-out
- 180 Dualit economy hotpot soup kettle 10 litre capacity 460 watt heating element dimensions (cm) 34 x 34 (diameter) weight (kg) 4.5 graphite black
- 181 Lincat CS4 3.5 kg capacity electric chip scuttle width: 450mm x depth: 600mm x height: 265mm
- 182 Limpet XL35 heavy duty case taper side belt drive max case width: 500mm
- 183 John Hunt Champion manual pie press capacity 400 shells per/hr
- 184 Karcher K685M pressure washer 20 - 135 Bar 2500w 240v
- 185 Fabricare commercial dryer
- 186 Quantity of personnel lockers
- 187 Hand pallet truck 2000kg capacity
- 188 Linde E15 electric three wheel forklift 1.5 maximum lift 2.5mtr tall mast YOM 1998 (s/n 324802017415)
- 189 Avery 1770 6kg platform scales platform s/s 220mm x 300mm
- 190 Avery GEC 6kg platform scales
- 191 Adam AZ+ 6kg platform scales battery or mains operated platform 225mm x 275mm
- 192 Tanita TLC 100 dual 6kg/ 15kg platform scales divisions 2/5g platform 232mm x 232mm (s/n C1003C)
- 193 Tanita TLC 100 dual 6kg/ 15kg platform scales divisions 2/5g platform 232mm x 232mm
- 194 UWE 6000 AGSIII all stainless steel 6kg platform scales battery or mains operated 1g divisions platform 215mm x 215mm
- 195 UWE 6000 ADM III 6kg platform scales battery operated 120hrs life platform s/s 215mm x 250mm
- 196 Bettcher Whizzard fat trimmer
- 197 Choco Thermo CA31-CL heated table top fondant kettle
- 198 Parry LPG Gas Hob Unit AG2H two burner dimensions 300w x 600d x 200mm high rating: 2 x 15,350 BTU/hr (2 x 4.5Kw)
- 199 Garland induction counter Wok model GIWOK 3.5 3500w 16amp
- 200 Stainless steel cheese wire cutter
- 201 Stainless steel hand wash basin sink

- 202 Stainless steel hand wash basin sink
- 203 Stainless steel hand wash basin sink
- 204 Stainless steel hand wash basin sink
- 205 Stainless steel lectern / work station
- 206 Stainless steel up and over gantry and steps
- 207 Stainless steel preparation table with back splash 1m x 500mm
- 208 Stainless steel preparation table 1200mm x 500mm
- 209 Stainless steep table 1200mm x 600mm
- 210 Stainless steel preparation table 1200mm x 750mm
- 211 Stainless steel preparation table 2350mm x 800mm
- 212 Stainless steel work station 1250mm x 600mm
- 213 Stainless steel preparation table with 8 rack storage 760mm x 550mm
- 214 Stainless steel preparation table with 8 rack storage 760mm x 550mm
- 215 Stainless steel preparation table with 8 rack storage 760mm x 550mm
- 216 Stainless steel preparation table with 8 rack storage 760mm x 550mm
- 217 Stainless steel preparation table 1m x 400mm
- 218 Stainless steel work station 1650mm x 500mm
- 219 Stainless steel preparation table 1100mm x 750mm
- 220 Stainless steel preparation table 1100mm x 600mm
- 221 Stainless steel preparation table 1500mm x 600mm
- 222 Stainless steel preparation table with 5 rack storage 1050mm x 600mm
- 223 Stainless steel preparation table with back splash 900mm x 500m
- 224 Stainless steel top table 1200mm x 1000mm
- 225 Stainless steel top table 1700mm x 850mm
- 226 Stainless steel top table with 18 rack storage 1900mm x 800mm
- 227 Stainless steel top table 1100mm x 750mm
- 228 Stainless steel preparation table 750mm x 600mm
- 229 Stainless steel preparation table 850mm x 750mm
- 230 Stainless steel preparation table 1000mm x 700mm
- 231 Stainless steel bench 3m x 300mm
- 232 Stainless steel preparation table 2m x 600mm
- 233 Stainless steel top table with wooden base 3 x draws
- 234 Stainless steel preparation table with 28 rack storage can opener 1m x 800mm
- 235 Mac Naught Retracta® auto-rewind hose reel 20m length
- 236 Mac Naught Retracta® auto-rewind hose reel 20m length
- 237 Mac Naught Retracta® auto-rewind hose reel 20m length
- 238 Systems Cleaners A/S SD30 -20 satellite doser
- 239 Systems Cleaners A/S SD30 -20 satellite doser
- 240 Systems Cleaners A/S SD30 -20 satellite doser
- 241 Systems Cleaners A/S SD30 -20 satellite doser
- 242 Systems Cleaners A/S SD30 -20 satellite doser
- 243 Stainless steel preparation table 1050mm x 750mm
- 244 Stainless steel preparation table with step up 650mm x 660mm
- 245 Stainless steel preparation table with step up 1300mm x 600mm
- 246 Unitech utensil sink all stainless steel
- 247 Unitech utensil sink all stainless steel
- 248 Nilfisk-Advance America CFM 3507W industrial vacuum cleaner 26-gallon tank
- 249 Calomox water stihl on mounted table

End of Sale