

Live & Webcast

AUCTION SALE

ProAuction
Limited
Valuers & Auctioneers

Wednesday 22nd July 2009 at 11.00am prompt

Viewing:
Monday 21st and
Tuesday 22nd July 2009

Live & Webcast at:
GOSWELL BAKERIES LTD,
Caxton Street North,
London, UK
E16 1JN

Due to the transfer of production and closure of the Dockland site, we are pleased to offer by auction contents of a modern wholesale bakery.

The sale of the wholesale bakery shall include:

- Baker Perkins bread plant
- Sottorvia mixers
- Acrivan & Double D gas fired ovens
- Acrivan provers
- Pastry sheeting lines
- Silos
- Complete packing hall
- Sandwich packing lines
- L Sealers & Flow Wrappers



Live webcast bidding at:
www.bidspotter.com

www.proauction.ltd.uk
Email: info@proauction.ltd.uk
Telephone: 01761 414000
Facsimile: 0845 280 2492

GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

1 Application of these General Conditions

1.1 In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated under clause 5.11 below.

1.2 These General Conditions apply to every Auction of Plant and Machinery, Chattels, Trade Stocks and Vehicles conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

1.3 If these General Conditions have not previously been accepted by a person attending or bidding at an Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

1.4 To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the special conditions shall prevail.

1.5 These General Conditions shall be governed construed and enforced in accordance with the law of England, but:-

(a) if the Auction is held in Scotland, in accordance with the law of Scotland;

(b) if the Auction is held in Northern Ireland, in accordance with the law in Northern Ireland.

2. The Seller's Instructions and Warranties

2.1 The Seller warrants that:-

(a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;

(b) any Lot offered for sale may lawfully sold;

(c) the premises where the Auction is to be held (if not the Auctioneer's premises) will be safe for that purpose and that it will be lawful to hold the Auction there.

2.2 If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:-

(a) to instruct the Auctioneer;

(b) to give the warranties set out in clause 2.1 above;

(c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

3. The Auctioneer's Remuneration

3.1 The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

3.2 The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

4. Bidding on behalf of Another

4.1 Unless the Auctioneer has previously acknowledged in writing that the bidder bids as agent on behalf of a named principal, every bidder shall be taken to bid on his own behalf as principal.

4.2 If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

5. Conduct of the Auction

5.1 The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Auction Catalogue.

5.2 Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.

5.3 The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue.

5.4 The Auctioneer may at any time before the fall of the hammer withdraw or divide any Lot or combine any Lots.

5.5 With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.

5.6 The Auctioneer may require any Bidder to give his name and address and proof of identity before accepting a bid.

5.7 The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.

5.8 The Buyer shall be the person who made the highest bid before the fall of the hammer or such other person as the Auctioneer may declare to be Buyer without being required to give a reason.

5.9 The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the

dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

5.10 The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

5.11 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions

6 After the Sale

6.1 Upon the Auctioneer declaring any Lot sold, the buyer shall immediately:-

(a) give the Auctioneer his name and address and if requested his proof of identity;

(b) identify any person on whose behalf he has bought;

(c) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

6.2 Within the time specified in clause 6.3 below, the Buyer shall pay the following sums to the Auctioneer in full:-

(a) the balance of the price of all Lots purchased together with any VAT due;

(b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or agent.

6.3 The time for complying with clause 6.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

6.4 The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with clause 6.2 above, in which case the Buyer shall pay the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 4 per cent above Barclays Bank Plc base rate in force from time to time.

6.5 Until the Buyer has complied with clause 6.2 above:-

(a) title to any Lot bought shall not pass to the Buyer;

(b) the Lot shall be at the Buyer's risk;

(c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;

(d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Auctioneer and Seller.

6.6 On written request by the Buyer the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

7. Removal of the Lot bought

7.1 The Buyer may not remove any Lot he has bought until after the end of the Auction.

7.2 The Buyer may not remove any Lot until the Buyer has paid the sums specified in clause 6.2 above in full for every Lot he has bought.

7.3 After paying the sums specified in clause 6.2 above, the Buyer must remove the Lot bought by the time specified in the Auction Catalogue or if no time is specified there, 5pm on the next working day, and in every case time shall be of the essence.

7.4 The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in clause 7.3 above.

7.5 If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.

7.6 When removing any Lot the Buyer:-

(a) is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer;

(b) must use safe and lawful means of removing the Lot;

(c) shall indemnify the Auctioneer and Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal.

(d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.

8. Default by the Buyer

8.1 If at any time the Buyer has failed either to pay the

sums specified in clause 6.2 above in full by the expiry of the time specified in clause 6.3 above (or any extension granted under clause 6.4 above), or to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above) the Auctioneer may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.

8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

(a) the sale price less the resale price;

(b) the costs of and incidental to resale.

8.4 If because the Buyer has failed to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.

9. Liabilities and Indemnities

9.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

9.2 Every Lot is sold as seen and where lying.

9.3 No Lot is sold as compromising or including any new goods.

9.4 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

9.5 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

(a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;

(b) any defect or danger of the premises where the Auction is held;

(c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;

(d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;

(e) any act or omission of any person other than the Auctioneer.

9.6 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.7 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.8 Clauses 9.3 to 9.7 shall not be valid insofar as prohibited by statute.

9.9 In no circumstances shall the Auctioneers be liable for any consequential damage.

10. Waiver

10.1 No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom

Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

ADDRESS OF AUCTION:

Goswell Bakeries Ltd,
Caxton Street North, London, UK
E16 1JN

VIEWING Viewing is by arrangement with the auctioneers, Monday 21st and Tuesday 22nd July 2009.

REGISTRATION Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE). The Auctioneers reserve the right to refuse admission.

Persons under the age of 16 will not be allowed on site.

PAYMENT All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.

V.A.T. V.A.T. will be added to sale bills at 15%. Special rules apply for sales for export – request information from the auctioneer

BUYERS PREMIUM Buyer's Premium of 15.5% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

DEPOSITS The Auctioneer reserves the right to take a 25% deposit at Point of Sale. Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.

ABSENT BUYING INSTRUCTIONS If you cannot attend the sale we will execute bids confidentially on your behalf. For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids. A buyers premium plus applicable charges & taxes, is payable on successful bids. Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction. Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.

REMOVAL All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the charges are mandatory. Goods to be removed from site not later than **Wednesday 5th August by 4.00pm.**

SITE PROCEDURE The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

HAZARDOUS MATERIALS & SUBSTANCES If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and bylaws of local authorities and shall pay all fees and charges arising under the said regulations and bylaws in respect of the Work.

ELECTRIC CABLE/PALLETS Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

ORDER OF REMOVAL Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

INSURANCE The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale. Any buyers of fixed plant or their duly appointed contractors MUST consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling

GOSWELL BAKERIES LTD

will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of TEN MILLION POUNDS (£10,000,000) is in place.

CONTENTS All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

DOCUMENTS The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

SOFTWARE Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

INSPECTION & CONDITION: The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

UNSOLD LOTS If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

CONDITIONAL SALES Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

RESERVES Where applicable, Lots will be offered subject to reserve prices.

LOTS with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

WARNING

It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom

Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

CATALOGUE LISTING



Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.

MANNER OF OFFERING In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

LOT No.	DESCRIPTION	NOTES
1	Cotswold Autoflo Autosensor hand wash unit	
2	Hygienox Teknomet stainless steel Wellington boot scrubber	
3	Stainless steel hand wash basin with utensil sink under	
4	Hygiene plas ingredient portable table 2600mm x 650mm	
5	3 x bays of rapid Dexion style racking	
6	Electric Insectocutor UV light 40m ² range	
7	Electric Insectocutor UV light 40m ² range	
8	Zanotti model MA52219 029 walk in chiller 2900mm x 2400mm on R22 1Hp (s/n 26670)	
9	REA high quality impact-resistant, modular plastic storage racking withstand temperatures ranging from -40°C to +80°C, 200kg bearing capacity per meter shelf length 1950mm x 350mm	
10	REA high quality impact-resistant, modular plastic storage racking withstand temperatures ranging from -40°C to +80°C, 200kg bearing capacity per meter shelf length 1950mm x 350mm	
11	REA high quality impact-resistant, modular plastic storage racking withstand temperatures ranging from -40°C to +80°C, 200kg bearing capacity per meter shelf length 1450mm x 350mm	
12	Electric Insectocutor UV light 40m ² range	
13	NSS BP Ranger 1250S wet dry industrial vacuum	
14	Portable pressurised foamer / fogger unit	
15	Numatic WVD2002 industrial vacuum cleaner 240v	
16	Portable pressurised foamer / fogger unit with lance	
17	Portable pressurised foamer / fogger unit with lance	
18	AFT Collator designed to count bread products through a line - for use at the head of automatic sandwich line products up to 125mm and aligns the leading edge for entry into a Buttering Unit (s/n 0313001) YOM 2003	
19	AFT single lane vertical cutter takes a previously filled sandwich product and cuts in to two halves, unit is adjustable for differing heights of product and can be adapted to accept different sized products(s/n 0313006) YOM 2003	
20	AFT 2 lane pick & place with attached depositor positions product into two lanes so automated depositing can take place as product passes YOM 2003	
21	AFT Wash/ Dry Unit for cleaning conveyor belts - designed to sit beneath a modular conveyor and is removable to enable full belt cleaning at the end of production Fully refurbished 2005	
22	AFT Pack Closing and Lidding Machine operator places hinged sandwich cassette into the infeed lane and the machine automatically closes and aligns the ????????? (s/n 335001) YOM 2003	
23	Two tier neoprene belt sandwich make up conveyor	
24	Stainless steel pass through salad washer	
25	Mono R one bun slicer (s/n 731198)	
26	Semi automatic bread slicer on stand 1000 bread loaves per hour loaf width: 480 mm loaf height: 55-125 mm 220 vac / 50 hz	
27	Semi automatic bread slicer on stand 1000 bread loaves per hour loaf width: 480 mm loaf height: 55-125 mm 220 vac / 50 hz	
28	Mondial Forni type ALACIN MPD985109 crumber	
29	Record Rompa Roll bun slice model BS66 (s/n BS66406)	
30	Stainless top table 1720mm x 810mm	

LOT No.	DESCRIPTION	NOTES
31	Stainless steel preparation table 1000mm x 700mm	
32	Stainless steel preparation table 1020mm x 750mm	
33	Graseby Best D30 check weigher with air kicker reject on platform conveyor 1200mm weigh platform 150mm x 240mm	
34	Graseby Best checkweigher 330mm wide belt, 320mm long platform, 1.3m long, right to left, push reject.	
35	Cintex metal detector aperture 400mm x 230mm	
36	Videojet Maximum ink jet coder	
37	Dellepac Star 2 tray sealing machine (s/n 2036)	
38	Baynflax garlic bread cutter & butter depositor overall dimensions: 2,200mm x 2200 mm x 1500 mm (s/n 3416)	
39	Avery Berkel HL275 15kg platform scales pan size 350mm x 310mm	
40	Hobart H24 bench top potato washer	
41	Hobart SE-302 planetary mixer with bowl paddle and whisk (s/n 1480340)	
42	Hobart S5-302 planetary mixer with bowl paddle and whisk	
43	Butcher Boy A56 H mincer 3 phase, 15 HP. Size 56 cutting set. High back meat tray (s/n 145)	
44	Stainless steel double chamber swing lid vacuum chamber chamber size: 500 x 450 x 50mm double sealing-bar: 400 x 10mm vacuum pump capacity: 2x20m ³ /h cycle time:10-35sec	
45	Telleres Cato E60-20 litre sausage filler	
46	Hobart 4732 table top mincer capacity of 35-40 pounds per minute through a 1/8 plate- and 25-30 pounds of meat per minute on a second cutting through a 1/8 plate	
47	Risco RS 200 Mixer, 150 litre capacity, twin paddle mixer, end discharge	
48	Metcalfe Fia Boston gravity feed slicer max 300 integral self-aligning sharpening unit (s/n 93577674)	
49	Frost Trol stainless steel four shelf refrigerated display unit	
50	Gorring Kerr model DSP 3 metal detector aperture 650mm x 150mm (s/n 216893-1) YOM 2005	
51	Hobart AE200 20 quart planetary mixer (no bowl or tools) (s/n 1967834)	
52	Sharp Rotisserie Jet convection and grill microwave oven	
53	Prem-I-Air 650mm diameter portable cooling fan	
54	DCE Unimaster UMA 102G3 dust extraction system with auto shaker assembly complete with explosion relief panel, bucket balance and silencer (s/n 158363)	
55	Vertical flour silo 25t fiberglass body fully lined with monitor system	
56	Vertical flour silo 23t aluminum body fully lined with monitor manufactured 2E Rodakeaersdro type 2270 (s/n 0388564)	
57	Vertical flour silo 15t fiberglass body fully lined with monitor system	
58	Dietrich Riemelt internal weigh head hopper / flour batch systems approx. 850mm dia x 1m deep	
59	Russell Finex sieve / screener model# 17300 vibrating 22" diameter screen all stainless steel contact parts driven by approximately 5 HP (s/n 82602)	
60	Electric Insectocutor UV light 40m ² range	
61	Russell Finex Sieve screener model 17240	
62	Mettler Toledo ID1P 1000kg platform floor recess scales	
63	Various ingredient bins and dollies	
64	Various ingredient bins and dollies	
65	Recipe Formulation and control system - supports recipe control, stock level data and traceability	
66	Mettler Toledo ID1P 30kg platform scales	
67	Sottoriva SA160 mixer with 2 x stainless bowls mixing tool/bowl motor power kW 5.5/7.8-1.1, bowl volume 250ltr mixing capacity 160kg, dimensions 990mm x 1725mm x 1290mm (s/n 19943)	
68	Sottoriva SA120 2 1/2 bag mixer with 2 x stainless bowls (s/n 26953)	

LOT No.	DESCRIPTION	NOTES
69	Sottoriva SA160 mixer with 2 x stainless bowls mixing tool/bowl motor power kW 5.5/7.8-1.1, bowl volume 250ltr mixing capacity 160kg, dimensions 990mm x 1725mm x 1290mm (s/n uk)	
70	Sottoriva SA160 mixer with 2 x stainless bowls mixing tool/bowl motor power kW 5.5/7.8-1.1, bowl volume 250ltr mixing capacity 160kg, dimensions 990mm x 1725mm x 1290mm (s/n 27343)	
71	Sottoriva SA160 mixer with 2 x stainless bowls mixing tool/bowl motor power kW 5.5/7.8-1.1, bowl volume 250ltr mixing capacity 160kg, dimensions 990mm x 1725mm x 1290mm (s/n 19893)	
72	Gorring Kerr model DSP 3 metal detector aperture 650mm x 150mm (s/n C216893-2) YOM 2005	
73	Stainless bowl for Sottoriva 160 mixer x 2	
74	Stainless bowl for Sottoriva 160 mixer x 2	
75	Stainless bowl for Sottoriva 160 mixer x 2	
76	Stainless bowl for Sottoriva 160 mixer x 2	
77	Baktec Matic B1 Ceres water meter capacity 0.1-999.9 Liter adjustable 0.1 liter temperature 3 - 70°C (s/n 1260)	
78	Baktec Matic B1 Ceres water meter capacity 0.1-999.9 Liter adjustable 0.1 liter temperature 3 - 70°C (s/n 11413)	
79	Baktec Matic B1 Ceres water meter capacity 0.1-999.9 Liter adjustable 0.1 liter temperature 3 - 70°C (s/n 12183)	
80	Mono single bag high speed mixer (s/n HO21995)	
81	Crpto Peerless 80 quart fully guarded planetary mixer	
82	Spiral mixer 200kg dough with removable stainless bowl electronic control and speed variator	
83	John Hunt 80 quart planetary mixer with tools	
84	Stainless steel twin basin sink with drainer	
85	CFS Scanio Wolfking L7 column tote bin hoist	
86	CFS Scanio Wolfking L7 column tote bin hoist	
87	Stainless steel 200ltr tote bin	
88	Stainless steel 200ltr tote bin	
89	Tanita TLC100 3kg electronic battery operated scale 0 - 3kg x 1g single range platform size 232mm x 232mm	
90	Baker Perkins eight pocket bread plant proofer complete with conical moulder	
91	Baker Perkins eight pocket bread plant proofer complete with conical moulder	
92	Stainless steel framed in line tin spray greasing unit over conveyor	
93	Stainless steel framed in line tin spray greasing unit over conveyor	
94	Sottoriva model F2 long loaf moulder working width 500mm. range from 100 to 2000gr. equipped with three tables to produce loaves in the desired shapes	
95	Soehnle Professional 9110 12kg bench scale platform 295mm x 210mm increments of 2g	
96	Soehnle Professional 9110 12kg bench scale platform 295mm x 210mm increments of 2g	
97	Soehnle Professional 2755 12kg bench scale platform 295mm x 210mm increments of 2g	
98	Soehnle Professional 2755 12kg bench scale platform 295mm x 210mm increments of 2g	
99	Soehnle Professional 9110 12kg bench scale platform 295mm x 210mm increments of 2g	
100	Jecomolda bread moulder with splitter	
101	Jecomolda bread moulder with splitter	
102	Record Mk1 moulder	
103	Stand mounted dough divider 36 piece hand press	
104	Sottoriva SPT5 pastry brake / dough sheeter 3.3" diameter sheeting rollers, 600mm wide belts 2 x 1050mm tables (s/n 14596)	
105	Record 30 piece BDM divider moulder	

LOT No.	DESCRIPTION	NOTES
106	Crypto Peerless 11NOR five station pie stamper	
107	Crypto Peerless Omatic six station tart stamper (s/n 0697)	
108	Crypto Peerless Omatic STD four station apple pie stamper (s/n 226865)	
109	Goodway RF40 four lane muffin depositor (s/n 313)	
110	Fosters CBC10 single door counter blast chiller designed to chill pre-cooked food from 20°C to -18°C within 180 minutes 1075mm x 710mm x 850mm	
111	Riggs Autopack stainless steel single head depositor	
112	Stainless steel preparation table 1250mm x 700mm	
113	Rondo Rondostar SFS611 pastry sheeter (s/n B9A471106)	
114	Rondo Doge Ecomat 600mm wide pastry sheeter A frame	
115	Seewer Rondo Compactline SPF602,B pastie & sausage roll line and pastry sheeter	
116	Rondo Jumbolino pastry make up line with various cutters for Danish pastry cutting table model SPF 610.B s/n C4053301, guillotine model ZGM 635 s/n C4044209 filling depositor model ZFGRA s/n C4044208 YOM 2004	
117	Oddy model XL 2 pocket roll divider / moulder	
117a	Belshaw type F donut depositor 115 strokes per minute (s/n 15478)	
118	Belshaw 634 floor model electric donut fryer 34" wide x 24" deep (860mm x 610mm) stainless steel kettle, cabinet and drain tray, adjustable bolt-down legs, 3-phase, 380/440V complete with feed table	
119	Proving box frame six tier with boxes overall 780mm x 520mm	
120	Bakers hand moulding table 1270mm x 920mm approximaely	
121	Wolfking K16 1000kg tote lift YOM 2000	
122	Acrivan 20 rack gas fired prover 5 through door unit footprint 4.5m x 3.5m x 2.3m (s/n 2105975)	
123	Electric Insectocutor UV light 40m ² range	
124	Double D Revorack Mark 3 - four rack gas fired ovens with steam 6-7,000btu burner updated thermostat controller 2004 (s/n 95-17679) (recently refurbished)	
125	Double D Revorack Mark 3 - four rack gas fired ovens with steam 6-7,000btu burner updated thermostat controller 2004 (s/n 99-25339) (recently refurbished)	
126	Double D Revorack Mark 3 - four rack gas fired ovens with steam 6-7,000btu burner updated thermostat controller 2004 (s/n 91-10927) (recently refurbished)	
127	Double D Revorack Mark 3 - four rack gas fired ovens with steam 6-7,000btu burner updated thermostat controller 2004 (s/n 92-13120) (recently refurbished)	
128	Acrivan four rack gas fired oven with steam YOM 2003 PLC control Hamworth combustion burner	
129	Tom Chandley low crown four deck 12 tray electric deck oven	
130	Vanguard six tray three deck stainless steel oven (s/n 616-98)	
131	Taglitavini Bauart two deck 6 tray low crown electric deck oven model EMT3/4676 (s/n 4756A)	
132	Strapped three bread loaf tins 11cm wide x 26cm x 10cm deep x 100 (3 lots available)	
133	Strapped three bread loaf tins 14.5 cm wide x 26cm x 9.5cm deep x 100 (3 lots available)	
134	Strapped three bread loaf tins 10.3 cm wide x 19.3cm x 7.5cm deep x 100 (11 lots available)	
135	Stainless steel preparation table 700mm x 600mm with stand 690mm x 400mm	
136	Poly top preparation table 1010mm x 600mm	
137	Five tier stainless steel portable trolley 750mm x 550mm x 1020mm	
138	Dough oiler	
139	Stainless steel preparation table 900mm x 600mm	
140	Stainless steel preparation table 2200mm x 900mm	
141	Portable bakery cooling racks 8 tier (holds 16 x 30" x 18" bakery trays) overall 1040mm x 840mm x 1850 x 4	
142	Portable bakery cooling racks 8 tier (holds 16 x 30" x 18" bakery trays) overall 1040mm x 840mm x 1850 x 4	

LOT No.	DESCRIPTION	NOTES
143	Portable bakery cooling racks 8 tier (holds 16 x 30" x 18" bakery trays) overall 1040mm x 840mm x 1850 x 4	
143a	Portable bakery cooling racks 8 tier (holds 16 x 30" x 18" bakery trays) overall 1040mm x 840mm x 1850 x 4	
144	Electric Insectocutor UV light 40m ² range	
145	Electric Insectocutor UV light 40m ² range	
146	Micra L Robopack L sealer - sealing frame dimensions 800mm x 600mm max. packaging dimensions 780mm x 580mm max. package height 300mm (s/n KN058004) YOM 2003	
147	Salva KB1 single shelf convection oven	
148	Metal detector aperture 580mm x 85mm	
149	Walsall Label Systems modelr 125 labeler with Allen Coder	
150	Lawco ink jet bar coder on print system conveyor	
151	Graesby Allen TT841M date coder with system print head of conveyor	
152	Limpet XL top and bottom carton box taper	
153	Delford Loma IQ combination metal detector check weigher aperture 400mm x 150mm with reject	
154	PALS label applicator model FL3005TRLL	
155	PALS label applicator model FL05HFL	
156	Graesby Allen TT841M date coder with system print head	
157	Graesby Allen TT841M date coder with system print head	
158	Eltron Qualabar 440 bar code printer speed of 10ips, print width of 4.09 inches, standard print length of 15 inches (s/n 7H002901)	
159	Stainless steel preparation table	
160	Cotswold Autoflo Autosensor hand wash unit	
161	Salva type 97 10 rack bake off oven	
162	Gas fired salamander grill	
163	Giorik single basket fryer	
164	Herma model H300 - SRK16 top and bottom labeler (s/n 9902616)	
165	Record F4 bread moulder 600mm belt width (suitable for repairs or spares)	
166	Thurne bag sealer with hot foil coder (suitable for repairs of spares)	
167	Record Mk1 moulder (suitable for repairs or spares)	
168	Mulco Engineering ES3 bread crumb machine	
169	Compair 10HP Hydrovane model Classic 07, 45CFM at 125PSI, open 230 or 460 volts 3 phase	
170	Compair 10HP Hydrovane model B 07, 45CFM at 125PSI, open 230 or 460 volts 3 phase	
171	Compair air dryer type BTD125 complete with 340ltr receiver tank (s/n 3817182006) YOM 2002	
172	Electric Insectocutor UV light 40m ² range	
173	Domextra Laurel water softener system 1000 gallon output per regeneration	
174	Refupak static compactor, charge box capacity 0.79 m ³ , compaction force 12828 kg, 31 second cycle time	
175	IWM Crusader model 100 tray washer 50 to 150 containers per/hr jetting with hot water and detergent, re-circulated from a heated wash tank, powered by a 2kW pump solenoid controlled fresh rinse from mains (s/n 245CIMA-153-03W) YOM 2000	
176	Bakers rack galvanised 10 tier oven swivel wheels holds 30 x 18 standard trays x 10 (3 lots available)	
177	Bespoke bakery cooling & storage rack nine tier (gap between tiers is 190mm), portable swivel wheels holds tray size 750mm x 610mm x 50mm deep x10 (x 8 lots available)	
178	Cotswold Autoflo Autosensor hand wash unit	
179	Single bay rapid rack Dexion shelving	
180	8x bays Dexion style racking	
181	Galvanised mobile steps x 2	

LOT No.	DESCRIPTION	NOTES
182	7000ltr diesel tank with pump	
183	Genie Easy Up EUP 19AC Genie lift hoist	
184	Easylift hoist	
185	Activate Foodcare synthetic lube station and associated shelving and contents	
186	Fred Pollard Corona 100A-1 pillar drill	
187	Compair air compressor	
188	Clear PVC strip door / curtain 2900mm wide	
189	Clear PVC strip door / curtain 2100mm wide	
190	Clear PVC strip door / curtain 3800mm wide	
191	Pair of PVC swing personnel doors	
192	Pair GRP hygienic food safe flexible swing doors	
193	Pair GRP hygienic food safe flexible swing doors	
194	Single GRP hygienic food safe personnel door	
195	Abbey Industrial Doors Ltd 38mm extruded slat roller shutter door 2700mm x 3000mm electrically operated	
196	Abbey Industrial Doors Ltd 38mm extruded slat roller shutter door 2500mm x 3500mm electrically operated	
197	Karcher floor cleaner model BR350	
198	BT Rolatrak LSR1200 1299kg lift walk behind pallet truck (s/n 265997AA)	
199	Isuzu trucks NQR 70 white 5193 cc 7.5 ton gross diesel box wagon (registered 06/2006 registration GN06 CPE)	
200	Isuzu trucks NQR 70 white 5193 cc 7.5 ton gross diesel box wagon (registered 2007 registration GN57 GXP)	
201	Isuzu trucks NQR 70 white 4751 cc 7.5 ton gross diesel box wagon complete with tail lift (registered 2004 registration GN54 CWL)	
202	Isuzu trucks NQR 70 white 4751 cc 7.5 ton gross diesel box wagon (registered 2004 registration GN04 APZ)	
203	Isuzu trucks NQR 70 white 4751 cc 7.5 ton gross diesel box wagon complete with tail lift (registered 2006 registration GN56 BUK)	
204	Reception chairs x 5 with wooden coffee table	
205	Wooden 1600mm desk with pedestal	
206	Meeting table 1600mm diameter	
207	Roneo upright Tambour 1000mm cabinet	
208	Meeting table 1200mm x 600mm complete with 4 chairs	
209	Harvey anti tilt metal four drawer cabinet	
210	Solid and part glazed office partitioning system 50mm panels approximately 6000mm x 4000mm - L shaped with doors and single glaze window units	
211	Suspended ceiling grid 6000mm x 9500mm with Armstrong Dune Tegular tile 600mm x 600mm	
211a	4 x bays of Dexon style hgh bay shelvng	
212	Harvard 1600mm Radial Corner Office Desk with 25mm Top, movbile pedestal and operators chair	
213	Harvard 1600mm Radial Corner Office Desk with 25mm Top, movbile pedestal and operators chair	
214	Harvard 1600mm Radial Corner Office Desk with 25mm Top, movbile pedestal and operators chair	
215	Epson LQ2180 dot matrix printer complete with two printer tables	
216	Punchline grey metal four drawer filing cabinet	
217	Punchline grey metal four drawer filing cabinet	
218	Punchline grey metal four drawer filing cabinet	
219	Punchline grey metal four drawer filing cabinet	
220	Metal low level three drawer pedestal	
221	Contents of office 1 comprising desk, filing units and shelving	
222	Contents of office 2 comprising desk, filing units and cupboards	

LOT No.	DESCRIPTION	NOTES
223	Contents of office 3 comprising desk, 3 x filing units and cupboards	
224	Wooden tambour roller door storage cabinet	
225	Wooden tambour roller door storage cabinet	
226	Wooden meeting table 1800mm with four chairs	
227	Wooden double pedestal 1800mm desk with chair	
228	Solid and part glazed office partitioning system 50mm panels approximately 7000mm x 10,000mm - T shaped with doors and single glaze window units	
229	Suspended ceiling grid 6000mm x 10,500mm with Armstrong Dune Tegular tile 600mm x 600mm	
230	Toshiba TEC B-SX5T B-SX5T-TS22-QM-R bar code printer resolution: 12 dots/mm (306 dpi), printing width: max. 127.5 mm, printing speed: up to 203 mm/s (8 ips)	
231	Axicon PC6500 series hand held verifier for logistics barcodes CCD trigger operated reading head, aperture automatically switchable between 10 and 20mil aperture. (1 mil = 25 microns) scan width 195mm (including light margin)	
232	Packard Bell PC complete with 17" flat monitor keyboard and mouse with HP Deskjet 3650 printer	
233	HP Pavilion A310 office PC complete with 17" flat monitor keyboard and mouse	
234	Desktop PC with 17" flat monitor, keyboard & mouse	
235	Desktop PC with 17" monitor, keyboard & mouse	
236	Packard Bell PC complete with 17" flat monitor keyboard and mouse with HP Deskjet 940c printer	
237	Midas 2000 office tannoy system	
238	Avision Net Deliver 2010 multifunction copy scan fax and email system	
239	2 x Sheer Pride four drawer metal filing cabinets	
240	3 x four drawer metal filing cabinets	
241	Metal two door single shelf cupboard	
242	Various office ancillary items and stationary	
243	Various PPE equipment and safety signs	
244	Contents of staff canteen comprising dining table, Bush microwave and refrigerator	
245	Avaya IP406 Office (V2) phone system with PABX hand set systems, supports 6 expansion modules and includes 8 digital station ports (DS) and 2 analogue phone ports on the base unit providing a combination of up to 190 analogue and digital extensions. Features include up to 30 optional voice compression channels, 8 port Layer 2 switch, and 40 data channels. The IP406 V2 includes a compact flash memory card socket for optional embedded voicemail and auto attendant.	
246	Various personal computers, monitors and printer units	
247	2 x bays of Dexion style racking	
248	Hallo price gun labellers	
249	Cotswold Autoflo Autosensor hand wash unit	
250	Dexion rack complete with mixing bowl covers and proving sheets	
251	Various cleaning utensils brushes, shovels and squeegees	
252	Lincoln/Redco Tomato Pro IV 3/16" (.5cm) cut model 643N	
253	Contents of office comprising twp desks, four drawer metal cabinet and Vickers tambour cupboard	
254	Contents of office comprising two metal four drawer filing cabinets and locker	
255	Contents of locker room comprising personnel lockers and Helmsman dispensors	
256	Circular canteen tables x 6	
257	Allday Systems Seiko time recorder and clock in card racks	
258	Contents of transport office comprising metal cabinets and desks	
259	Sealey HBD30 large industrial cooling fan x 2	
260	Engineers bench with vice	
261	Numerous engineers spares contained on 3 x bays of Dexion racking	
262	Quantity of various scrap metals	
263	Karcher 411A power washer	

LOT No.	DESCRIPTION	NOTES
264	Karcher K580. water flow rate: 7.5 lpm. max water temp: up to 40 degrees motor: 2.1k/w. weight 15.63kg standard hose length: 7.5 m	
265	Powerbase Extreme pressure washer Brush motor 1500 watts average water pressure 5.5MPA (55 bar).maximum water pressure 8MPA (80 bar).	
266	16 Channel CCTV Digital Video System DVR, DVDR, 250GB hard drive, Pentaplex function live/recording/playback/networking/back-up at the same time), mpeg4 compression, high performance (400 fps displaying / 400 fps recording) supplied by IC Protection London	
267	10 x plastic pallets	
268	10 x plastic pallets	
269	10 x plastic pallets	
270	Kliko 120ltr bins various	
271	Various Dexion style racking in cold store	
272	Various ancillary bread trays	
End of Sale		



Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom
 Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

