

ONLINE SALE ONLY

at:

www.bidspotter.co.uk

AUCTION SALE

ProAuction
Limited
Valuers & Auctioneers

All bids close:

**Tuesday 18th January 2011,
at 4.00pm**

On instructions of
a finance company,
we offer for sale
**Catering
Equipment**
in good order,
recently purchased
to be sold in
online auction only.



Viewing:

Strictly is by arrangement with auctioneers only
on Monday 17th January, 10.00am - 4.00pm
at Bath BS3 2BB

www.proauction.ltd.uk

Email:
info@proauction.ltd.uk

Telephone:
01761 414000

Facsimile:
0845 280 2492

Online bidding only at:
www.bidspotter.co.uk



GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

1 Application of these General Conditions

1.1 In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated under clause 5.11 below.

1.2 These General Conditions apply to every Auction of Plant and Machinery, Chattels, Trade Stocks and Vehicles conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

1.3 If these General Conditions have not previously been accepted by a person attending or bidding at an Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

1.4 To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the special conditions shall prevail.

1.5 These General Conditions shall be governed construed and enforced in accordance with the law of England, but:-

- (a) if the Auction is held in Scotland, in accordance with the law of Scotland;
- (b) if the Auction is held in Northern Ireland, in accordance with the law in Northern Ireland.

2. The Seller's Instructions and Warranties

2.1 The Seller warrants that:-

- a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully sold;
- (c) the premises where the Auction is to be held (if not the Auctioneer's premises) will be safe for that purpose and that it will be lawful to hold the Auction there.

2.2 If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:-

- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in clause 2.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

3. The Auctioneer's Remuneration

3.1 The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

3.2 The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

4. Bidding on behalf of Another

4.1 Unless the Auctioneer has previously acknowledged in writing that the bidder bids as agent on behalf of a named principal, every bidder shall be taken to bid on his own behalf as principal.

4.2 If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

5. Conduct of the Auction

5.1 The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Auction Catalogue.

5.2 Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.

5.3 The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue.

5.4 The Auctioneer may at any time before the fall of the hammer withdraw or divide any Lot or combine any Lots.

5.5 With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.

5.6 The Auctioneer may require any Bidder to give his name and address and proof of identity before accepting a bid.

5.7 The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.

5.8 The Buyer shall be the person who made the highest bid before the fall of the hammer or such other person as the Auctioneer may declare to be Buyer without being required to give a reason.

5.9 The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the

dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

5.10 The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

5.11 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions

6 After the Sale

6.1 Upon the Auctioneer declaring any Lot sold, the buyer shall immediately:-

- (a) give the Auctioneer his name and address and if requested his proof of identity;
- (b) identify any person on whose behalf he has bought;
- (c) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

6.2 Within the time specified in clause 6.3 below, the Buyer shall pay the following sums to the Auctioneer in full:-

- (a) the balance of the price of all Lots purchased together with any VAT due;
- (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or agent.

6.3 The time for complying with clause 6.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

6.4 The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with clause 6.2 above, in which case the Buyer shall pay the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 4 per cent above Barclays Bank Plc base rate in force from time to time.

6.5 Until the Buyer has complied with clause 6.2 above:-

- (a) title to any Lot bought shall not pass to the Buyer;
- (b) the Lot shall be at the Buyer's risk;
- (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
- (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Auctioneer and Seller.

6.6 On written request by the Buyer the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

7. Removal of the Lot bought

7.1 The Buyer may not remove any Lot he has bought until after the end of the Auction.

7.2 The Buyer may not remove any Lot until the Buyer has paid the sums specified in clause 6.2 above in full for every Lot he has bought.

7.3 After paying the sums specified in clause 6.2 above, the Buyer must remove the Lot bought by the time specified in the Auction Catalogue or if no time is specified there, 5pm on the next working day, and in every case time shall be of the essence.

7.4 The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in clause 7.3 above.

7.5 If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.

7.6 When removing any Lot the Buyer:-

- (a) is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer;
- (b) must use safe and lawful means of removing the Lot;
- (c) shall indemnify the Auctioneer and Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal.
- (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.

8. Default by the Buyer

8.1 If at any time the Buyer has failed either to pay the

sums specified in clause 6.2 above in full by the expiry of the time specified in clause 6.3 above (or any extension granted under clause 6.4 above), or to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above) the Auctioneer may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.

8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

- (a) the sale price less the resale price;
- (b) the costs of and incidental to resale.

8.4 If because the Buyer has failed to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.

9. Liabilities and Indemnities

9.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

9.2 Every Lot is sold as seen and where lying.

9.3 No Lot is sold as compromising or including any new goods.

9.4 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

9.5 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

- (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
- (b) any defect or danger of the premises where the Auction is held;
- (c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;
- (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
- (e) any act or omission of any person other than the Auctioneer.

9.6 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.7 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.8 Clauses 9.3 to 9.7 shall not be valid insofar as prohibited by statute.

9.9 In no circumstances shall the Auctioneers be liable for any consequential damage.

10. Waiver

10.1 No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

CATERING EQUIPMENT

VIEWING Viewing is strictly by arrangement with the auctioneers on **Monday 17th January 2011, 10.00am - 4.00pm**, at Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB. Please visit the website to view images of equipment before placing bids.

REGISTRATION Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. **A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE).** The Auctioneers reserve the right to refuse admission.

Persons under the age of 16 will not be allowed on site.

PAYMENT All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate **Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.**

V.A.T. V.A.T. will be added to sale bills at 20%. Special rules apply for sales for export – request information from the auctioneer

BUYERS PREMIUM Buyer's Premium of 15.5% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

DEPOSITS The Auctioneer reserves the right to take a 25% deposit at Point of Sale. **Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.**

ABSENT BUYING INSTRUCTIONS If you cannot attend the sale we will execute bids confidentially on your behalf.

For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids.

A buyers premium plus applicable charges & taxes, is payable on successful bids.

Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction.

Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.

REMOVAL All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the **charges are mandatory.** Goods to be removed from site not later than **Thursday 27th January 2011 by 4.00pm.**

SITE PROCEDURE The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding.

HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

HAZARDOUS MATERIALS & SUBSTANCES If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and byelaws of local authorities and shall pay all fees and charges arising under the said regulations and byelaws in respect of the Work.

ELECTRIC CABLE/PALLETS Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

ORDER OF REMOVAL Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

INSURANCE The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale. Any buyers of fixed plant or their duly appointed

contractors **MUST** consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of **TEN MILLION POUNDS (£10,000,000)** is in place.

CONTENTS All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

DOCUMENTS The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

SOFTWARE Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

INSPECTION & CONDITION: The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

UNSOLD LOTS If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

CONDITIONAL SALES Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

RESERVES Where applicable, Lots will be offered subject to reserve prices.

LOTS with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

WARNING
It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

CATALOGUE LISTING



Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.

Please visit the website to view images of equipment before placing bids.

MANNER OF OFFERING In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

LOT No.	DESCRIPTION	NOTES
1	Bartlett modular servery counter system OAM2-9TT 2000mm x 720mm	
1a	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
2	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
2a	Bartlett modular servery counter system ORM1-19T chiller display case 3 door cabinet with internal 3 shelves	
3	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
3a	Bartlett modular servery counter system OBM1-13T chilled display case 3 shelves with under counter 1300mm x 720mm	
4	Bartlett modular servery counter system drop in Baine Maries counter holds 4 GN pans 1300mm x 720mm	
5	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
6	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
7	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
8	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
9	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
10	Bartlett modular servery counter system drop in Baine Maries counter holds 4 GN pans 1300mm x 720mm	
11	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
12	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
13	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
14	Bartlett modular servery counter system drop in Baine Maries counter holds 4 GN pans 1300mm x 720mm	
15	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
16	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
17	Bartlett modular servery counter system heated servery cabinet 3 lamps type OBM3-13WT 1300mm x 720mm	
18	Bartlett modular servery counter system OAM2-9TT 2000mm x 720mm	
19	Bartlett modular servery counter system OAM2-9TT 2000mm x 720mm	
20	Bartlett modular servery counter system OAM2-213 1300mm x 720mm	
21	Hobart Ecomax EECC46-10 electric pasta cooker	
22	Hobart FQE-41L table top fryer YOM 2003	
23	Mainho Type A gas smooth hot plate 600mm x 350mm	
24	Stainless steel preparation table 2000mm x 850mm	
25	La Pavoni Pub 2M Range two group semi automatic Espresso machine YOM 2007 flexible steam pipe hot water tap 140 cups per kilo of beans auto electronic water control semi auto model with manual switch for controlled cup fill capacity: 6 litre boiler.	
26	Parry PPGT/3 Twin Head Electric Panini Grill thermostatically controlled versatile, flexible & economical to use dimensions: W620 x D430 x H240mm. power: PPGT - 3.6kw	

LOT No.	DESCRIPTION	NOTES
27	Hobart Ecomax HEFT46L-11 5.0kW smooth top griddle 400mm	
28	Stainless steel three tier table 1000mm x 650mm x 960mm with up stand	
29	Parry P6BO 6 Burner Gas Oven heavy duty pan supports enamel drip tray & full enamel oven liner duplex chassis Piezo ignition to oven flame failure fitted as standard Ext Dimensions: W900 x D805 x H970mm Int Dimensions: W750 x D600 x H450mm power: 146,400BTU/hr (42.9kw)	
30	Parry HOT12/P electric two door hot cupboard with two tier heated gantry 1110mm x 650mm x 900mm two shelves sliding door rating: 1.5kW plate capacity: 360 plates, 70 covers	
31	Stainless steel serve over pass with ceramic hot plate and gantry heater 3 lamp halogen	
32	Lincat LPW/LR heated pie cabinet holds pre-heated food at the required temperature stainless steel construction toughened glass three chrome rod shelves internal lighting and humidity feature dimensions 710W x 330D x 520H rating 13a	
33	Hobart EG467-10 four ring gas burner	
34	Archway 4BSTD - 4 Burner Doner Kebab Grill 565mm x 635mm x 1,100mm gas 15 mm BSP stainless steel finish power output 12 kW natural gas / 9.6 kW LPG kW	
35	Archway 4BSTD - 4 Burner Doner Kebab Grill 565mm x 635mm x 1,100mm gas 15 mm BSP stainless steel finish power output 12 kW natural gas / 9.6 kW LPG kW	
36	Hobart HEFT47T fryer 12ltr electric fryer 400mm x 700mm (s/n 0699496)	
37	Stainless steel mobile cabinet with two shelves 600mm x 600mm	
38	Hobart HEFT 17LC electric griddle smooth hot plate 240v	
39	Sanyo stainless steel commercial microwave oven with twin stirrer and 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid, stainless steel, rust resistant design	
40	Hans Kratt Mussana Pony 2 litre cream whipper 230 mm x 440 mm x 390 mm (s/n 332779OP)	
41	Hans Kratt Mussana Pony 2 litre cream whipper 230 mm x 440 mm x 390 mm	
42	Lincat table top single basket fryer 300mm x 600mm	
43	Lincat HT6 - Silverlink 600 electric boiling top 4 plate	
44	Oazimo hand table top slicer	
45	Hobart FGE40-1L table top fryer brand new 40lb capacity 110,000 BTU (32.24kW) (s/n MA07002470)	
46	Rapmac Ltd tray wrapping unit for use films up to 450mm temperature range 90° to 130°C controlled by an adjustable energy regulator power 240v 5Hz 1ph 375w 622mm x 525mm x 114mm	
47	Various pressure container and salmon poacher all aluminium	
48	Salva ES-138-MS model GL 2 Luxe YOM 2009 curved refrigerated glass display case cabinet 1380mm x 1340mm x 820mm	
49	Osbourne 4300 stainless steel three hinged door back bar chiller fan assisted fast temperature pull down front vented, can be built in available with unit on left or right side strong steel cabinet with aluminium interior 1560mm x 570mm x 900mm YOM 2009	
50	Osbourne 4300 stainless steel three hinged door back bar chiller fan assisted fast temperature pull down front vented, can be built in available with unit on left or right side strong steel cabinet with aluminium interior 1560mm x 570mm x 900mm YOM 2009	
51	Naiko NR050 (1.77 cu. ft.) compact refrigerator total volume 50 ltr 47.19 cm. depth, 45.01 cm. height, 49.2 cm	
52	Scanfrost CM20 173 litre chest freezer Nofrost system 730mm x 900mm	
53	Tefcold SD1380 solid door fridge temperature range +1 to +12°C dimensions 1825mm x 595mm x 640mm interior / exterior white refrigerant r 134a ozone friendly capacity 372 ltr / 13 cu ft	
54	Caravell 390 solid door fridge temperature range +0 to +12°C dimensions 595mm x 647mm x 1855mm interior / exterior white refrigerant r 134a ozone friendly capacity 390 ltr / 13.8 cu ft	
55	Caravell 366 solid door stainless freezer temperature range -18 to -21°C dimensions 595mm x 647mm x 1855mm interior / exterior white refrigerant r 134a ozone friendly capacity 390 ltr / 13.8 cu ft	

LOT No.	DESCRIPTION	NOTES
56	King KG250 back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 900mm x 900mm x 500mm	
57	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
58	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
59	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
60	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm (Requires doors)	
61	Parry 3014 Non Modular Jumbo Griddle e thermostatically controlled heavy duty solid steel cooking plate with removable drainage drawer for easy cleaning. 2 x 3Kw power output 240mm x 500mm x 900mm	
62	Lincat LSC electric salamander grill infra-red 3kW 328mm x 551mm x 302mm	
63	Blue Seal charcoal gas fired barbeque	
64	Mayfair plate solid top griddle electric supply 650mm x 450mm	
65	Blue Seal G91B - Evolution 8.8 kW gas salamander grill 900 mm	
66	Stainless steel preparation table 1400 x 600mm	
67	Salva ES-138-MS model GL 2 Luxe YOM 2009 curved refrigerated glass display case cabinet 1380mm x 1340mm x 820mm	
68	Parry PDPF6 twin pedestal electric fryer 56kg per hour capacity 2 x 6kw oil capacity 2 x 9 L 1095mm x 600mm x 715mm	
69	Blue Seal commercial 6 Burner Gas Oven heavy duty pan supports enamel drip tray & full enamel oven liner duplex chassis Piezo ignition to oven flame failure fitted as standard Ext Dimensions: W900 x D805 x H970mm Int Dimensions: W750 x D600 x H450mm power: 146,400BTU/hr (42.9kw)	
70	Gas fired three pot WOK cooker gas fired	
71	Derby Contour 3422 curved top glass ice cream display freezer	
72	LEC Club K83P refrigerator	
73	Silverwing BLC25 seven grid blast chiller	
74	Hobart 305G grid combination steamer (s/n E8861986)	
75	Valentine type PENSION 1-BS 5.5lw single basket fryer 200mm x 580mm x 900mm	
76	Valentine type PENSION 1-BS 5.5lw single basket fryer 200mm x 580mm x 900mm	
77	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
78	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
79	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
80	Autonumis double door sliding back bar cooler exterior anthracite fully automatic operation, lock fitted, forced air circulation for fast cool down, internal light and fan, adjustable thermostat temp range +2/12 holds 320 bottles 925mm x 1060mm x 500mm	
81	Teknocelik Hosk Deluxe E 12 x 2E Spray refrigerated beverage machine	
82	Hobart HEF771 electric twin basket table top fryer	
83	Mazzer Super Jolly coffee bean grinder step less grinding adjustment timer control flat 64mm grinding burrs 350 watt motor burr speed 1400rpm bean hopper capacity 1.2kg doser capacity 280g	



LOT No.	DESCRIPTION	NOTES
84	Pallet of mixed commercial crockery, table and kitchen equipment	
85	Various cutlery crockery draining stands	
86	Stainless steel Belfast style deep utensil sink freestanding	
87	Salva convection bake off oven model K5 5 grid oven, to fit 60 cm x 40 cm baking trays power 16 amp, 6.0 Kw 1000mm x 780mm x 540mm (outer glass panel missing)	
88	Hobart Bonnet single solid top hob BB706CF-400 6.5kw/0.1kw 400mm x 730mm x 300mm brand new	
89	Still Wellstood portable stainless steel 2 drop plate warmer stacker 10" plates	
90	Hobart HEF777 Premier Plus double well electric fryer 2 x 13 litre freestanding 18.0kw 400/50/3 (fuse at 3x32a) 700mm x 700mm x 850mm brand new	
91	Parry smooth hot plate gas 450mm x 450mm	
92	Pasta King small GN table top plug in pasta cooker	
93	Moffatt L shape till servery counter	
94	Carter Retail Equipment Ltd refrigerated multi deck cabinet 2.50M NB2A chiller display integral refrigeration unit YOM 2009 (s/n 27050)	
95	Carter Retail Equipment Ltd refrigerated multi deck cabinet 1800 NB2AWAE hiller display integral refrigeration unit YOM 2009 (s/n 27052)	
96	Carter Retail Equipment Ltd refrigerated multi deck cabinet 1800 NB2AWAE hiller display integral refrigeration unit YOM 2009 (s/n 27053)	
97	Zanussi ZTR56RL 152ltr capacity refrigerator 550mm x 850mm	
98	Thermoplan AG Black & White automatic bean to cup coffee machine model CTM 8 buttons for selection of products, 2 x button and multiple-function 220 espresso, 170 coffee 150 cappuccino, 240 tea (2dl / 7oz) - an hour with automatic cleaning system 515mm x 600mm x 670mm	
99	Miele refrigerator capacity in litres/cubic ft 110 l/3.8 cu.ft +1 / + 5 °C 600mm x 600mm x 850mm	
100	Cafitesse CFT003 hot drinks machine boiler size 2.3 litres water tank 2.9 litres electrical connection 2140W, 10A, 220/230W (plug)†	
101	Cafitesse CFT003 hot drinks machine boiler size 2.3 litres water tank 2.9 litres electrical connection 2140W, 10A, 220/230W (plug)†	
102	Stainless steel portable four tier rack 1900mm x 600mm	
103	2 x Dualit 4 Bread 4 slot commercial toaster output of 130 slices per hour 2.2kW timer 28mm slot width	
104	Santos 28 Commercial Juicer feed Chute: 68mm RPM: 3600 power: 800 Watts 460mm x 200mm x 510mm (s/n 505990)	
105	6 x dishwasher rack baskets	
106	Stainless steel conveyor toaster capacity 400 pieces per hour 2.6kW 250mm wide belt	
107	Buffalo 10ltr black soup kettle	
108	Goodman's M205 microwave	
109	Sharp R270 20 litre 800W microwave oven	
110	Stafco Elite two group bean to cup coffee machine with integral bean grinder 11.5 Ltr boiler 3.0kW digital interface and steam wands 680mm x 523mm x 580mm	
111	Wega three group bean to cup coffee machine 12 Ltr boiler 3.4kW digital interface, high level group heads and steam wands 700mm x 612mm x 540mm	
112	Hobart Premier Plus HG4SFE7 4 burner gas hob 64.828 btu (19.0kw) 700mm x 700mm x 270mm brand new	
113	Salva KB1 model 87 singe rack electric convection oven 780mm x 850mm x 400mm (s/n 88670)	
114	BOVO Srl Jolly vertical ice cream cooling cabinet capacity for ice-containers 3 x 4, 75 lt. - 6 x 2, 5 lt. refrigerant R 404 compressor HP 0,5 power supply V 220 / 50 Hz 660mm x 550mm x 1140mm	
115	Indesit TLA1S under larder fridge 127L capacity 3 shelves and a single manual thermostat +1 / + 5°C 600mm x 600mm x 850mm	

LOT No.	DESCRIPTION	NOTES
116	F.M.C. CJ citrus fruit juice extractor (s/n 7A00394) incomplete	
117	Comersa VT Super Wood 2000 static straight high refrigerated display case 2040mm x 1120mm x 1370mm voltage (v) 230 frequency (hz) 50 capacity (l) 220 nr doors 3 nr shelves 2 surface exhibition 1.19 integral compressor (hp) 3/8 operating temperature (°C) +2/+6 automatic defrost digital controls (s/n 142061075)	
118	Comersa Corner display case comprising VT Super Wood 1000 static straight high refrigerated display case 1085mm x 1120mm x 1370mm and corner unit voltage (v) 230 frequency (hz) 50 capacity (l) 1100 nr doors 1 nr shelves 2 surface exhibition 0.6 integral compressor (hp) 3/8 operating temperature (°C) +2/+6 automatic defrost digital controls (Model Type IVTSM10E04/A90 Corner)	
119	2 x Portable F1.P.stainless steel patio heater fuelled by LPG cylinder contained in a decorative lift up cover heat input 12kW (41,000 BTU/h) flame protection by 100% shut off thermo electric valve standard overall height: 2260 mm width at widest point: 860 mm	
120	Stainless steel wall mounted preparation table 1000mm x 600mm	
121	Moffatt DPC-6 grid combination steamer (s/n E8861986)122 Schaerer Coffee Celebration, model "BCL" fully automatic espresso machine digital display with integral milk cooler Espresso: 240 Coffee: 200 Milk beverages: 180 Latte Macchiato: 160 Water: 30-40 litres Profile Grinders: 2 Boilers: 1 coffee / 1 hot water / 1 steam Choice of products: up to 30 different products programmable dimensions 756mm x 617mm x 893,5mm Electricity: 3x400V / 9.3 kW / 16A Water connection: G 1/2" max. 3 bar	
122	Schaerer Coffee Celebration, model "BCL" fully automatic espresso machine digital display with integral milk cooler Espresso: 240 Coffee: 200 Milk beverages: 180 Latte Macchiato: 160 Water: 30-40 litres Profile Grinders: 2 Boilers: 1 coffee / 1 hot water / 1 steam Choice of products: up to 30 different products programmable dimensions 756mm x 617mm x 893,5mm Electricity:3x400V / 9.3 kW / 16A Water connection: G 1/2" max. 3 bar	
123	Bertie 3 in 1 potato oven 30 Baked Potato capacity unique design, the first of its kind on the market An efficient potato oven producing 15 baked potatoes every hour Illuminated warmer keeping 15 more baked potatoes hot and ready to serve Two pot BAIN MARIE for delicious hot fillings Up to 3 litres of hot sauces with built in work surface 2Kw electricity required thermostatically controlled 410mm x 450mm footprint 1 deep tray	
124	Hobart Ecomax CHF40 commercial dishwasher basket dimensions 500 x 500mm external dimensions 575mm x 600mm x 830mm depth with door open 960 mm wash chamber height 320 mm wash cycle time 1, 2 & 3 minutes or continuous power requirements 30 amp 6.3kw or 13 amp 2.6kw finish stainless steel	
125	Hoshizaki IM-65 LE commercial ice maker 63kg of ice in 24 hours production 26kg storage bin capacity exceptional build quality unique closed-cell method of production slow-melting cubes made at -25°C washable condenser air filter 850mm x 633mm x 506mm (s/n K50639)	
126	Prodis DBN 608 ice maker production 60kg/24hr integral storage 25kg stainless steel water spray ice production crystal clear super hard ice advanced microcomputer control system infrared storage bin sensor front venting 835mm x 560mm x 565mm	
127	Whirlpool AGB 645/WP glass washer 120 second cycle time 400mm square basket model stainless steel 304 cabinet double skinned insulated cabinet moulded tank hot water automatic rinse rinse aid pump water consumption 2 litres / cycle 285mm clearance 14 litre tank capacity 3.9 litre boiler capacity 1.6kw tank element 0.3kw wash pump electric rating: 2.9kw 230v 465mm x 515mm x 700mm (s/n 06080107) YOM 2009	
128	Vollrath stainless steel portable trolley three tier 600mm x 300mm	
129	Ditting KE640 on-demand espresso grinder voltage/frequency 110v / 60hz / 1* motor 1640rpm motor current drain, amps 4.6 horsepower .75 average grinding capacity 3.8g/sec or 7g in 2.3 seconds** hopper capacity, lbs 3.3 grinding discs, ø mm 65 (S.N 1881)	
130	Ditting KE640 on-demand espresso grinder voltage/frequency 110v / 60hz / 1* motor 1640rpm motor current drain, amps 4.6 horsepower .75 average grinding capacity 3.8g/sec or 7g in 2.3 seconds** hopper capacity, lbs 3.3 grinding discs, ø mm 65 (S.N 1884)	
131	La Pavoni Jolly coffee grinder	
132	Wega 6.4 Platino coffee bean grinder doser holds approx 50 cups of ground coffee Shot counter indicates number of pulls made from the grinder. 64mm burr grinding discs for true espresso grind with consistent quality RPM 1250 10kg per hour maximum grinding capacity 1.6kg clear bean hopper	
133	2 x stainless steel vertical automatic cup dispensers	

LOT No.	DESCRIPTION	NOTES
134	Stainless steel preparation table 1800mm x 600mm with under shelf	
135	NSF D049 523 tomato slicer	
136	NSF N55 200AM table top manual slicer	
137	6 x 12" cake rings	
138	Turbo Chef NGC TC01 UK rapidly roasts, browns, and broils. The C3™ oven roasts, browns, and broils a wide variety of foods, producing high-quality results up to ten times faster than traditional cooking methods. integral recirculating catalytic converter system for UL 710B (KNLZ) listed ventless operation variable-speed High h recirculating impingement airflow system Bottom-launched microwave system smart menu system capable of storing up to 128 recipes built-in self-diagnostics for monitoring oven components and performance smart card compatible 648mm x 737mm x 819mm YOM 2009	
139	IMC BK90 top loading bottle cooler provides high capacity storage and an efficient service with the capacity to hold up to 315, 330ml bottles and comes with a top loading design with sliding covers for ease of use stainless steel interior and exterior make it extremely robust and easy to maintain 900mm x 620mm x 900mm	
140	Parry stainless steel portable hot cabinet sliding doors with two shelf overhead pass gantry 1400mm x 650mm	
141	Turbo Chef NGC TC01 UK rapidly roasts, browns, and broils. The C3™ oven roasts, browns, and broils a wide variety of foods, producing high-quality results up to ten times faster than traditional cooking methods. integral recirculating catalytic converter system for UL 710B (KNLZ) listed ventless operation variable-speed High h recirculating impingement airflow system Bottom-launched microwave system smart menu system capable of storing up to 128 recipes built-in self-diagnostics for monitoring oven components and performance smart card compatible 648mm x 737mm x 819mm YOM 2009	
142	Whirlpool WCN 3-7 97 litre chest freezer silver colour	
143	Complete menu light box system stainless steel outer with light box panels to hold A3 menus	
144	Chrome rack three tier 600mm x 300mm x 1800mm	
145	Chrome rack three tier 600mm x 300mm x 1800mm	
End of Sale		

Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom
 Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: info@proauction.ltd.uk Website: www.proauction.ltd.uk

Company Registration no: 5059610

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding


Viewing:

Viewing is by appointment with auctioneers only.

Unit 5, Midsomer Enterprise Park, Bath BA3 2BB

Nearest Rail Station: Oldfield Park: 7.2 miles; Bath Spa: 7.7 miles

Nearest Airport: Bristol International Airport: 12.4 miles



Contact the auctioneers for further information and to request a catalogue:

Pro Auction Limited

Unit 5,
Midsomer Enterprise Park,
Radstock Road,
Bath BA3 2BB
United Kingdom
Tel: +44(0)1761 414000
Fax: +44(0)845 280 2492

Email:
info@proauction.ltd.uk
Website:
www.proauction.ltd.uk

Company Registration no: 5059610

Surplus asset?
Call us for a free valuation and to organise your next sale

SALIENT INFORMATION:

- Identification is required to enable allocation of a bidding card.
- All capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection & enquiries for verification.
- All bids are subject to applicable VAT 20% and a buyers premium of 15.5% + VAT.
- Payment is required on day of the sale unless prior arrangements have been agreed. Funds must be cleared before collection of goods.

An effective way to maximise realisation on redundant assets, call the experts today
Guaranteed Results!!



PLEASE NOTE:
Commission and telephone bids by arrangement only.