

# ONLINE TIMED SALE

at:

[www.bidspotter.co.uk](http://www.bidspotter.co.uk)

# AUCTION SALE

**ProAuction**  
Limited  
Valuers & Auctioneers

All bids to be placed by:  
**Wednesday 27th April 2011, at 4.30pm**

On instructions of our clients

## Pontis

following closure of the operations  
at Covent Garden and Eldon Street  
we are pleased to offer for sale  
catering equipment, furniture,  
refrigeration and ancillary equipment  
all relocated to Bath showrooms for sale.

Viewing:

Strictly by arrangement with auctioneers only  
on Tuesday 26th April, 9.00am to 4.30pm

at Bath BS3 2BB

For sale by timed auction only



Online bidding only at:  
[www.bidspotter.co.uk](http://www.bidspotter.co.uk)

[www.proauction.ltd.uk](http://www.proauction.ltd.uk)  
Email:  
[info@proauction.ltd.uk](mailto:info@proauction.ltd.uk)  
Telephone: 01761 414000  
Facsimile: 0845 280 2492

# GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

## 1 Application of these General Conditions

1.1 In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated under clause 5.11 below.

1.2 These General Conditions apply to every Auction of Plant and Machinery, Chattels, Trade Stocks and Vehicles conducted by the Auctioneer and to any Lot offered for sale in the Auction whether that Lot includes property fixed to land or not fixed to land or any other personal property.

1.3 If these General Conditions have not previously been accepted by a person attending or bidding at an Auction, bidding for any Lot in the Auction shall be deemed to be an acceptance by the Bidder of these General Conditions.

1.4 To the extent that these General Conditions are inconsistent with any special conditions set out or referred to in the Auction Catalogue or announced at the Auction, the special conditions shall prevail.

1.5 These General Conditions shall be governed construed and enforced in accordance with the law of England, but:-

- (a) if the Auction is held in Scotland, in accordance with the law of Scotland;
- (b) if the Auction is held in Northern Ireland, in accordance with the law in Northern Ireland.

## 2. The Seller's Instructions and Warranties

2.1 The Seller warrants that:-

- (a) to any Lot offered for sale he will be able to pass good and unencumbered title free from third party claims;
- (b) any Lot offered for sale may lawfully sold;
- (c) the premises where the Auction is to be held (if not the Auctioneer's premises) will be safe for that purpose and that it will be lawful to hold the Auction there.

2.2 If the Seller's instructions are given by the Seller's agent, the Seller's agent warrants that he has the Seller's authority:-

- (a) to instruct the Auctioneer;
- (b) to give the warranties set out in clause 2.1 above;
- (c) to instruct the Auctioneer to act in accordance with these General Conditions and any special conditions.

## 3. The Auctioneer's Remuneration

3.1 The Auctioneer's remuneration shall be such as has been agreed between the Seller and the Auctioneer.

3.2 The Auctioneer may deduct his remuneration from monies received from Buyers before accounting to the Seller for the balance.

## 4. Bidding on behalf of Another

4.1 Unless the Auctioneer has previously acknowledged in writing that the bidder bids as agent on behalf of a named principal, every bidder shall be taken to bid on his own behalf as principal.

4.2 If the Auctioneer has earlier acknowledged in writing that the Bidder bids as agent on behalf of a named principal, the Bidder warrants that he has the authority of his principal to make each bid he makes.

## 5. Conduct of the Auction

5.1 The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Auction Catalogue.

5.2 Any Lot may be subject to a reserve price unless otherwise indicated in the Auction Catalogue.

5.3 The Seller or his representative or the Auctioneer on his behalf may bid for any Lot unless otherwise indicated in the Auction Catalogue.

5.4 The Auctioneer may at any time before the fall of the hammer withdraw or divide any Lot or combine any Lots.

5.5 With the previous consent of the Seller, the Auctioneer may sell any Lot by private sale before or after the Auction.

5.6 The Auctioneer may require any Bidder to give his name and address and proof of identity before accepting a bid.

5.7 The Auctioneer may reject any bid at his sole discretion and without being required to give a reason.

5.8 The Buyer shall be the person who made the highest bid before the fall of the hammer or such other person as the Auctioneer may declare to be Buyer without being required to give a reason.

5.9 The Auctioneer may decide whether there is a dispute between Bidders, may summarily determine the

dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

5.10 The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

5.11 The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions

## 6 After the Sale

6.1 Upon the Auctioneer declaring any Lot sold, the buyer shall immediately:-

- (a) give the Auctioneer his name and address and if requested his proof of identity;
- (b) identify any person on whose behalf he has bought;
- (c) pay to the Auctioneer if requested a deposit of up to 25 per cent of the price.

6.2 Within the time specified in clause 6.3 below, the Buyer shall pay the following sums to the Auctioneer in full:-

- (a) the balance of the price of all Lots purchased together with any VAT due;
- (b) the value as summarily determined by the Auctioneer, whose determination shall be final and binding, of all or part of any Lot or of the premises where the Auction is held which has been damaged or destroyed by the Buyer or his principal or agent.

6.3 The time for complying with clause 6.2 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day, and in every case time shall be of the essence.

6.4 The Auctioneer may at any time in his sole discretion grant the Buyer an extension of time for complying with clause 6.2 above, in which case the Buyer shall pay the Auctioneer in full before moving or removing the Lot interest on any unpaid sums at a rate of 4 per cent above Barclays Bank Plc base rate in force from time to time.

6.5 Until the Buyer has complied with clause 6.2 above:-

- (a) title to any Lot bought shall not pass to the Buyer;
- (b) the Lot shall be at the Buyer's risk;
- (c) the Auctioneer shall have a lien over any Lot bought by the Buyer in the Auction;
- (d) if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Auctioneer and Seller.

6.6 On written request by the Buyer the Auctioneer shall provide a VAT invoice in proper form, if appropriate.

## 7. Removal of the Lot bought

7.1 The Buyer may not remove any Lot he has bought until after the end of the Auction.

7.2 The Buyer may not remove any Lot until the Buyer has paid the sums specified in clause 6.2 above in full for every Lot he has bought.

7.3 After paying the sums specified in clause 6.2 above, the Buyer must remove the Lot bought by the time specified in the Auction Catalogue or if no time is specified there, 5pm on the next working day, and in every case time shall be of the essence.

7.4 The Auctioneer may at any time at his sole discretion and on terms specified by him grant the Buyer an extension of the time specified in clause 7.3 above.

7.5 If the Lot bought is or includes a motor vehicle, no warranty is given that the vehicle may safely or lawfully be driven on the road.

7.6 When removing any Lot the Buyer:-

- (a) is responsible for detaching any Lot fixed to land and must do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without previous written permission signed by or on behalf of the Auctioneer;
- (b) must use safe and lawful means of removing the Lot;
- (c) shall indemnify the Auctioneer and Seller against any loss damage legal or other expenses and any claim arising from the detaching of the Lot or its removal.
- (d) shall have insurance in respect of such indemnity and shall on request produce to the Auctioneer a receipt for the last premium due or other sufficient evidence that such insurance has been effected and remains in force.

## 8. Default by the Buyer

8.1 If at any time the Buyer has failed either to pay the

sums specified in clause 6.2 above in full by the expiry of the time specified in clause 6.3 above (or any extension granted under clause 6.4 above), or to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above) the Auctioneer may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately.

8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

- (a) the sale price less the resale price;
- (b) the costs of and incidental to resale.

8.4 If because the Buyer has failed to remove any Lot by the time specified in clause 7.3 above (or any extension granted under clause 7.4 above), the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting.

## 9. Liabilities and Indemnities

9.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

9.2 Every Lot is sold as seen and where lying.

9.3 No Lot is sold as compromising or including any new goods.

9.4 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

9.5 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

- (a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;
- (b) any defect or danger of the premises where the Auction is held;
- (c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;
- (d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;
- (e) any act or omission of any person other than the Auctioneer.

9.6 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.7 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 9.5 above.

9.8 Clauses 9.3 to 9.7 shall not be valid insofar as prohibited by statute.

9.9 In no circumstances shall the Auctioneers be liable for any consequential damage.

## 10. Waiver

10.1 No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

# SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

**VIEWING** Viewing is strictly by arrangement with the auctioneers at Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB on Tuesday 26th April 2011.

**REGISTRATION** Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. **A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE).** The Auctioneers reserve the right to refuse admission.

**Persons under the age of 16 will not be allowed on site.**

**PAYMENT** All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate **Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.**

**V.A.T.** V.A.T. will be added to sale bills at 20%. Special rules apply for sales for export – request information from the auctioneer

**BUYERS PREMIUM** Buyer's Premium of 15.5% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

**DEPOSITS** The Auctioneer reserves the right to take a 25% deposit at Point of Sale. **Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.**

**ABSENT BUYING INSTRUCTIONS** If you cannot attend the sale we will execute bids confidentially on your behalf.

**For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids.**

**A buyers premium plus applicable charges & taxes, is payable on successful bids.**

**Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction.**

**Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.**

**REMOVAL** All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the **charges are mandatory.** Goods to be removed from site not later than **Tuesday 3rd May by 4.00pm.**

**SITE PROCEDURE** The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding.

# PONTIS

Covent Garden and Eldon Street

## HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

**HAZARDOUS MATERIALS & SUBSTANCES** If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

**COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING** Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and byelaws of local authorities and shall pay all fees and charges arising under the said regulations and byelaws in respect of the Work.

**ELECTRIC CABLE/PALLETS** Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

**ORDER OF REMOVAL** Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

**INSURANCE** The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale. Any buyers of fixed plant or their duly appointed

contractors **MUST** consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of **TEN MILLION POUNDS (£10,000,000)** is in place.

**CONTENTS** All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

**DOCUMENTS** The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

**SOFTWARE** Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

**INSPECTION & CONDITION:** The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

**UNSOLD LOTS** If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

**CONDITIONAL SALES** Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

**RESERVES** Where applicable, Lots will be offered subject to reserve prices.

**LOTS** with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

## WARNING

It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

## Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

# CATALOGUE LISTING



Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.

**MANNER OF OFFERING** In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

LOT No.	DESCRIPTION	NOTES
1	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
2	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
3	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
4	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
5	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
6	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
7	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
8	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
9	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
10	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
11	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
12	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
13	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
14	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
15	Wooden dining table 570mm x 570mm metal column base with 2 x wooden ladder back dining chairs 430mm seat pitch	
16	Wooden dining table 720mm x 720mm metal column base	
17	Wooden dining table 720mm x 720mm metal column base	
18	Wooden dining table 900mm x 620mm metal column base	
19	Wooden ladder back bar stool 430mm seat pitch with foot rest x 7	
20	Faux brown leather cubes 390mm x 390mm x 4	
21	2 x Cream and wood feature seat cubes 980mm x 450mm	
22	Cubed modular seating sofa with back rest 1400mm x 790mm seat pitch of 470mm	
23	5 x wine and dark wood bar stools with foot rest 530mm floor to seat 430mm seat pitch with foot rest and back stop	
24	14 x traditional dark wood Suowe bar chairs ladder back 400mm seat pitch	
25	4 x wine fabric material stacking office chairs with arm rests	
26	4 x designer chrome bistro chairs seat pitch 370mm	
27	2 x marble top bar table 600mm x 600mm metal column grey and white speckled tops	

LOT No.	DESCRIPTION	NOTES
28	2 x marble top bar table 600mm x 600mm metal column grey and white speckled tops	
29	2 x marble top natural colour bar tables 450mm diameter 780mm high	
30	2 x marble top natural colour bar tables 450mm diameter 780mm high	
31	Marble 760mm bar table 760mm column height	
32	2 x charcoal fabric visitor chairs with arm rest 420mm seat pitch	
33	3 x office swivel chairs	
34	8 x Designer board room chairs 440mm seat pitch	
35	Wooden coffee table 600mm x 600mm	
36	Glass coffee table 850mm x 850mm	
37	Pine Welsh dresser	
38	Granite top dumb waiter	
39	6 x neutral design salon chairs adjustable rise and fall with back rest	
40	Salon back wash chair no sink basin	
41	Traditionally styled brass snooker or pool table light rail with 3 matching green shades rail 150cm/59" length 110cm/44" from centre of shade 1 to centre of shade 3 max 60 watt bulbs shades: 37cm/15" diameter	
42	Schaerer Coffee Celebration, model "BCL" fully automatic espresso machine digital display with integral milk cooler Espresso: 240 Coffee: 200 Milk beverages: 180 Latte Macchiato: 160 Water: 30-40 litres Profile Grinders: 2 Boilers: 1 coffee / 1 hot water / 1 steam Choice of products: up to 30 different products programmable dimensions 756mm x 617mm x 893.5mm Electricity: 3x400V / 9.3 kW / 16A Water connection: G 1/2" max. 3 bar	
43	Thermoplan AG Black & White automatic bean to cup coffee machine model CTM 8 buttons for selection of products, 2 x button and multiple-function 220 espresso, 170 coffee 150 cappuccino, 240 tea (2dl / 7oz) - an hour with automatic cleaning system 515mm x 600mm x 670mm	
44	Stainless steel utensil sink 830mm x 560mm	
46	Cafitesse 400 hot drinks machine drink options 7 direct selection buttons (including hot water) to include black/white coffee (cup or pot), cappuccino, whipped coffee, café latte cup capacity 3kW (270 cups per hour), 10 litre boiler 770mm x 320mm x 515mm	
47	Cafitesse 400 hot drinks machine drink options 7 direct selection buttons (including hot water) to include black/white coffee (cup or pot), cappuccino, whipped coffee, café latte cup capacity 3kW (270 cups per hour), 10 litre boiler 770mm x 320mm x 515mm	
48	Staeco Elite two group bean to cup coffee machine with integral bean grinder 11.5 Ltr boiler 3.0kW digital interface and steam wands 680mm x 523mm x 580mm	
50	Hobart HG48FE7 gas four range burner and oven freestanding 82,570 BTU (24.2kW) 700mm x 700mm x 850mm new	
51	IMC BK90 top loading bottle cooler provides high capacity storage and an efficient service with the capacity to hold up to 315, 330ml bottles and comes with a top loading design with sliding covers for ease of use stainless steel interior and exterior make it extremely robust and easy to maintain 900mm x 620mm x 900mm	
52	Hobart HEF777 Premier Plus double well electric fryer 2 x 13 litre freestanding 18.0kw 400/50/3 (fuse at 3x32A) 700mm x 700mm x 850mm brand new	
53	Stainless steel counter 1140mm long	
54	Geller AX-100 electronic cash register double sided led display, up to 16 departments (8 by shift) 200 plu's, 10 group & 10 staff, 4 foreign currencies option time, date and calculator display	
55	DSKI 10 litre wet heat soup kettle black finish stainless steel inner electrical loading 460W 240v	
56	AE Adam digital bench scale 6kg capacity	
57	Beko DWD4311W dishwasher 12 place setting standard dishwasher AAA rated 4 programmes 49 db noise level 850mm x 590mm x 590mm	

LOT No.	DESCRIPTION	NOTES
58	Stainless steel preparation table two shelves 1000mm x 600mm	
59	5 x stainless steel wall mounted basket racks	
60	Parry twin basket electric free standing fryer three phase no baskets (s/n 0400707742)	
61	Hobart HEFT47LC smooth electric griddle chromed steel top 400mm x 700mm 400V 3 phase (s/n 0573517)	
62	Dynamic Cooking Systems six range gas hob burner and oven 910mm x 800mm	
63	Moffatt DPC 6 rack electric steamer (s/n E8861986)	
64	Whirlpool AGB645/DP glass washer 120 second cycle time 400mm square basket model stainless steel AISI 304 cabinet 14 litre tank capacity 3.9 litre boiler capacity 1.6kW tank element 0.3kW wash pump electric rating: 2.9kW 230V 465mm x 515mm x 700mm (s/n 08402819)	
65	Comenda Linea LF324-BT front loading dishwasher 100 / 150 second cycles up to 36 racks per hour 500mm square basket size electrical loading 3.2kW / 5.8kW / 8.5kW single phase supply 600mm x 600mm x 820mm (s/n cs0009550108)	
66	Hobart HEF47T twin basket 12 litre well electric fryer 9kW power 400mm x 700mm x 270mm (s/n 0699496)	
67	San Jamar suction cup holder 4/12oz size	
68	Hobart HEF777 Premier Plus double well electric fryer 2 x 13 litre freestanding 18.0kw 400/50/3 (fuse at 3x32a) 700mm x 700mm x 850mm brand new (s/n 0928219)	
69	Logik LUL55S10 under counter fridge silver capacity: 4.8 cu.ft. 131 litre 845mm x 544mm x 570mm (s/n 010025588)	
70	2 x Dualit four slot commercial toasters	
71	Hamilton Beach commercial blender IG91503UK powerful 1/2 HP motor high/low and on/off/pulse toggle switches are easy to reach and polycarbonate container 240V (s/n 2060SP0111)	
72	Heated three halogen lamp hot plate electric with curved glass front and side panels 1200mm x 590mm	
73	Matsui 170TC microwave oven (s/n 70201582)	
74	Hobart FQE-41L 10 litre single basket electric fryer new (s/n 020027471)	
75	La Pavoni PUB2M semi automatic 2 group Espresso coffee machine (2007)	
76	Hobart Ecomax EECC46-10 electric Chip Scuttle 1.0 kW 230V~ 6A 270mm x 400mm x 600mm (s/n 0874855)	
77	Metal Carrelli 9053 electric hot plate 860mm x 460mm (s/n 90532005-003)	
78	Carter NB2-2500 remote aisle display case type 250H NB2A 2560mm x 860mm with shelves (s/n 27050)	
79	Portable four well GN pan drop in unit ambient 1300mm x 750mm	
80	Bartlett Options OAM2-13 portable solid top electric cabinet 1300mm x 760mm (s/n T81348-3)	
81	Bartlett OAM4-13T portable solid top electric cabinet 13600mm x 760mm	
82	Bartlett OAM4-13T solid top portable electric cabinet 1300mm x 760mm	
83	Portable four well GN pan drop in unit ambient 1300mm x 750mm	
84	Bartlett OAM4-13T solid top portable electric cabinet 1300mm x 760mm	
85	Portable four well GN pan drop in unit ambient 1300mm x 750mm	
86	Bartlett OAM4-13T solid top portable electric cabinet 1300mm x 760mm	
87	Bartlett OAM4-13T solid top portable electric cabinet 1300mm x 760mm	
89	Casio 160CRB electronic cash register led display, up to 4 departments 3 payment types 410mm x 448mm x 269mm	
90	Kenwood KDW12STA stainless steel dishwasher 12 place setting 53 db noise level 600mm x 850mm x 580mm (s/n 036191)	
91	Plate draining rack	



LOT No.	DESCRIPTION	NOTES
92	Hobart EG457-10 four burner range gas cooker	
93	Choko Therm counter top chocolate melting kettle - variable control temperature	
94	Manual bar top ice crusher	
95	Buffalo P105 infrared quartz grill heat zone selector switch - top and bottom elements can be used in any combination 0-15 minute timer 240mm x 490mm x 245mm power 1.8 kW, 220-240V, 7.8 amp, single phase (s/n 200912034660)	
96	2 x Dualit four slot commercial toasters	
97	Lincat LBR1 1 x 2kW sealed hotplate variable heat control automatic heat reduction when pan is removed 285mm x 119mm x 400mm	
98	G Ferrari 435/7 single electric hob 1500W	
99	Falcon E350-35 electric smooth griddle plate cooking surface 610mm x 455mm thermostatically controlled 350mm x 650mm x 305mm (s/n 440511)	
100	Angelo PO model 1G0FT4E smooth chromium plated electric griddle steel cooking plate, with hard chromium surface treatment heated by two independent armoured heating element groups with end stainless infill panel, thermostat and temperature control from 100 to 260°C on stainless stand 1600mm x 700mm x 930mm (s/n 07125273001)	
101	Hobart Bonnet single solid top hob BB706CF-400 6.5kW/0.1kW 400mm x 730mm x 300mm brand new (s/n P46142470)	
102	Autonumis JSC1001 double door back bar cooler hinged door capacity - 174 x330ml bottles - 288 x 330ml cans temperature Range: +3° to +11°C 900mm x 500mm x 910mm (s/n 53483 ) 2009	
103	Altis BBC210PS double door back bar cooler hinged door capacity - 174 x330ml bottles - 288 x 330ml cans temperature Range: +3° to +11°C 900mm x 500mm x 910mm (s/n 1003500700016)	
104	Autonumis JSC1001 double door back bar cooler hinged door capacity - 174 x330ml bottles - 288 x 330ml cans temperature Range: +3° to +11°C 900mm x 500mm x 910mm (54385)	
105	Autonumis JSC1001 double door back bar cooler hinged door capacity - 174 x330ml bottles - 288 x 330ml cans temperature Range: +3° to +11°C 900mm x 500mm x 910mm (s/n 54366)	
106	Autonumis JSC1001 double door back bar cooler hinged door capacity - 174 x330ml bottles - 288 x 330ml cans temperature Range: +3° to +11°C 900mm x 500mm x 910mm (s/n 54361)	
107	Marble Cake refrigerated display counter model G810F 810 litre capacity temperature range 2-8°C (s/n 27122255)	
108	Silverwing BLC25 blast chiller stainless steel (s/n 13157)	
109	Naiko NR050 1.77 cu.ft. compact refrigerator total volume 50 ltr 740mm x 450mm x 492mm	
129	Hermo AG Ditting KE640 1640 rpm coffee bean grinder (s/n 1818)	
130	Hermo AG Ditting KE640 1640 rpm coffee bean grinder (s/n 1814)	
131	Pavoni ZIP BAE semi-automatic coffee dosing grinders Hopper Capacit: 2.2 lbs. Power 0.33 hp 1400 rpm (s/n 51646)	
132	Wega 6.4 Platino coffee bean grinder doser holds approx. 50 cups of ground coffee Shot counter indicates number of pulls made from the grinder. 64mm burr grinding discs for true espresso grind with consistent quality RPM 1250 10kg per hour maximum grinding capacity 1.6kg clear bean hopper (s/n 71MAX642PL)	
133	Falcon G6478 steamer natural gas version large oven capacity 45000 btu's six shelf positions built-in self filling water tank stainless steel exterior and interior with removable shelf hangers 600mm x 840mm x 1590mm	
134	Falcon Chieftain solid top gas cooker with oven under cast iron hob with rectangular heavy duty with 850mm flue 900mm x 940mm x 900mm	
135	Falcon 110 cook and hold convection oven 10 grid 3-phase electric 1010mm x 940mm x 1530mm	

LOT No.	DESCRIPTION	NOTES
136	Stott Benham gas six burner range and oven 900mm x 900mm	
137	Blodgett 9.48 cu. ft. electric oven 9 grid 542mm x 383mm x 368mm	
138	Winterhalter WKT1200 continuous rack dishwasher 500 x 500 basket size up to 110 baskets per hour rack activated wash and rinse cycle minimises water, wash zone, sanitising rinse zone, 2 stage economy rinse Cycle Mediamat water purifier finished in stainless steel electric 3 phase complete with all tabling and stainless pre wash sink 1300mm x 843mm x 1925mm (s/n 500434)	
139	Stainless steel sink and drainer with under shelf 1050mm	
140	Stainless steel mobile table three drawers and under shelf 1500mm x 740mm	
141	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
142	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
143	Dualit BM3/803 conveyor belt electric continuous toaster (s/n 0202003)	
144	Valentine VMC2 Multi cooker for pasta/sous vide/noodles stainless steel multi purpose (s/n 78M117314)	
145	Winterhalter GS E15 glass washer rack size: 400mm x 400mm wash cycle: 2 mins capacity 30 racks/hr dimensions: 460mm x 617mm x 715mm (s/n 499725)	
146	Insectocutor	
147	Falcon 350 electric smooth plate cast iron griddle surface v variable high / low heat settings thermostatically controlled stainless steel finish with removable fat drawer cooking surface 260mm x 455mm loading : 3.8kW 1ph 350mm x 650mm x 305mm	
148	Falcon E350/32 electric 2 plate boiling 2 x high speed circular hotplates six position heat control power: 4kW, single phase 350mm x 650mm x 305mm (s/n 384246)	
149	Falcon 350 E350/37 twin pan basket fryer stainless steel finish oil capacity 2 x 12 litres loading: 17.25kW 400V 3n 700mm x 650mm x 870mm	
150	Salva Kwik Co 5 grid electric bake off oven 80mm wide 995mm deep 1655mm high 400V 3ph 18.5amp 6kW	
151	Casio QT2100 EPOS terminal with drawer and Epson receipt printer	
152	Casio CE-2300 electric cash register two post-finalization receipt formats large led display three payment media (cash, check, charge) cancel function currency exchange function	
153	Casio TE8000F Epos terminal	
154	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
155	Sharp XE-A203 electronic cash register two large displays, one operator and one customer, with high contrast led for easy viewing thermal printing for fast print speed and quiet operation drop in register tape for quick supply-replenishment 99 pre-programmed departments 1,200 price look-ups (plu's) 15 clerk number monitor sales by individual employees locking cash drawer	
156	NWBM POS1500 Epos terminal	
157	Checkout XN905 Epos terminal	
158	Checkout XN905 Epos terminal	
159	CCS Touch PS6506 Epos terminal	
160	Uniwell DX895 Epos terminal	
161	POS Ligne 1500 Epos terminal	

LOT No.	DESCRIPTION	NOTES
162	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
163	Sharp X300 series Epos terminal	
164	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
165	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
166	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
167	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
168	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
169	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
170	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
171	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
172	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	

LOT No.	DESCRIPTION	NOTES
173	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
174	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
175	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
176	Olivetti ECR 350 electronic cash register fast, quiet thermal printer 57mm wide till rills go back up to 3 transactions 2 line alpha numeric operator display pop up customer display training mode heavy duty cash drawer, 8 coin and 4 notes 8 departments, 1200 plu's euro currency conversion option clerk sign-on option (15 clerks) programmable header and footer for receipts cash in drawer total on receipt 285mm x 423mm x 404mm	
177	Chrome four tier mobile rack 1200mm x 460mm x 1760mm	
178	Stainless steel work preparation station 2 upper shelves, under shelf and drawer mobile 1200mm x 610mm	
179	Stainless steel preparation table with up stand and two shelves 980mm x 320mm	
180	Stainless steel table with shelf and drawer 450mm x 680mm	
181	Stainless steel in fill table 680mm x 160mm	
182	Chrome three tier static rack 1200mm x 600mm x 1260mm	
183	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
184	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
185	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
186	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
187	Chrome four tier static rack 1500mm x 460mm x 1680mm	
188	Stainless steel insectocutor	
189	Dualit stainless steel six slot toaster	
190	Stainless steel hand wash basin	
191	Sharp UP X300 Epos terminal	
192	CCS Touch PS6506 Epos terminal	
193	Stainless steel six tier portable rack 860mm x 590mm x 1700mm	
194	Lincat A006 water boiler stihl 3kW, 220 - 240 V, 13 amp, single phase (s/n 25016671)	
195	Stainless steel work preparation station 2 upper shelves, under shelf, drawer and can opener mobile 1200mm x 610mm	
196	Chrome four tier static rack 1200mm x 450mm x 1700mm	
197	Stainless steel preparation table with 2 shelves and up stand 1070mm x 450mm	

LOT No.	DESCRIPTION	NOTES
198	Vestfrost CFKS471 white solid door upright commercial refrigerator fully automatic operation and auto defrost. rollers to rear for easy movement. reversible door. auto defrost & fan assisted cooling. external temperature display. capacity 13 cu.ft/ 368 litre. 1850mm x 595mm x 595mm (s/n 20082563200)	
199	Foster BCF35/15 blast chiller stainless steel (s/n E5025241)	
200	Fujitsu RT665 stainless steel Epos terminal	
201	NWBM POS1500 Epos terminal	
202	Bizerba SC815 E-GBR 15kg weigh price scale and printer	
203	Bizerba SC815 E-GBR 15kg weigh price scale and printer (s/n 10137030)	
204	Bizerba SC815 E-GBR 15kg weigh price scale and printer (s/n 10047251)	
205	Uniwell DX895 Epos terminal	
206	Fujitsu RT665 stainless steel Epos terminal	
207	Chrome four tier static rack 1050mm x 450mm x 1600mm	
208	Four tier mobile rack 1050mm x 380mm x 2000mm	
209	Four tier static rack 1050mm x 450mm x 1700mm	
210	Hobart GLC25 electric under counter stainless steel glass washer 460mm x 530mm x 700mm	
211	Stainless steel under counter glass washer (in need of repair) 465mm x 490mm x 650mm	
212	Stainless steel preparation table with shelf 1150mm x 640mm	
213	Maidaid M34-16 ice maker 16kg storage to produce 34kg p/24hrs 500mm x 580mm x 790mm	
214	Stainless steel four shelf portable rack 850mm x 800mm	
215	2 x Moffatt URT560 portable hot cabinet 1000mm x 700mm	
216	2 x Moffatt HB18-E7 two door hot cabinet with drop in hot well Bain Marie 1300mm x 700mm	
217	2 x Moffatt HB16-E3 two door hot cabinet with 3 GN space drop in hot well Baine Marie 1600mm x 700mm	
218	Modular walk in freezer Zanotti Uniblock 2000mm x 300mm x 2200mm high run on R404A year 2006 (s/n BA5123T543F)	
219	Modular walk in chiller Zanotti Uniblock Model BA123T377F 3000mm x 3000mm x 2400mm high running on R404A refrigerant	
220	Modular walk in chiller & freezer unit stainless steel doors floor to freezer combination unit complete with all internal portable racking	
221	Foster Eco Pro 1/3H stainless steel triple door counter fridge capacity 16cu.ft / 435ltrs 1865mm x 700mm x 865mm	
222	Salva twin K5+HE convection bake off ovens on stainless steel portable stand ventilated computer control, temperature range 0 to 250 degrees glass door with lighting, water connection r 3 / 4 power 380, 400V, 9 kW, 16a plug, each oven dimension 780mm x 1000mm x 700mm (s/n 148865)	
223	Stainless steel twin utensil sink and drainer 1800mm	
224	Stainless steel drop in refrigerated display case glass front and side panels 1300mm x 800mm x 1400mm	
225	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
226	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
227	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
228	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	

LOT No.	DESCRIPTION	NOTES
229	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
230	Stainless steel preparation table with under shelf and storage for 5 bakery trays 1750mm x 600mm	
231	Chrome four tier static rack 900mm x 600mm x 1600mm	
232	Quantity of dishwasher cutlery holder trays	
233	Avery Berkel A702 6kg digital bench scales	
234	Cambro large quantity of Melamine trays as lotted	
235	Chrome two tier static rack 1500mm x 600mm x 1650mm	
236	Chrome five tier static rack 900mm x 350mm x 1800mm	
237	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
238	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
239	Sharp R24AT1900W commercial microwave oven 20 memory setting 20 litre (0.7 cu.ft.) oven capacity solid stainless steel variable cooking controls	
240	MBM 52011A stainless steel triple door and single drawer counter fridge capacity 16cu.ft / 450lts 1865mm x 700mm x 865mm	
241	Stainless steel three tier table 1450mm x 450mm	
242	Chrome rack five tier static 1450mm x 600mm x 1600mm	
243	Cambro 480mm dishwasher baskets x 9	
244	Williams HP5SC stainless steel commercial refrigerator temperature range +1/+4°C 600mm x 580mm 840mm	
245	MBM stainless steel double door and single drawer counter fridge capacity 16 cu.ft / 450lts 1400mm x 700mm x 865mm	
246	Foster Gastro Pro 1/4H 4 drawer counter refrigerator capacity 585 Litres 20.5 cu.ft 1700mm x 800mm x 850mm	
247	FMC CJ fresh and squeeze whole orange citrus juicer on stainless steel stand (s/n A001808)	
248	Tecfrigo 550 GBT Vertical Line display refrigerator 730mm x 828mm x 1810mm	
249	Winterhalter GS-D1T pass through dishwasher fully stainless steel 735mm x 749mm x 1530mm	
250	Stainless steel three tier shelf 850mm x 600mm	
251	Stainless steel preparation table with can opener 600mm x 600mm	
252	Chrome four tier static rack 800mm x 600mm x 1700mm	
253	Valentine Pension 2BS electric free standing fryer capacity 34 Kg chips/hour 400mm x 580mm x 900mm (s/n K28491277)	
254	Foster Eco Pro 1/3H stainless steel triple door counter fridge capacity 16cu.ft / 435lts 1865mm x 700mm x 865mm	
255	Stainless steel preparation table with up stand and shelf 1000mm x 700mm	
256	Cornelius visual display juice dispenser 30 litre capacity	
257	Chrome three tier static rack 1700mm x 600mm x 1600mm	
258	Stainless steel preparation table 600mm x 350mm	
259	Rubbermaid HDP waste bins x 4	
260	Chrome three tier static rack 1700mm x 600mm x 1650mm	
261	Electric smooth plate griddle 600mm x 450mm	
262	Falcon Dominator twin pan gas fryer G2865 stainless steel oil capacity: 30ltr chip output: 64kg/hr power rating: 39.8kw 2 x 1/2" BSP hoses 600mm x 770mm x 870mm	
263	Stainless steel six tier rack 1450mm x 550mm x 1600mm	

LOT No.	DESCRIPTION	NOTES
264	4 x Halogen external spot lamps	
265	Stainless steel bench 2000mm x 350mm	
266	20 x six compartment welded lockers 300mm x 450mm x 1800mm	
267	Lincat Automatic Water Boiler EB3 power 3kw 19 pints (10.5 litres) output per hour - 62 pints (34.5 litres) 600mm x 275mm x 315mm (s/n 9423510)	
268	Stainless steel preparation table with six tray storage 1300mm x 750mm	
269	2 x Cotswold Rattan cane furniture arm chairs	
270	Wooden two door two drawer solid cabinet 800mm x 400mm	
271	Wooden dumb waiter 1800mm x 650mm	
272	Stainless portable bakers rack five tier 530mm x 330mm x 1560mm	
273	Stainless steel portable bakers rack seven tier 630mm x 510mm x 1700mm	
274	Wooden three door three drawer dumb waiter 1100mm x 540mm	
275	90 x steel bakery wires 760mm x 450mm x 60mm deep	
276	90 x steel bakery wires 760mm x 450mm x 60mm deep	
277	90 x steel bakery wires 760mm x 450mm x 60mm deep	
278	Stainless steel twenty tier bakery rack with trays portable 740mm x 470mm x 1800mm	
279	Stainless steel preparation table with shelf 900mm x 650mm	
280	Stainless steel top table 760mm x 760mm	
281	3 x 600mm diameter ingredient bins on portable stands	
282	3 x 600mm diameter ingredient bins on portable stands	
283	3 x 600mm diameter ingredient bins on portable stands	
284	5 x 600mm diameter ingredient bins with lids	
285	5 x 600mm diameter ingredient bins with lids	
286	5 x 600mm diameter ingredient bins with lids	
287	14 x galvanised bakery dollies	
288	Komatsu FY18 gas counter balance fork lift truck 1700kg capacity 3.7m lift height (s/n 303723)	
289	Western Mechanical Handling model Kelvin PF10 walk behind fork lift 500mm maximum lift 1000kg capacity (s/n 332195)	
End of Sale		



All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding

**Pro Auction Limited**  
Valuers & Auctioneers



## Viewing:

Viewing is by appointment with auctioneers only, on Tuesday 26th April 2011, 9.00am - 4.30pm

Unit 5, Midsomer Enterprise Park, Bath BA3 2BB

Nearest Rail Station: Oldfield Park: 7.2 miles; Bath Spa: 7.7 miles

Nearest Airport: Bristol International Airport: 12.4 miles



Contact the auctioneers for further information and to request a catalogue:

**Pro Auction Limited**

Unit 5,  
Midsomer Enterprise Park,  
Radstock Road,  
Bath BA3 2BB  
United Kingdom  
Tel: +44(0)1761 414000  
Fax: +44(0)845 280 2492

Email:  
[info@proauction.ltd.uk](mailto:info@proauction.ltd.uk)  
Website:  
[www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

**Surplus asset?**  
Call us for a free valuation and to organise your next sale

### SALIENT INFORMATION:

- Identification is required to enable allocation of a bidding card.
- All capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection & enquiries for verification.
- All bids are subject to applicable VAT 20% and a buyers premium of 15.5% + VAT.
- Payment is required on day of the sale unless prior arrangements have been agreed. Funds must be cleared before collection of goods.

**An effective way to maximise realisation on redundant assets, call the experts today**  
**Guaranteed Results!!**

### PLEASE NOTE:

Commission and telephone bids by arrangement only.

